ANNA VARIOFLEX 3 12X3 4400 830/35/40

Recessed LED panel

LED Panel with opal homogenous light emitting surface. Easy to adjust tuneable lumen output and colour temperature switch located on the luminaire. Gentle, soft and glare-free lighting with UGR <19 for schools and offices, with UGR film made of TpB rated PC and PS diffuser for fully homogenous illumination, with aluminium frame. Total luminous flux: 4400 lm. Luminaire input power: 35 W. Luminaire Efficiency: up to 126 lm/W, correlated colour temperature (CCT) adjustable via switch for 3000K, 3500K or 4000K. Lifetime: 50.000hrs @L80, Colour Rendering: CRI > 80, Chromaticity tolerance (initial MacAdam): 4. Provided with detachable quick connector for easy installation and tool-free loop-in loop-out wiring and safety wire, Flicker free, Suitable for lay-in installation. Available accessories: Plug&Play Emergency kit for 3 hour emergency conversion (Self or Manualtest), surface and suspension mounting kits. Lumen package adjustable on site by 4 steps FLEX@4000K: (FLEX1 - 4400 Im (35W), FLEX2 - 4000 Im (31W), FLEX3 - 3750 Im (29W), FLEX4 - 3000 Im (23W). Detailed power setting information available on www.THORNeco.com. Dimensions: 1196 x 296 x 35 mm, weight: 1.97 kg



TE_ANNA_F_1200x300_persp.jpg

Light Distribution



- Light Source: LED
- Luminaire luminous flux*: 4400 lm
- Total emergency luminous flux: 490 lm
- Luminaire efficacy*: 126 lm/W

35

60

- Colour Rendering Index min.: 80
- Correlated colour temperature*: 3000-4000 Kelvin

THORN

1196

TE_ANNA_M_1196x296.wmf

STD - standard

296

96638250

- Chromaticity tolerance (initial MacAdam): 4
- Rated median useful life*:
- L80 50000 h at 25 °C
- Ballast: 1x LED Con
- Luminaire input power*: 35 W Power factor = 0.9
- Dimming: STEPS dimmable to 70%
- Maintenance category CIE 97: D Enclosed IP2X
- Total harmonic distortion (THD): 15.00 %

All values marked with an * are rated values. Connected electrical load and luminous flux are subject to an initial tolerance of +/- 10%, the most similar colour temperature is subject to an initial tolerance of +/- 150K. Unless stated otherwise, the values apply to an ambient temperature of 25°C.