

Product datasheet

Specifications



Input/output expander, SpaceLogic IP-IO Series, 10 universal inputs/ outputs

SXWIPIOBA10001

Main

Backup time	7 days
Width	153 mm
Mounting mode	DIN rail mount Panel-mounted
Power consumption in W	9 W
Power consumption in VA	17 VA
Product or component type	I/O module
Device short name	IP-IO-UIO10
Height	110 mm
Model	IP-IO-UIO10
Network frequency	50 Hz 60 Hz
Ambient air temperature for storage	-20...70 °C
Ambient air temperature for operation	0...50 °C
Input/output type	10 universal I/O
Number of port	2, connector type: RJ45 1, connector type: USB type A female 1, connector type: USB device port Mini-B
Relative humidity	0...95 % RH, non-condensing
Memory type	32 MB flash 128 MB RAM
Communication port support	ETHERNET 10/100BASE-TX
[Us] rated supply voltage	24 V AC +/- 20 % 24...30 V DC 21...33 V DC
Communication port protocol	BACnet IP

Complementary

Standards	CAN/CSA C22.2 No. 24
-----------	----------------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.0 cm
Package 1 Width	12.4 cm

Package 1 Length 16.3 cm

Package 1 Weight 417.0 g

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 350

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Recycled metal content at CR level 0

Packaging made with recycled cardboard Yes

Packaging without single use plastic Yes

[EU RoHS Directive](#) Compliant with Exemptions

SCIP Number 216d30ea-561a-4180-91a4-6fde03982c59

REACH Regulation [REACH Declaration](#)

Halogen content performance Halogen free plastic parts product

PVC free Yes

Use Again

Repack and remanufacture

Circularity Profile [End of Life Information](#)

Take-back No

WEEE  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins