


Indoor | Track mounted luminaires | Yori Evo Ghostrack



Medium 23°

31

IP20



Risk 1

850°



**Code D.1X.LH63E.HC31**

### Light source features

**Number of light sources:** 1

**Source type:** LED

**Watt:** 12W

**Lm:** 1323lm

**Lm/W:** 110lm/W

**Kelvin/CRI:** 3000K / >98

**SDCM/L90 B10:** < 2 / 50000

### Electrical features

**Driver included:** YES

**Driver position:** integrated

**Driver type:** DALI 220/240 Vac 50/60 Hz

**Total power consumption (LED + DRIVER):** 14

**Isolation class:** Class II

### Optical features

**Beam angle:** 23°

**Optical type, adjustability:** Adjustable

**Interchangeable optic (IOS):** YES

### Physical features

**Material:** Die-cast aluminum

**Mounting:** Track

**Fixing:** Ceiling

**Adjustability:** 356° horizontal axis 90° vertical axis

**Finishing:** Embossed matt black (Standard)



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

### Reggiani SPA Illuminazione

Viale Monza, 16 20845 Sovico (MB) Italy  
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999



www.reggiani.net  
contact@reggiani.net

## Photometries





D\_LH63E\_HC\_31.ies  
D\_LH63E\_HC\_31.LDT

## Tracks/channels





### Code 0.02030.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm





### Code 0.02030.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




### Code 0.02030.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm





### Code 0.02031.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm



### Code 0.02031.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm





### Code 0.02031.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels





### Code 0.02032.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm





### Code 0.02032.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




### Code 0.02032.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm





### Code 0.02033.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm



### Code 0.02033.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm




### Code 0.02033.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




**Code 0.02034.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02034.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02034.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02035.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm



**Code 0.02035.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm




**Code 0.02035.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




**Code 0.02036.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02036.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02036.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02037.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm



**Code 0.02037.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm




**Code 0.02037.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.27101.0021 - 3-circuit track Supertrack

Finishing: Black (Standard)  
Length: 1000mm Width: 41mm Height: 50mm




### Code 0.27102.0021 - 3-circuit track Supertrack

Finishing: Black (Standard)  
Length: 2000mm Width: 41mm Height: 50mm




### Code 0.27103.0021 - 3-circuit track Supertrack

Finishing: Black (Standard)  
Length: 3000mm Width: 41mm Height: 50mm




### Code 0.27104.0021 - 3-circuit track Supertrack

Finishing: Black (Standard)  
Length: 4000mm Width: 41mm Height: 50mm



### Code 0.02505.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 1000mm Width: 31mm Height: 83mm




### Code 0.02505.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 1000mm Width: 31mm Height: 83mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




**Code 0.02506.0010 - H Track | Surface/Pendant**

Finishing: White (Standard)  
Length: 2000mm Width: 31mm Height: 83mm





**Code 0.02506.0021 - H Track | Surface/Pendant**

Finishing: Black (Standard)  
Length: 2000mm Width: 31mm Height: 83mm




**Code 0.02507.0010 - H Track | Surface/Pendant**

Finishing: White (Standard)  
Length: 3000mm Width: 31mm Height: 83mm




**Code 0.02507.0021 - H Track | Surface/Pendant**

Finishing: Black (Standard)  
Length: 3000mm Width: 31mm Height: 83mm



**Code 0.02508.0010 - H Track | Surface/Pendant**

Finishing: White (Standard)  
Length: 4000mm Width: 31mm Height: 83mm




**Code 0.02508.0021 - H Track | Surface/Pendant**

Finishing: Black (Standard)  
Length: 4000mm Width: 31mm Height: 83mm

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Optics




Optic included - Code 0.35131.0000 - Ø75mm precision optic 23° - LED

Finishing:  
Description:



Medium 23°




Code 0.35130.0000 - Ø75mm precision optic 12° - LED

Finishing:  
Description:




Narrow 12°

## Accessories




**Code 0.26404.004A - Red glass filter 1 mm**

Type: Optical  
Finishing: Red




**Code 0.26404.005A - Green glass filter 1 mm**

Type: Optical  
Finishing: Green




**Code 0.26404.006A - Blue glass filter 1 mm**

Type: Optical  
Finishing: Blue




**Code 0.26404.007A - Pink glass filter 1 mm**

Type: Optical  
Finishing: Pink



**Code 0.26404.008A - Yellow glass filter 1 mm**

Type: Optical  
Finishing: Yellow



**Code 0.26404.009A - Orange glass filter 1 mm**



Type: Optical  
Finishing: Orange

## Accessories





### Code 0.26412.0000 - Colored Gel Slides (2 pieces)

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26420.0000 - Selective filter 2700K - 2500K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26428.0000 - Selective filter 2700K - 2200K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26436.0000 - Selective filter 2700K - 2000K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26444.0000 - Honeycomb dense texture


Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26452.0000 - Honeycomb wide texture

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)


## Accessories



### Code 0.26458.0000 - Ribbed glass

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26464.0000 - Opal lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26472.0000 - Diffusive lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26478.0000 - Cross blade louver

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26486.0000 - Barn doors

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26490.0012 - Cone 45 ° wall washer

Type: Optical


Finishing: Embossed matt white (Standard)

## Accessories




### Code 0.26490.0031 - Cone 45 ° wall washer

Type: Optical  
Finishing: Embossed matt black (Standard)




### Code 0.26500.0000 - Standard spacer - 110mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 110mm




### Code 0.26501.0000 - Standard spacer - 220mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 220mm




### Code 0.26502.0000 - Customizable spacer - 300mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 300mm



### Code 0.26503.0000 - Customizable spacer - 400mm


Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 400mm



### Code 0.26504.0000 - Customizable spacer - 600mm


Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 600mm

## Accessories




**Code 0.26505.0000 - Customizable spacer - 800mm**

Type: Structural  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Length: 800mm





**Code 0.26506.0000 - Customizable spacer - 1000mm**

Type: Structural  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Length: 1000mm





**Code 0.26507.0000 - Customizable spacer - 1200mm**

Type: Structural  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Length: 1200mm




**Code 26508.00 - Ghost lock - accessory for vertical installation**

Type: Mounting  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Description: Max 3,5kg



**Code 0.26569.0000 - Selective filter 3000K-3600K**

Type: Optical  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



**Code 0.26577.0000 - Selective filter 3000K-4000K**

Type: Optical  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).