

MASTERCcolour CDM-TP

MASTERCcolour CDM-TP 150W/942 PGX12-2 1CT

Range of protected, high-efficiency, discharge lamps with a stable color over lifetime and a crisp, sparkling light to be used in open luminaires



Product data

• General Characteristics

Cap-Base	PGX12-2
Bulb	T31 [T 31mm]
Bulb Finish	Clear
Operating Position	any [Any or Universal (U)]
Life to 5% failures	9000 hr
Life to 20% failures	13000 hr
Life to 50% failures	16000 hr

• Light Technical Characteristics

Color Code	942 [CCT of 4200K]
Color Rendering Index	95 Ra8
Color Designation (text)	Cool White
Color Temperature	4200 K
Color Temperature Technical	4100 K
Luminous Flux Lamp EM	12000 Lm
Luminous Efficacy Lamp EM	81 Lm/W
Lumen Maintenance EM 2000h	85 %
Lumen Maintenance EL 2000h	85 %
Lumen Maintenance EM 5000h	75 %
Lumen Maintenance EL 5000h	75 %
Lumen Maintenance EM 10000h	70 %
Lumen Maintenance EL 10000h	70 %
Lumen Maintenance EM 15000h	60 %
Lumen Maintenance EL 15000h	60 %

Lumen Maintenance EL 15000h	65 %
Chromaticity Coordinate X	376 -
Chromaticity Coordinate Y	374 -

• Electrical Characteristics

System Power EM	165 W
System Power EL	170 W
Lamp Wattage	150 W
Lamp Wattage EM 25°C, Nominal	150.0 W
Lamp Wattage EM 25°C, Rated	148.0 W
Lamp Voltage	96 V
Lamp Current EM	1.8 A
Ignition Time	30 (max) s
Run-up time 90%	4 (max) min
Re-ignition Time [min]	15 (max) min
Dimmable	No

• Environmental Characteristics

Energy Efficiency Label (EEL)	A+
Mercury (Hg) Content	12.2 mg
Energy consumption kWh/1000h	162 kWh

• UV-related Characteristics

Damage Factor D/fc PET (NIOSH)	0.3 (max) - 8 (min) h500lx
--------------------------------	----------------------------

PHILIPS

• Luminaire Design Requirements

Cap-Base Temperature	240 (max) C
Bulb Temperature	480 (max) C

• Product Dimensions

Overall Length C	149 (max) mm
Diameter D	32.00 (max) mm
Light Center Length L	91 mm
Arc Length O	8 mm

• Product Data

Order code	928086209230
------------	--------------


Full product code	928086209230
Full product name	MASTERColour CDM-TP 150W/942 PGX12-2 1CT
Order product name	MASTERC CDM-TP 150W/942 PGX12-2 1CT/12
Pieces per pack	1
Packing configuration	12
Packs per outerbox	12
Bar code on pack - EAN1	8711500201119
Bar code on outerbox - EAN3	8711500201126
Logistic code(s) - 12NC	928086209230
ILCOS code	MTS/UB-150/942-H-PGX12-2-32/149
Net weight per piece	0.077 kg

Warnings and Safety

- Lamps may use electronic or electromagnetic control gear


- Control gear must include end-of-life protection (IEC61167, IEC 62035)

Dimensional drawing




MASTERColour CDM-TP 150W/942 PGX12-2 1CT

Product	C (Max)	D (Max)	L (Min)	L (Norm)	L (Max)	O (Min)	O (Norm)	O (Max)
CDM-TP 150W/942 PGX12-2	149	32.00	89	91	93	-	8	-



PGX12-2

Photometric data



© 2013 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2013, October 9
data subject to change