



MASTER PL-C 2 Pin

MASTER PL-C 13W/865/2P 1CT

MASTER PL-C is an efficient medium-wattage compact fluorescent lamp, typically used in general downlights for retail, hospitality and office applications. The original Philips-invented bridge technology guarantees optimum performance in the application, enabling more light and higher efficacy than the bended technology. The 2-pin version is designed for operation on electromagnetic gear and is provided with a plug-in/pull-out lamp base.

Product data

• General Characteristics

Cap-Base	G24d-1
Cap-Base Information	2P
Life to 10% failures EM	6500 hr
Life to 50% failures EM	10000 hr
LSF EM 2000h Rated, 3h cycle	99 %
LSF EM 4000h Rated, 3h cycle	98 %
LSF EM 6000h Rated, 3h cycle	92 %
LSF EM 8000h Rated, 3h cycle	78 %

• Light Technical Characteristics

Color Code	865 [CCT of 6500K]
Color Rendering Index	80 Ra8
Color Designation (text)	Cool Daylight
Color Temperature	6500 K
Luminous Flux EM 25°C, Rated	840 Lm
Luminous Flux EM 25°C, Nominal	840 Lm
Lum Efficacy Rated EM 25°C	63 Lm/W
LLMF EM 2000h Rated	90 %
LLMF EM 4000h Rated	85 %
LLMF EM 6000h Rated	81 %

LLMF EM 8000h Rated	77 %
Design Temperature	28 C
Chromaticity Coordinate X	313 -
Chromaticity Coordinate Y	337 -

• Electrical Characteristics

Lamp Wattage	13 W
Lamp Wattage EM 25°C, Nominal	13 W
Lamp Wattage EM 25°C, Rated	13.4 W
Lamp Voltage EM 25°C	95 V
Lamp Current EM 25°C	0.170 A
Dimmable	No

• Environmental Characteristics

Energy Efficiency Label (EEL)	B
Mercury (Hg) Content	1.4 mg
Energy consumption kWh/1000h	17 kWh

• Product Dimensions

Base Face to Base Face A	97.7 (max) mm
Insertion Length B	116.0 (max) mm
Overall Length C	138.4 (max) mm
Diameter D	27.1 (max) mm

MASTER PL-C 2 Pin

Diameter D1 27.1 (max) mm

• Product Data

Order code 927904886540
Full product code 927904886540
Full product name MASTER PL-C 13W/865/2P 1CT
Order product name MASTER PL-C 13W/865/2P 1CT/
5X10CC
Pieces per pack 1
Packing configuration 5X10CC
Packs per outerbox 50



Bar code on pack - EAN1 8711500635235
Bar code on intermediate packing - EAN2 8711500635242
Bar code on outerbox - EAN3 8711500715708
Logistic code(s) - 12NC 927904886540
ILCOS code FSQ-13/65/1B-I-G24d=1
Net weight per piece 53.600 gr

Warnings and Safety

- Use only with electromagnetic control gear
- Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position

- Dimming is not possible


Dimensional drawing



MASTER PL-C 13W/865/2P 1CT

Product	A (Max)	B (Max)	C (Max)	D (Max)	D1 (Max)
PL-C 13W/865/2P	97.7	116.0	138.4	27.1	27.1

Photometric data



© 2013 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2013, October 9
data subject to change