

Master Softone

Master Softone 20W WW E27 220-240V 1PF

Energy Saving lamps with design and superior performance, designed for incandescent lamp replacement in professional applications (Hotels, restaurants, etc), where you want to create an intimate and cozy atmosphere. With a comprehensive range of wattages, it enables easy replacement of most incandescent lamp all the way

Product data

• General Characteristics

Cap-Base E27
Bulb A70 [A 70mm]
Nominal Lifetime 12000 hr
Rated Lifetime (hours)
Rated Lifetime 12 an

(years)

Color Code

• Light Technical Characteristics

Color Rendering 81 (min) Ra8 Index Warm White Color Designation (text) Color Temperature 2700 K Color Temperature 2700 K **Technical** 1140 Lm Luminous flux lamp Rated Luminous Flux 1140 Lm Luminous Efficacy 60 Lm/W Lamp Lumen Maintenance 83 % 2000h Lumen Maintenance 70 % 6000h LLMF - end nominal 65 % lifetime Chromaticity Coor-463 dinate X Chromaticity Coor-420 dinate Y

827 [CCT of 2700K]

• Electrical Characteristics

Rated Wattage 20.0 W

Lamp Wattage 20 W 0.6 -Power Factor 220-240 V Voltage Lamp Current mA 141 mA Line Frequency 50/60 Hz Dimmable . No 85 W Wattage Equivalent Starting Time 10 (min), 100 (max) s

Warm-up Time to 60% Light Outp

• Environmental Characteristics

Energy Efficiency A Label (EEL)

Mercury (Hg) 1.5 (nom), 2 (max) mg

Content

Energy consumption 20 kWh

kWh/1000h

Measuring Conditions

Switching cycle 30000X

• Product Dimensions

 Overall Length C
 152.6 (max) mm

 Diameter D
 70.8 (max) mm

 Width F
 48.1 (max) mm

• Product Data

Order code 929689111701
Full product code 929689111701
Full product name Master Softone 20W WW E27
220-240V 1PF



Master Softone

Order product name Master Softone 20W WW E27

220-240V 1PF/6

Pieces per pack 1
Packing configuration 6
Packs per outerbox 6

Bar code on pack - 8711500468185

EAN1

Warnings and Safety

 Breaking a lamp is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a closed plastic Bar code on 8727900806236

outerbox - EAN3

Logistic code(s) - 929689111701


12NC

Net weight per piece 0.120 kg

bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Compact fluorescent lamps have to be treated as special waste, they
must be taken to your local waste facilities for recycling. The
European Lighting Industry has set up an infrastructure, capable of
recycling mercury, other metals, glass etc.

Dimensional drawing



Master Softone 20W WW E27 220-240V 1PF

Product	C (Max)	D (Max)	F (Max)
Ambiance Erp 20W WW E27 220-240V 50/60Hz	152.6	70.8	48.1



E27



© 2013 Koninklijke Philips N.V. (Royal Philips) All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.