

# MASTERCcolour CDM-TP

MASTERCcolour CDM-TP 150W/830 PGX12-2 1CT

Range of protected, high-efficiency, discharge lamps with a stable color over lifetime and a crisp, sparkling light to be used in open luminaires



## Product data

### • General Characteristics

Cap-Base	PGX12-2
Bulb	T31 [T 31mm]
Bulb Finish	Clear
Operating Position	any [Any or Universal (U)]
Life to 5% failures	9000 hr
Life to 20% failures	13000 hr
Life to 50% failures	16000 hr

### • Light Technical Characteristics

Color Code	830 [CCT of 3000K]
Color Rendering Index	86 Ra8
Color Designation (text)	Warm White
Color Temperature	3000 K
Color Temperature Technical	2900 K
Luminous Flux Lamp EM	12800 Lm
Luminous Efficacy Lamp EM	86 Lm/W
Lumen Maintenance EM 2000h	75 %
Lumen Maintenance EL 2000h	72 %
Lumen Maintenance EM 5000h	65 %
Lumen Maintenance EL 5000h	70 %
Lumen Maintenance EM 10000h	55 %
Lumen Maintenance EL 10000h	65 %
Lumen Maintenance EM 15000h	50 %

Lumen Maintenance EL 15000h	60 %
Chromaticity Coordinate X	444 -
Chromaticity Coordinate Y	407 -

### • Electrical Characteristics

System Power EM	165 W
System Power EL	170 W
Lamp Wattage	150 W
Lamp Wattage EM 25°C, Nominal	150.0 W
Lamp Wattage EM 25°C, Rated	149.0 W
Lamp Voltage	98 V
Lamp Current EM	1.8 A
Ignition Time	30 (max) s
Run-up time 90%	3 (max) min
Re-ignition Time [min]	15 (max) min
Dimmable	No

### • Environmental Characteristics

Energy Efficiency Label (EEL)	A+
Mercury (Hg) Content	15 mg
Energy consumption kWh/1000h	163 kWh

### • UV-related Characteristics

Damage Factor D/fc PET (NIOSH)	0.3 (max) - 8 (min) h500lx
--------------------------------	----------------------------

**PHILIPS**

## • Luminaire Design Requirements

Cap-Base Temperature	240 (max) C
Bulb Temperature	480 (max) C

## • Product Dimensions

Overall Length C	149 (max) mm
Diameter D	32.00 (max) mm
Light Center Length L	91 mm
Arc Length O	9 mm

## • Product Data

Order code	928087009230
------------	--------------


Full product code	928087009230
Full product name	MASTERColour CDM-TP 150W/830 PGX12-2 1CT
Order product name	MASTERC CDM-TP 150W/830 PGX12-2 1CT/12
Pieces per pack	1
Packing configuration	12
Packs per outerbox	12
Bar code on pack - EAN1	8711500201256
Bar code on outerbox - EAN3	8711500201263
Logistic code(s) - 12NC	928087009230
ILCOS code	MTS/UB-150/830-H-PGX12-2-91/149
Net weight per piece	0.077 kg

## Warnings and Safety

- Lamps may use electronic or electromagnetic control gear


- Control gear must include end-of-life protection (IEC61167, IEC 62035)

## Dimensional drawing




## MASTERColour CDM-TP 150W/830 PGX12-2 1CT

Product	C (Max)	D (Max)	L (Min)	L (Norm)	L (Max)	O (Min)	O (Norm)	O (Max)
CDM-TP 150W/830 PGX12-2	149	32.00	89	91	93	-	9	-



PGX12-2

## Photometric data



© 2013 Koninklijke Philips N.V. (Royal Philips)  
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

[www.philips.com/lighting](http://www.philips.com/lighting)

2013, October 9  
data subject to change