



Halogen 12V Dichroic 2 Year

Halogen Dichroic 2yr 50W GU5.3 12V 36D 2BC

Low voltage halogen reflector lamp , giving crisp white light, and a cool beam

PHILIPS
sense and simplicity

Product data

• General Characteristics

Philips Code	14600
ANSI Code Halogen	EXN
Cap-Base	GU5.3
Bulb	MR16 [MR 16inch/50mm]
Operating Position	any [Any or Universal (U)]
Life to 50% failures	2000 hr
Rated Lifetime (hours)	2000 hr
Rated Lifetime (years)	2 an

• Light Technical Characteristics

Beam Angle	36 D
Beam Angle Technical	36 D
Luminous Intensity	1200 (max) cd
Color Rendering Index	100 Ra8
Color Temperature	3000 K
Color Temperature Technical	3000 K

• Electrical Characteristics

Lamp Wattage	50 W
Lamp Wattage Technical	50 W
Voltage	12 V
Lamp Current	4.17 A
Dimmable	Yes

• Environmental Characteristics

Energy Efficiency Label (EEL)	-
-------------------------------	---

Mercury (Hg) Content	0.0 mg
----------------------	--------

• Luminaire Design Requirements

Cap-Base Temperature	250 (max) C
----------------------	-------------


• Product Dimensions

Overall Length C	46 (max) mm
Diameter D	51 (max) mm

• Product Data

Order code	924049717110
Full product code	924049717110
Full product name	Halogen Dichroic 2yr 50W GU5.3 12V 36D 2BC
Order product name	Hal-Dich 2y 50W GU5.3 12V 36D 2BC/10
Pieces per pack	2
Packing configuration	10
Packs per outerbox	10
Bar code on pack - EAN1	8711500413222
Bar code on outerbox - EAN3	8711500430595
Logistic code(s) - 12NC	924049717110
ILCOS code	HRGI-50-12-GU5.3-50/36
Net weight per piece	36.000 gr

Dimensional drawing



Ess MR16 50W GU5.3 12V 36D 1CT

Product	C (Max)	D (Max)
FIGHTER 14600 50W GU5.3 12V MR16 36D	46	51

Dimensional drawing

GU5.3



© 2013 Koninklijke Philips Electronics N.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting

2013, January 12
data subject to change