# **PHILIPS** Lighting

# MASTER TL-D 90 Graphica

# MASTER TL-D 90 Graphica 58W/952 SLV/10

This TL-D lamp has excellent color rendering which makes it very suitable for the graphical and printing industry to check the quality of printed material.

#### Warnings and Safety

• A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

#### **Product data**

General information		Chromaticity Coordinate X (Nom)	0.34
Cap-Base	G13 [ Medium Bi-Pin Fluorescent]	Chromaticity Coordinate Y (Nom)	0.351
Life To 10% Failures (Nom)	6000 h	Correlated Color Temperature (Nom)	5200 K
Life to 50% Failures (Nom)	8000 h	Luminous Efficacy (rated) (Nom)	61.1 lm/W
Life to 50% Failures Preheat (Nom)	10000 h	Color Rendering Index (Nom)	97
LSF 2000 h Rated	99 %	LLMF 2000 h Rated	93 %
LSF 4000 h Rated	99 %	LLMF 4000 h Rated	90 %
LSF 6000 h Rated	99 %	LLMF 6000 h Rated	88 %
LSF 8000 h Rated	99 %	LLMF 8000 h Rated	85 %
LSF 12000 h Rated	89 %	LLMF 12000 h Rated	82 %
LSF 16000 h Rated	33 %	LLMF 16000 h Rated	80 %
LSF 20000 h Rated	2 %	LLMF 20000 h Rated	78 %
Flux measurement reference	Sphere		
		Operating and electrical	
Light technical		Power (Nom)	59.6 W
Color Code	952	Lamp Current (Nom)	0.670 A
Luminous Flux (Nom)	3640 lm		
Color Designation	Daylight		



# MASTER TL-D 90 Graphica

Temperature					
Design Temperature (Nom)	25 ℃				
Controls and dimming					
Dimmable	Yes				
Mechanical and housing					
Bulb Shape	T8 [ 26 mm (T8)]				
Approval and application					
Energy Efficiency Class	G				
Mercury (Hg) Content (Nom)	2 mg				
Energy Consumption kWh/1000 h	60 kWh				
EPREL Registration Number	423532				

Product data				
Full product code	871150088875425			
Order product name	MASTER TL-D 90 Graphica 58W/952 SLV/10			
EAN/UPC - Product	8711500888754			
Order code	928045295081			
Numerator - Quantity Per Pack	1			
Numerator - Packs per outer box	10			
Material Nr. (12NC)	928045295081			
Net Weight (Piece)	167.000 g			
ILCOS Code	FD-58/53/1A-E-G13			

## Dimensional drawing

Product	D (max)	A (max)	B (max)	B (min)	C (max)
MASTER TL-D 90	28 mm	1500.0 mm	1507.1 mm	1504.7 mm	1514.2 mm
Graphica 58W/952					
SLV/10					

### MASTER TL-D 90 Graphica 58W/952 SLV/10

### Photometric data


E 500 400 200 100 300 400 500 600 700 λ nm

LDPB\_TL-D9HCR\_950-Spectral power distribution B/W

LDPO\_TL-D9HCR\_950-Spectral power distribution Colour

# MASTER TL-D 90 Graphica

Lifetime



LDLM\_TL-D9HCR\_0001-Lumen maintenance diagram



© 2022 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2022, March 16 - data subject to change