



LED classic 120W A67
E27 CW FR NDRF1SRT4

929002371901



CorePro, LEDbulb, A67, not dimmable, 120 W, E27, 4000 K, 2000 lm, CRI 80, 15000 hour(s), Glass



CorePro, LEDbulb, A67, not dimmable, 120 W, E27, 4000 K, 2000 lm, CRI 80, 15000 hour(s), Glass, 153.00 lm/W, EEL D, PF 0.51, IP20, SVM 0.4, PstLM 1

General Information

Cap-Base	E27
Nominal lifetime	15,000 hour(s)
Switching Cycle	20,000
Rated Lifetime (Hours)	15,000 hour(s)
Lighting Technology	LEDbulb
Flux measurement reference	Sphere
Warranty period	2 years

Light Technical

Color Code	840 [CCT of 4000K]
Color Code	840 [CCT of 4000K]
Beam Angle (Nom)	300 degree(s)
Luminous Flux	2,000 lm
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	153.00 lm/W
Color Consistency	<6

Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and Electrical

Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	13 W
Lamp Current (Nom)	120 mA
Wattage Equivalent	120 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.51
Voltage (Nom)	220-240 V

Temperature

T-Case Maximum (Nom)	60 °C
----------------------	-------

Controls and Dimming

Dimmable	No
----------	----

Mechanical and Housing

Bulb Finish	Frosted
Bulb Material	Glass
Overall length	121 mm
Overall width	70 mm
Overall height	121 mm
Dimensions (Height x Width x Depth)	121 x 70 x 121 mm
Bulb Shape	A67
Net Weight (Piece)	0.034 kg

Approval and Application

Energy Efficiency Class	D
Energy Consumption kWh/1000 h	13 kWh
EPREL Registration Number	374903
EU RoHS compliant	Yes
Warranty	2 year(s)
EyeComfort	Yes
LED Innovations	EyeComfort
Flickering value (PstLM) - Flickering value as per EN 61000-3-3	1
Stroboscopic effect visibility measure (SVM)	0.4
Ambient temperature range	-20 to +45 °C


Application Conditions

can it be used in closed luminaires	No
Wireless Technology	Not applicable

Product Data



Order product name	LED classic 120W A67 E27 CW FR NDRF1SRT4
Full product name	LED classic 120W A67 E27 CW FR NDRF1SRT4
Full product code	871869976453100
Order code	929002371901
Material Nr. (12NC)	929002371901
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718699764531
Numerator - Packs per outer box	4
EAN/UPC - Case	8718699764548

Dimensional drawing




Product	D	C
LED classic 120W A67 E27 CW FR NDRF1SRT4	70 mm	121 mm

Photometric data




General uniform lighting - LED classic 120W A67 E27 CW FR
NDRF1SRT4

Light Distribution Diagram - LED classic 120W A67 E27 CW FR
NDRF1SRT4




Spectral Power Distribution Colour - LED classic 120W A67 E27
CW FR NDRF1SRT4

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram - LED classic 120W A67 E27 CW FR
NDRF1SRT4

Related Documents

Documents and certificates	Document Name	Download
Environmental Product Declaration	EPD-Philips-Bulbs-ND-Glass-G93-G120-A67-A95-ref-929002372201-EPD.pdf	Download 
Photometry and lighting design	Document Name	Download
IES File	LEDbulb_13W_A67_E27_840_FR-IES.IES	Download 