



HPI-T

HPI-T 1000W/543 E40 220V 1SL

Quartz metal halide lamps with clear outer bulb

Product data

• General Characteristics

System Description	-
Cap-Base	E40
Bulb	T65 [T 65mm]
Bulb Finish	Clear
Operating Position	p [Parallel or Horizontal(HOR)]
Life to 5% failures	3000 hr
Life to 10% failures	5500 hr
Life to 20% failures	8000 hr
Life to 50% failures	12000 hr

• Light Technical Characteristics

Color Code	543 [CCT of 4300K]
Color Rendering Index	57 Ra8
Color Designation (text)	Cool White
Color Temperature	4300 K
Luminous Flux Lamp EM	85000 Lm
Luminous Efficacy Lamp EM	86 Lm/W
Lumen Maintenance 1500h	90 %
Lumen Maintenance 2000h	87 %
Lumen Maintenance 5000h	80 %
Lumen Maintenance 10000h	75 %
Chromaticity Coordinate X	370 -
Chromaticity Coordinate Y	380 -

• Electrical Characteristics

Lamp Wattage	1000 W
Lamp Wattage EM	985.0 W
Voltage	220 V
Lamp Voltage	130 V
Lamp Current EM	8.25 A
Ignition Time	30 (max) s
Dimmable	No

• Environmental Characteristics

• Luminaire Design Requirements

Cap-Base Temperature	300 (max) C
Bulb Temperature	555 (max) C

• Product Dimensions

Overall Length C	382 (max) mm
Diameter D	66 (max) mm
Light Center Length L	240 mm
Arc Length O	80 mm

• Product Data

Order code	928482600096
Full product code	928482600096
Full product name	HPI-T 1000W/543 E40 220V 1SL
Order product name	HPI-T 1000W/543 E40 220V 1SL
Pieces per pack	1
Packing configuration	4
Packs per outerbox	4
Bar code on pack - EAN1	8711500183736

PHILIPS

HPI-T

Bar code on
outerbox - EAN3
Logistic code(s) -
12NC

8711500183743
928482600096



Net weight per piece 0.370 kg

Warnings and Safety

- Use only in totally enclosed luminaire, even during testing (IEC61167, IEC 62035, IEC60598)

- The luminaire must be able to contain hot lamp parts if the lamp ruptures
- For use with control gear designed for high-pressure mercury lamps

Dimensional drawing




E40

HPI-T 1000W/543 E40 1SL

Product	C (Max)	D (Max)	L (Norm)	O (Norm)
HPI-T 1000W/543 E40	382	66	240	80

Photometric data





© 2013 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2013, June 27
data subject to change