




DOMOTICS

PRODUCT CATALOGUE

GEWISS



2018
2019

GEWISS Group

GEWISS is an international leader in the production of systems and components for low voltage electrical installations. The fact that development is seen as a constant management feature has permitted GEWISS to assert itself as a reference interlocutor for the electrotechnical market in the creation of solutions for domotics, energy and the lighting industry. It is now present in Italy, France, Germany, the United Kingdom, Spain, Portugal, China, Russia, Turkey, Romania, Chile, the United Arab Emirates, and in a further 80 countries around the world.



DOMOTICS

The domotic systems offer cutting-edge solutions for smart home and building management and control, guaranteeing safety, comfort and energy savings along with Italian design.



POWER

The technologically advanced range of modular and moulded-case devices joins the vast range of distribution boards and cabinets, enclosures and combined boards to create the GEWISS Protection System.



BUILDING

Junction boxes and special containers, a complete and coordinated line of distribution boards, cutting-edge industrial connections and an integrated system of boards for special systems create the GEWISS distribution systems.



LIGHTING

Lighting systems designed for every room, area and location. Solutions that embrace LED technology to meet the requirements of industrial and commercial sector contexts, sport facilities and emergency lighting.

Discover the complete offer
www.gewiss.com

Residential solutions and domotic systems

GEWISS provides ground-breaking solutions for smart home and building management and is able to meet any need. The wide range of products includes wiring devices systems in compliance with all the major international standards and a Home&Building Automation system based on various technologies (wireless and KNX bus), which is able to improve the building/system performances in terms of energy savings, comfort and safety. The system functions, in particular, are supervised both locally and from a distance, via the internet. Each component has been developed with shapes, lines and materials offering a wealth of design solutions to suit every application context.

Chorus*page 6***Chorus British Standard***page 36***System***page 42***27 Combi***page 53***Dahlia***page 56***Wireless Devices***page 64***Home Automation***page 66***Building Automation***page 70***Domo Center***page 78*

Domestic ranges

Chorus


PLATES AND MODULAR DEVICES



pag. 6

Chorus British Standard

PLATES AND DEVICES



pag. 36

System

PLATES AND MODULAR DEVICES



pag. 42

27 Combi

WALL-MOUNTING ENCLOSURES
AND MODULAR COMPONENTS



pag. 53

Dahlia

PLATES AND DEVICES



pag. 56

Chorus PLATES AND MODULAR DEVICES

International system

CHORUS is the innovative wiring devices system of Gewiss which is based on a wide range of modular devices, expandable and integrable thanks to the Gewiss wireless and Home&Building Automation solutions. The CHORUS range has been designed to be marketed and installed in all the most important countries of the world. This choice is the result of 30 years' experience in domestic ranges, and expresses the company's vision that resolutely opens up to the global market.



Chorus International plates


ONE INTERNATIONAL, GEO INTERNATIONAL and LUX INTERNATIONAL plates from the Chorus wiring devices system, made in technopolymer or in precious materials and available in a wide range of colors and finishes, are suitable for round and square boxes and use the same support frame without the need for additional adapters.



Flexibility and modularity of frame supports

The frame supports for the Chorus International plates, made in technopolymer and provided with sturdy ribs that ensure high stability during the installation steps, are available for the fixing both with clutches or screws.

The long slots positioned along the sides also allow an easy coupling with square/round boxes provided with fixing columns. The frame supports for the International plates are fitted with side couplings to ensure perfect alignment when using 2+2 gang, 2+2+2 gang and 2+2+2+2 gang plates (both horizontal and vertical configuration, and centre distances of 71 and 57mm).



The design that lights up every environment. **The CHORUS plates** embellish every environment with the elegance of their unique design and with the durability and refinement of state-of-the-art materials.

Classic and informal

With an informal appearance and classic geometries, ONE INTERNATIONAL is the line of plates that is dedicated to everyone who wants to furnish their home with forms of simplicity.

The 100% technopolymer ONE INTERNATIONAL plates are available in classic, painted, metallised and pastel colours with fabric effect. The plates, suitable for round and square flush-mounting boxes, offer horizontal and vertical solutions with a centre distance of 57 and 71mm.



Pure simplicity

GEO INTERNATIONAL, with essential and regular lines, can be perfectly inserted in any environment with simplicity and style. The 100% technopolymer GEO INTERNATIONAL plates are available in classic, painted, metallised and pastel colours with fabric effect. The plates, suitable for round and square flush-mounting boxes, offer horizontal and vertical solutions with a centre distance of 71mm.



Refined design

Thanks to a highly innovative shape in terms of both materials and colours, interior design is enriched with a sophisticated look. The LUX INTERNATIONAL plates, made in technopolymer (also in wood finish, leather finish and stone finish) or in precious materials (metal and glass), are suitable for round and square flush-mounting boxes and offer horizontal and vertical solutions with a centre distance of 57 and 71mm.



Chorus PLATES AND MODULAR DEVICES

ONE INTERNATIONAL PLATES

Technopolymer

MILK WHITE



GW 16 122 TB	2 gang
GW 16 123 TB	2+2 horiz. gang
GW 16 124 TB	2+2 vert. gang
GW 16 125 TB	2+2 vert. gang 57mm
GW 16 126 TB	2+2+2 horiz. gang
GW 16 127 TB	2+2+2 vert. gang
GW 16 128 TB	2+2+2+2 horiz. gang
GW 16 129 TB	2+2+2+2 vert. gang

IVORY



GW 16 122 TI	2 gang
GW 16 123 TI	2+2 horiz. gang
GW 16 124 TI	2+2 vert. gang
GW 16 126 TI	2+2+2 horiz. gang
GW 16 127 TI	2+2+2 vert. gang
GW 16 128 TI	2+2+2+2 horiz. gang
GW 16 129 TI	2+2+2+2 vert. gang

TITANIUM



GW 16 122 VT	2 gang
GW 16 123 VT	2+2 horiz. gang
GW 16 124 VT	2+2 vert. gang
GW 16 126 VT	2+2+2 horiz. gang
GW 16 127 VT	2+2+2 vert. gang
GW 16 128 VT	2+2+2+2 horiz. gang
GW 16 129 VT	2+2+2+2 vert. gang

TONER BLACK



GW 16 122 TN	2 gang
GW 16 123 TN	2+2 horiz. gang
GW 16 124 TN	2+2 vert. gang
GW 16 126 TN	2+2+2 horiz. gang
GW 16 127 TN	2+2+2 vert. gang
GW 16 128 TN	2+2+2+2 horiz. gang
GW 16 129 TN	2+2+2+2 vert. gang

HEMP



GW 16 122 TC	2 gang
GW 16 123 TC	2+2 horiz. gang
GW 16 124 TC	2+2 vert. gang
GW 16 126 TC	2+2+2 horiz. gang
GW 16 127 TC	2+2+2 vert. gang
GW 16 128 TC	2+2+2+2 horiz. gang
GW 16 129 TC	2+2+2+2 vert. gang

SLATE



GW 16 122 VA	2 gang
GW 16 123 VA	2+2 horiz. gang
GW 16 124 VA	2+2 vert. gang
GW 16 126 VA	2+2+2 horiz. gang
GW 16 127 VA	2+2+2 vert. gang
GW 16 128 VA	2+2+2+2 horiz. gang
GW 16 129 VA	2+2+2+2 vert. gang

CHROME



GW 16 122 MC	2 gang
GW 16 123 MC	2+2 horiz. gang
GW 16 124 MC	2+2 vert. gang
GW 16 126 MC	2+2+2 horiz. gang
GW 16 127 MC	2+2+2 vert. gang
GW 16 128 MC	2+2+2+2 horiz. gang
GW 16 129 MC	2+2+2+2 vert. gang

GOLD




GW 16 122 MO	2 gang
GW 16 123 MO	2+2 horiz. gang
GW 16 124 MO	2+2 vert. gang
GW 16 126 MO	2+2+2 horiz. gang
GW 16 127 MO	2+2+2 vert. gang
GW 16 128 MO	2+2+2+2 horiz. gang
GW 16 129 MO	2+2+2+2 vert. gang

Modularity

Centre distance 71 mm



2+2 gang 2+2+2 gang



2+2+2+2 gang 2 gang

Metalised technopolymer

RUBY



GW 16 122 VR	2 gang
GW 16 123 VR	2+2 horiz. gang
GW 16 124 VR	2+2 vert. gang
GW 16 126 VR	2+2+2 horiz. gang
GW 16 127 VR	2+2+2 vert. gang
GW 16 128 VR	2+2+2+2 horiz. gang
GW 16 129 VR	2+2+2+2 vert. gang

SEA BLUE



GW 16 122 VB	2 gang
GW 16 123 VB	2+2 horiz. gang
GW 16 124 VB	2+2 vert. gang
GW 16 126 VB	2+2+2 horiz. gang
GW 16 127 VB	2+2+2 vert. gang
GW 16 128 VB	2+2+2+2 horiz. gang
GW 16 129 VB	2+2+2+2 vert. gang

Painted technopolymer - Pastel colours

(*) Available also with centre distance 57 mm
(only milk white).

GEO INTERNATIONAL PLATES

MILK WHITE



GW 16 422 TB	2 gang
GW 16 423 TB	2+2 horiz. gang
GW 16 424 TB	2+2 vert. gang
GW 16 426 TB	2+2+2 horiz. gang
GW 16 427 TB	2+2+2 vert. gang

IVORY



GW 16 422 TI	2 gang
GW 16 423 TI	2+2 horiz. gang
GW 16 424 TI	2+2 vert. gang
GW 16 426 TI	2+2+2 horiz. gang
GW 16 427 TI	2+2+2 vert. gang

TITANIUM




GW 16 422 VT	2 gang
GW 16 423 VT	2+2 horiz. gang
GW 16 424 VT	2+2 vert. gang
GW 16 426 VT	2+2+2 horiz. gang
GW 16 427 VT	2+2+2 vert. gang

TONER BLACK



GW 16 422 TN	2 gang
GW 16 423 TN	2+2 horiz. gang
GW 16 424 TN	2+2 vert. gang
GW 16 426 TN	2+2+2 horiz. gang
GW 16 427 TN	2+2+2 vert. gang

HEMP



GW 16 422 TC	2 gang
GW 16 423 TC	2+2 horiz. gang
GW 16 424 TC	2+2 vert. gang
GW 16 426 TC	2+2+2 horiz. gang
GW 16 427 TC	2+2+2 vert. gang

SLATE




GW 16 422 VA	2 gang
GW 16 423 VA	2+2 horiz. gang
GW 16 424 VA	2+2 vert. gang
GW 16 426 VA	2+2+2 horiz. gang
GW 16 427 VA	2+2+2 vert. gang

CHROME



GW 16 422 MC	2 gang
GW 16 423 MC	2+2 horiz. gang
GW 16 424 MC	2+2 vert. gang
GW 16 426 MC	2+2+2 horiz. gang
GW 16 427 MC	2+2+2 vert. gang


GOLD



GW 16 422 MO	2 gang
GW 16 423 MO	2+2 horiz. gang
GW 16 424 MO	2+2 vert. gang
GW 16 426 MO	2+2+2 horiz. gang
GW 16 427 MO	2+2+2 vert. gang

Modularity


Centre distance 71 mm




2 gang




2+2 gang



2+2+2 gang



2+2 gang



2+2+2 gang



RUBY



GW 16 422 VR	2 gang
GW 16 423 VR	2+2 horiz. gang
GW 16 424 VR	2+2 vert. gang
GW 16 426 VR	2+2+2 horiz. gang
GW 16 427 VR	2+2+2 vert. gang

SEA BLUE



GW 16 422 VB	2 gang
GW 16 423 VB	2+2 horiz. gang
GW 16 424 VB	2+2 vert. gang
GW 16 426 VB	2+2+2 horiz. gang
GW 16 427 VB	2+2+2 vert. gang

Chorus PLATES AND MODULAR DEVICES

LUX INTERNATIONAL PLATES

Technopolymer	MILK WHITE	MONOCHROME		TITANIUM	CHROME		
	GW 16 222 TB	2 gang	GW 16 222 YB	GW 16 222 VT	2 gang	GW 16 222 MC	2 gang
	GW 16 223 TB	2+2 horiz. gang	GW 16 223 YB	GW 16 223 VT	2+2 horiz. gang	GW 16 223 MC	2+2 horiz. gang
	GW 16 224 TB	2+2 vert. gang	GW 16 224 YB	GW 16 224 VT	2+2 vert. gang	GW 16 224 MC	2+2 vert. gang
	GW 16 225 TB	2+2 vert. gang 57mm		GW 16 226 VT	2+2+2 horiz. gang	GW 16 226 MC	2+2+2 horiz. gang
	GW 16 226 TB	2+2+2 horiz. gang	GW 16 226 YB	GW 16 227 VT	2+2+2 vert. gang	GW 16 227 MC	2+2+2 vert. gang
	GW 16 227 TB	2+2+2 vert. gang	GW 16 227 YB	GW 16 228 VT	2+2+2+2 horiz. gang	GW 16 228 MC	2+2+2+2 horiz. gang
	GW 16 228 TB	2+2+2+2 horiz. gang	GW 16 228 YB	GW 16 229 VT	2+2+2+2 vert. gang	GW 16 229 MC	2+2+2+2 vert. gang
	GW 16 229 TB	2+2+2+2 vert. gang	GW 16 229 YB				
Painted technopolymer	TONER BLACK	SLATE		Metallised technopolymer	GOLD		
	GW 16 222 TN	2 gang	GW 16 222 VA	2 gang	GW 16 222 MO	2 gang	
	GW 16 223 TN	2+2 horiz. gang	GW 16 223 VA	2+2 horiz. gang	GW 16 223 MO	2+2 horiz. gang	
	GW 16 224 TN	2+2 vert. gang	GW 16 224 VA	2+2 vert. gang	GW 16 224 MO	2+2 vert. gang	
	GW 16 226 TN	2+2+2 horiz. gang	GW 16 226 VA	2+2+2 horiz. gang	GW 16 226 MO	2+2+2 horiz. gang	
	GW 16 227 TN	2+2+2 vert. gang	GW 16 227 VA	2+2+2 vert. gang	GW 16 227 MO	2+2+2 vert. gang	
	GW 16 228 TN	2+2+2+2 horiz. gang	GW 16 228 VA	2+2+2+2 horiz. gang	GW 16 228 MO	2+2+2+2 horiz. gang	
	GW 16 229 TN	2+2+2+2 vert. gang	GW 16 229 VA	2+2+2+2 vert. gang	GW 16 229 MO	2+2+2+2 vert. gang	
Technopolymer - Wood finish	MAPLE	WENGE		CHERRY			
	GW 16 222 LA	2 gang	GW 16 222 LW	2 gang	GW 16 222 LC	2 gang	
	GW 16 223 LA	2+2 horiz. gang	GW 16 223 LW	2+2 horiz. gang	GW 16 223 LC	2+2 horiz. gang	
	GW 16 224 LA	2+2 vert. gang	GW 16 224 LW	2+2 vert. gang	GW 16 224 LC	2+2 vert. gang	
	GW 16 226 LA	2+2+2 horiz. gang	GW 16 226 LW	2+2+2 horiz. gang	GW 16 226 LC	2+2+2 horiz. gang	
	GW 16 227 LA	2+2+2 vert. gang	GW 16 227 LW	2+2+2 vert. gang	GW 16 227 LC	2+2+2 vert. gang	
	GW 16 228 LA	2+2+2+2 horiz. gang	GW 16 228 LW	2+2+2+2 horiz. gang	GW 16 228 LC	2+2+2+2 horiz. gang	
	GW 16 229 LA	2+2+2+2 vert. gang	GW 16 229 LW	2+2+2+2 vert. gang	GW 16 229 LC	2+2+2+2 vert. gang	
Technopolymer - Leather finish	BLACK	WHITE		RUBY			
	GW 16 222 PN	2 gang	GW 16 222 PB	2 gang	GW 16 222 PR	2 gang	
	GW 16 223 PN	2+2 horiz. gang	GW 16 223 PB	2+2 horiz. gang	GW 16 223 PR	2+2 horiz. gang	
	GW 16 224 PN	2+2 vert. gang	GW 16 224 PB	2+2 vert. gang	GW 16 224 PR	2+2 vert. gang	
	GW 16 226 PN	2+2+2 horiz. gang	GW 16 226 PB	2+2+2 horiz. gang	GW 16 226 PR	2+2+2 horiz. gang	
	GW 16 227 PN	2+2+2 vert. gang	GW 16 227 PB	2+2+2 vert. gang	GW 16 227 PR	2+2+2 vert. gang	
	GW 16 228 PN	2+2+2+2 horiz. gang	GW 16 228 PB	2+2+2+2 horiz. gang	GW 16 228 PR	2+2+2+2 horiz. gang	
	GW 16 229 PN	2+2+2+2 vert. gang	GW 16 229 PB	2+2+2+2 vert. gang	GW 16 229 PR	2+2+2+2 vert. gang	

LUX INTERNATIONAL PLATES



LAVA



SAND



MOON



GW 16 222 RL	2 gang
GW 16 223 RL	2+2 horiz. gang
GW 16 224 RL	2+2 vert. gang
GW 16 226 RL	2+2+2 horiz. gang
GW 16 227 RL	2+2+2 vert. gang
GW 16 228 RL	2+2+2+2 horiz. gang
GW 16 229 RL	2+2+2+2 vert. gang

GW 16 222 RS	2 gang
GW 16 223 RS	2+2 horiz. gang
GW 16 224 RS	2+2 vert. gang
GW 16 226 RS	2+2+2 horiz. gang
GW 16 227 RS	2+2+2 vert. gang
GW 16 228 RS	2+2+2+2 horiz. gang
GW 16 229 RS	2+2+2+2 vert. gang

GW 16 222 RN	2 gang
GW 16 223 RN	2+2 horiz. gang
GW 16 224 RN	2+2 vert. gang
GW 16 226 RN	2+2+2 horiz. gang
GW 16 227 RN	2+2+2 vert. gang
GW 16 228 RN	2+2+2+2 horiz. gang
GW 16 229 RN	2+2+2+2 vert. gang



BRUSHED STAINLESS STEEL



BLACK ALUMINIUM



OXIDISED FINISH



GW 16 222 MI	2 gang
GW 16 223 MI	2+2 horiz. gang
GW 16 224 MI	2+2 vert. gang
GW 16 226 MI	2+2+2 horiz. gang
GW 16 227 MI	2+2+2 vert. gang
GW 16 228 MI	2+2+2+2 horiz. gang
GW 16 229 MI	2+2+2+2 vert. gang

GW 16 222 MA	2 gang
GW 16 223 MA	2+2 horiz. gang
GW 16 224 MA	2+2 vert. gang
GW 16 226 MA	2+2+2 horiz. gang
GW 16 227 MA	2+2+2 vert. gang
GW 16 228 MA	2+2+2+2 horiz. gang
GW 16 229 MA	2+2+2+2 vert. gang

GW 16 222 MF	2 gang
GW 16 223 MF	2+2 horiz. gang
GW 16 224 MF	2+2 vert. gang
GW 16 226 MF	2+2+2 horiz. gang
GW 16 227 MF	2+2+2 vert. gang
GW 16 228 MF	2+2+2+2 horiz. gang
GW 16 229 MF	2+2+2+2 vert. gang



ICE



AQUAMARINE



OCHRE



GW 16 222 CG	2 gang
GW 16 223 CG	2+2 horiz. gang
GW 16 224 CG	2+2 vert. gang
GW 16 226 CG	2+2+2 horiz. gang
GW 16 227 CG	2+2+2 vert. gang
GW 16 228 CG	2+2+2+2 horiz. gang
GW 16 229 CG	2+2+2+2 vert. gang

GW 16 222 CA	2 gang
GW 16 223 CA	2+2 horiz. gang
GW 16 224 CA	2+2 vert. gang
GW 16 226 CA	2+2+2 horiz. gang
GW 16 227 CA	2+2+2 vert. gang
GW 16 228 CA	2+2+2+2 horiz. gang
GW 16 229 CA	2+2+2+2 vert. gang


GW 16 222 CO	2 gang
GW 16 223 CO	2+2 horiz. gang
GW 16 224 CO	2+2 vert. gang
GW 16 226 CO	2+2+2 horiz. gang
GW 16 227 CO	2+2+2 vert. gang
GW 16 228 CO	2+2+2+2 horiz. gang
GW 16 229 CO	2+2+2+2 vert. gang



Chorus PLATES AND MODULAR DEVICES

Chorus Italian standard plates

ONE and GEO plates, with their classic shapes and LUX, ART, ICE and ICE touch plates, refined and exclusive, are suitable for rectangular boxes and use the same support frame without the need for additional adapters.



Flexibility of frame supports

The frame supports for the Chorus Italian standard plates, made in technopolymer and provided with sturdy ribs that ensure high stability during the installation steps, are fixed to the boxes by means of screws. The long slots positioned along the sides also allow an easy coupling with flush- or wall-mounting rectangular boxes.



The light and rational design

ONE plates are characterised by a classic and traditional shape, outstanding for their discretion and essentiality. They offer a highly modular range that solves the most varied installation needs. The style of the GEO plates was created to satisfy the needs of contemporary design. The rationality of the rectangular shape is enhanced by the lightness and simplicity of the surface that frames the command buttons. The 100% technopolymer plates are available in classic, painted, metallised and pastel colours with fabric effect.



The refined and creative design

The ART plates present a futuristic design and innovative materials. An extremely original and creative line of plates, with an oval form, which in itself can furnish and decorate every room. The LUX plates, elegant and original, with their chromed or monochrome inner frame and soft curves emphasising the clean, pure shapes. Exclusive and refined, they are in harmony with their surrounds thanks to the geometry and fine materials (technopolymer, technostone, wood, leather, glass and metal).



Art and Lux

The extraordinary design

The ICE plates combine the pure luxury of glass with the sleek sophistication of conventional controls. Available in white, black and titanium, can be used with all Chorus range modular devices, including commands, systems for power take-off, protection and signalling, comfort, climate control and technical alarms. ICE can deliver solutions for all situations.



Ice

Touch command

With ICE Touch - the glass plates in black, white and titanium with elegant illuminable symbols - finish quality and colour uniformity become the distinctive element of each Chorus lighting device. Touch technology, in combination with the ICE plates, becomes universally available, making it possible to implement both traditional and domotic touch commands.



Ice Touch

Chorus PLATES AND MODULAR DEVICES

ONE PLATES

MILK WHITE



IVORY



GW 16 101 TB	1 gang
GW 16 102 TB	2 gang
GW 16 103 TB	3 gang
GW 16 104 TB	4 gang
GW 16 106 TB	6 gang
GW 16 108 TB	4+4 gang
GW 16 112 TB	6+6 gang

GW 16 101 TI	1 gang
GW 16 102 TI	2 gang
GW 16 103 TI	3 gang
GW 16 104 TI	4 gang
GW 16 106 TI	6 gang

TONER BLACK



HEMP



GW 16 101 TN	1 gang
GW 16 102 TN	2 gang
GW 16 103 TN	3 gang
GW 16 104 TN	4 gang
GW 16 106 TN	6 gang

GW 16 101 TC	1 gang
GW 16 102 TC	2 gang
GW 16 103 TC	3 gang
GW 16 104 TC	4 gang
GW 16 106 TC	6 gang

OPAL ORANGE



SAPPHIRE PINK



AMETHYST PURPLE




GW 16 103 TO	3 gang
GW 16 104 TO	4 gang

GW 16 103 TZ	3 gang
GW 16 104 TZ	4 gang

GW 16 103 TA	3 gang
GW 16 104 TA	4 gang

CARIBBEAN BLUE



TOPAZ BLUE



GW 16 103 TL	3 gang
GW 16 104 TL	4 gang

GW 16 103 TT	3 gang
GW 16 104 TT	4 gang

ONE PLATES

Painted technopolymer

SATIN BLACK



GW 16 103 VN	3 gang
GW 16 104 VN	4 gang
GW 16 106 VN	6 gang

TITANIUM



GW 16 101 VT	1 gang
GW 16 102 VT	2 gang
GW 16 103 VT	3 gang
GW 16 104 VT	4 gang
GW 16 106 VT	6 gang
GW 16 108 VT	4+4 gang
GW 16 112 VT	6+6 gang

SLATE



GW 16 101 VA	1 gang
GW 16 102 VA	2 gang
GW 16 103 VA	3 gang
GW 16 104 VA	4 gang
GW 16 106 VA	6 gang

Metalлизированная технополимерная

CHROME



GW 16 101 MC	1 gang
GW 16 102 MC	2 gang
GW 16 103 MC	3 gang
GW 16 104 MC	4 gang
GW 16 106 MC	6 gang

GOLD



GW 16 101 MO	1 gang
GW 16 102 MO	2 gang
GW 16 103 MO	3 gang
GW 16 104 MO	4 gang
GW 16 106 MO	6 gang

Painted technopolymer - Pastel colours

RUBY




GW 16 101 VR	1 gang
GW 16 102 VR	2 gang
GW 16 103 VR	3 gang
GW 16 104 VR	4 gang
GW 16 106 VR	6 gang

SEA BLUE




GW 16 101 VB	1 gang
GW 16 102 VB	2 gang
GW 16 103 VB	3 gang
GW 16 104 VB	4 gang
GW 16 106 VB	6 gang


Modularity




1 gang




2 gang




3 gang




6 gang



4 gang



4 + 4 gang (*)



6 + 6 gang (*)

Chorus PLATES AND MODULAR DEVICES

GEO PLATES

MILK WHITE



IVORY



GW 16 401 TB	1 gang
GW 16 402 TB	2 gang
GW 16 403 TB	3 gang
GW 16 404 TB	4 gang
GW 16 406 TB	6 gang

GW 16 401 TI	1 gang
GW 16 402 TI	2 gang
GW 16 403 TI	3 gang
GW 16 404 TI	4 gang
GW 16 406 TI	6 gang

TONER BLACK



HEMP



GW 16 401 TN	1 gang
GW 16 402 TN	2 gang
GW 16 403 TN	3 gang
GW 16 404 TN	4 gang
GW 16 406 TN	6 gang

GW 16 401 TC	1 gang
GW 16 402 TC	2 gang
GW 16 403 TC	3 gang
GW 16 404 TC	4 gang
GW 16 406 TC	6 gang

OPAL ORANGE



SAPPHIRE PINK



AMETHYST PURPLE



GW 16 403 TO	3 gang
GW 16 404 TO	4 gang


GW 16 403 TZ	3 gang
GW 16 404 TZ	4 gang

GW 16 403 TA	3 gang
GW 16 404 TA	4 gang

CARIBBEAN BLUE



TOPAZ BLUE



GW 16 403 TL	3 gang
GW 16 404 TL	4 gang

GW 16 403 TT	3 gang
GW 16 404 TT	4 gang

GEO PLATES

SATIN BLACK



Painted technopolymer

GW 16 403 VN	3 gang
GW 16 404 VN	4 gang
GW 16 406 VN	6 gang

TITANIUM



GW 16 401 VT	1 gang
GW 16 402 VT	2 gang
GW 16 403 VT	3 gang
GW 16 404 VT	4 gang
GW 16 406 VT	6 gang

SLATE



GW 16 401 VA	1 gang
GW 16 402 VA	2 gang
GW 16 403 VA	3 gang
GW 16 404 VA	4 gang
GW 16 406 VA	6 gang


CHROME



Metallised technopolymer

GW 16 401 MC	1 gang
GW 16 402 MC	2 gang
GW 16 403 MC	3 gang
GW 16 404 MC	4 gang
GW 16 406 MC	6 gang

GOLD



GW 16 401 MO	1 gang
GW 16 402 MO	2 gang
GW 16 403 MO	3 gang
GW 16 404 MO	4 gang
GW 16 406 MO	6 gang

RUBY



Painted technopolymer - Pastel colours


GW 16 401 VR	1 gang
GW 16 402 VR	2 gang
GW 16 403 VR	3 gang
GW 16 404 VR	4 gang
GW 16 406 VR	6 gang

SEA BLUE




GW 16 401 VB	1 gang
GW 16 402 VB	2 gang
GW 16 403 VB	3 gang
GW 16 404 VB	4 gang
GW 16 406 VB	6 gang


Modularity




1 gang




2 gang



3 gang



4 gang



6 gang

Chorus PLATES AND MODULAR DEVICES

LUX PLATES



MILK WHITE



GW 16 202 TB 2 gang
GW 16 203 TB 3 gang
GW 16 204 TB 4 gang
GW 16 206 TB 6 gang

Painted technopolymer

TITANIUM



GW 16 202 VT 2 gang
GW 16 203 VT 3 gang
GW 16 204 VT 4 gang
GW 16 206 VT 6 gang

Metallised technopolymer

CHROME



GW 16 202 MC 2 gang
GW 16 203 MC 3 gang
GW 16 204 MC 4 gang
GW 16 206 MC 6 gang

GOLD



GW 16 202 MO 2 gang
GW 16 203 MO 3 gang
GW 16 204 MO 4 gang
GW 16 206 MO 6 gang



MAPLE



GW 16 202 LA 2 gang
GW 16 203 LA 3 gang
GW 16 204 LA 4 gang
GW 16 206 LA 6 gang

WENGE



GW 16 202 LW 2 gang
GW 16 203 LW 3 gang
GW 16 204 LW 4 gang
GW 16 206 LW 6 gang

CHERRY



GW 16 202 LC 2 gang
GW 16 203 LC 3 gang
GW 16 204 LC 4 gang
GW 16 206 LC 6 gang



BLACK



GW 16 202 PN 2 gang
GW 16 203 PN 3 gang
GW 16 204 PN 4 gang
GW 16 206 PN 6 gang

WHITE



GW 16 202 PB 2 gang
GW 16 203 PB 3 gang
GW 16 204 PB 4 gang
GW 16 206 PB 6 gang

RUBY



GW 16 202 PR 2 gang
GW 16 203 PR 3 gang
GW 16 204 PR 4 gang
GW 16 206 PR 6 gang



ICE



GW 16 202 CG 2 gang
GW 16 203 CG 3 gang
GW 16 204 CG 4 gang
GW 16 206 CG 6 gang

AQUAMARINE



GW 16 202 CA 2 gang
GW 16 203 CA 3 gang
GW 16 204 CA 4 gang
GW 16 206 CA 6 gang

OCHRE



GW 16 202 CO 2 gang
GW 16 203 CO 3 gang
GW 16 204 CO 4 gang
GW 16 206 CO 6 gang

LUX PLATES

GLAMOUR RED



GW 16 202 MR	2 gang
GW 16 203 MR	3 gang
GW 16 204 MR	4 gang
GW 16 206 MR	6 gang

BRUSHED ALUMINIUM



GW 16 202 MS	2 gang
GW 16 203 MS	3 gang
GW 16 204 MS	4 gang
GW 16 206 MS	6 gang

GUNBARREL GREY



GW 16 202 ML	2 gang
GW 16 203 ML	3 gang
GW 16 204 ML	4 gang
GW 16 206 ML	6 gang

CHIC BLUE



GW 16 202 MH	2 gang
GW 16 203 MH	3 gang
GW 16 204 MH	4 gang
GW 16 206 MH	6 gang

PEARLY BRONZE



GW 16 202 MP	2 gang
GW 16 203 MP	3 gang
GW 16 204 MP	4 gang
GW 16 206 MP	6 gang

OXIDISED FINISH



GW 16 202 MD	2 gang
GW 16 203 MD	3 gang
GW 16 204 MD	4 gang
GW 16 206 MD	6 gang

WHITE



GW 16 202 XB	2 gang
GW 16 203 XB	3 gang
GW 16 204 XB	4 gang
GW 16 206 XB	6 gang

BLACK



GW 16 202 XN	2 gang
GW 16 203 XN	3 gang
GW 16 204 XN	4 gang
GW 16 206 XN	6 gang

BRUSHED STAINLESS STEEL



GW 16 202 MI	2 gang
GW 16 203 MI	3 gang
GW 16 204 MI	4 gang
GW 16 206 MI	6 gang

ALUMINIUM



GW 16 202 XA	2 gang
GW 16 203 XA	3 gang
GW 16 204 XA	4 gang
GW 16 206 XA	6 gang


TITANIUM




GW 16 202 XT	2 gang
GW 16 203 XT	3 gang
GW 16 204 XT	4 gang
GW 16 206 XT	6 gang

Monochrome metal


Modularity




2 gang



3 gang



4 gang



6 gang

Chorus PLATES AND MODULAR DEVICES

ART PLATES



MILK WHITE



GW 16 302 TB 2 gang
GW 16 303 TB 3 gang
GW 16 304 TB 4 gang

Painted technopolymer

TITANIUM



GW 16 302 VT 2 gang
GW 16 303 VT 3 gang
GW 16 304 VT 4 gang

Metalised technopolymer

CHROME



GW 16 302 MC 2 gang
GW 16 303 MC 3 gang
GW 16 304 MC 4 gang




TONER BLACK

GW 16 302 TN 2 gang
GW 16 303 TN 3 gang
GW 16 304 TN 4 gang



SLATE

GW 16 302 VA 2 gang
GW 16 303 VA 3 gang
GW 16 304 VA 4 gang



GOLD


GW 16 302 MO 2 gang
GW 16 303 MO 3 gang
GW 16 304 MO 4 gang




RUBY




GW 16 302 PR 2 gang
GW 16 303 PR 3 gang
GW 16 304 PR 4 gang






2 gang



3 gang




4 gang

ICE PLATES**ICE TOUCH PLATES****ICE TOUCH KNX PLATES**


Quick coupling

The front coupling of the Chorus devices makes the support assembly and release operations quick and easy, facilitating the assembly and wiring phases even after the frame has been fixed onto the box. The solidity of the frame support guarantees the best performance also on not completely smooth surfaces.




Unlimited functions in reduced space

Limited spaces no longer restrict the number of Chorus devices that can be installed. With the same available space in fact, the $\frac{1}{2}$ -module commands increase the number of command points that can be installed and allow even reduced spaces to be better exploited. The 2- and 3-module button keys ensure rapid localisation of the point and easy activation.




Half-module pitch

The frame supports are characterised by a half-module pitch that allows to create a wide range of combinations of Chorus devices thanks to their different modularities.



Reduced overall dimensions and easy wiring

All the commands are very shallow (starting from 20mm), to facilitate installation even in boxes with less spaces. Wiring is simplified thanks to the position of the terminals and the increased diameter of the holes. The double cut screws permit improved tightening of the terminals.



Localisation and functional signalling

The button keys are available in two different designs: with an illuminated diffuser for night-time localisation or with an illuminated window for signalling. The buttons can be personalised by choosing from LEDs in many colors or by using the numerous illuminated symbols.



Colour range


Four different colours with three different finishes. The possibility to combine each component with all the plates. Glossy White: bright, versatile, doesn't attract dust. Glossy Ivory: classic and refined. Satin Black: a marked character of class and elegance. Glossy painted Titanium: innovative and trendy.



(*) Available for selected products only

Chorus PLATES AND MODULAR DEVICES

COMMAND



○ White (GW 10 XXX)

● Black (GW 12 XXX)

○ Titanium (GW 14 XXX)

○ Ivory (GW 11 XXX)

(*) supplied without LED signalling unit

COMMAND

One-way switches (quick wiring)	GW 10 031 F 2M-1P-16 AX GW 10 032 F 2M-1P-16 AX Illuminable (*) GW 10 033 F 2M-1P-16 AX Illuminable (*) GW 10 034 F 2M-2P-16 AX GW 10 035 F 2M-2P-16 AX Illuminable (*)
Two-way switches (quick wiring)	GW 10 071 F 2M-1P-16 AX GW 10 072 F 2M-1P-16 AX Illuminable (*) GW 10 073 F 2M-1P-16 AX Illuminable (*)
	Intermediate switches (quick wiring)
	GW 10 101 F 2M-1P-16 AX GW 10 102 F 2M-1P-16 AX Illuminable (*) GW 10 103 F 2M-1P-16 AX Illuminable (*)
Push-buttons (quick wiring)	GW 10 171 F 2M-1P-NO-16 A GW 10 172 F 2M-1P-NO-16 A Illuminable (*) GW 10 173 F 2M-1P-NO-16 A Illuminable (*)
	Combined devices
	GW 10 078 F Two-way switch 1P-16 AX+ Two-way switch 1P-16 AX GW 10 159 F Two-way switch 1P-16 AX+ Push-button 1P-NO-16 A GW 10 160 F Push-button 1P-NO-16 A+ Push-button 1P-NO-16 A
Lens with illuminated symbol	GW 10 501 Transparent GW 10 502 Light GW 10 503 Stair light GW 10 504 Table light GW 10 505 Bell GW 10 506 Fan GW 10 507 Key GW 10 508 Alarm GW 10 509 ON GW 10 510 OFF GW 10 511 Nurse GW 10 512 Waitress GW 10 513 Dimmer increase GW 10 514 Dimmer decrease GW 10 515 UP arrow GW 10 516 DOWN arrow GW 10 517 UP-DOWN arrow GW 10 518 RIGHT-LEFT arrow GW 10 531 One GW 10 532 Two GW 10 533 Three GW 10 534 Four GW 10 535 Five GW 10 536 Six GW 10 537 Seven GW 10 538 Eight GW 10 539 Nine GW 10 540 Zero
Interchangeable button keys	GW 10 541 General GW 10 542 With label GW 10 543 Key GW 10 544 Bell GW 10 545 Vertical arrow GW 10 546 Horizontal arrow
	Interchangeable diffusers
	GW 10 547 Red GW 10 548 Green GW 10 549 Opal GW 10 550 Amber
Blanking modules	GW 10 197 1/2M GW 10 195 1M GW 10 198 2M GW 10 199 3M
	Cable outputs
	GW 10 196 1M GW 10 194 2M
Infrared	GW 10 591 Movement detector 1M-1NO-3A GW 10 592 Movement detector 2M-1NO-16A GW 10 597 1-channel receiver 1M-230V ac-50/60 Hz GW 12 596 6-channel portable remote control
	Relays
	GW 10 721 Latching 1M-1P-10 AX-250V ac GW 10 723 Latching, 4 sequences 1M-2P-10 AX-250V ac GW 10 724 Monostable 1M-1P-10A 250V ac-1NO/NC GW 10 726 Call 1M-1P-NO/NC ac/dc

○ White (GW 10 XXX)

● Black (GW 12 XXX)

● Titanium (GW 14 XXX)

○ Ivory (GW 11 XXX)

(*) supplied without LED signalling unit

Chorus PLATES AND MODULAR DEVICES

POWER

Italian							
	GW 10 201 2P+E-10A-250V ac ○●○	GW 10 203 2P+E-16A-250V ac Dual amperage ○●○○	GW 10 213 2P+E-16A-250V ac Dual amperage	GW 10 223 2P+E-16A-250V ac Dual amperage	GW 10 233 2P+E-16A-250V ac Dual amperage	GW 10 208 2x2P+E-16A-250V ac Dual amperage ○●○	GW 10 209 3x2P+E-16A-250V ac Dual amperage ○●○
Italian/German							
	GW 10 204 2P+E-16A-250V ac Dual amperage ○●○	GW 10 205 2P+E-16A-250V ac ○●○	GW 10 214 2P+E-16A-250V ac Dual amperage - Illuminable (*)	GW 10 224 2P+E-16A-250V ac Dual amperage - Illuminable (*)	GW 10 234 2P+E-16A-250V ac Dual amperage - Illuminable (*)	GW 10 296 2P+E-13A-250V ac ○●○	GW 10 297 2P+E-15A-250V ac ○●○
German							
	GW 10 241 2P+E-16A-250V ac ○●○○	GW 10 242 2P+E-16 A-250 V ac With lid ○●○○	GW 10 251 2P+E-16A-250V ac	GW 10 341 2P+E-16A-250V ac Front-tightening terminals ○●○	GW 10 351 2P+E-16A-250V ac Front-tightening terminals	GW 10 241 F 2P+E-16A-250V ac Quick wiring ○●○	GW 10 346 2P+E-10 A-250 V ac Type 13 ○
French							
	GW 10 246 2P+E-16A-250V ac ○●○○	GW 10 247 2P+E-16A-250V ac ○●○○	GW 10 248 2P+E-16A-250V ac Front-tightening terminals ○●○	GW 10 258 2P+E-16A-250V ac Front-tightening terminals	GW 10 247 F 2P+E-16A-250V ac Quick wiring ○●○	GW 10 257 F 2P+E-16A-250V ac Quick wiring	GW 10 260 Accessory for dedicated lines
Israeli							
	GW 10 281 2P+E-16A-250V ac Illuminable (*) ○●○	GW 10 291 2P+E-16A-250V ac Illuminable (*)	GW 10 282 2P-10A-250V ac ○●○	GW 10 286 2P+E-15A-250/125V ac ○●○	GW 10 287 2P+E-15A-250/125V ac ○●○○	GW 10 288 2P+E-15A-250/125V ac ○●○○	GW 10 310 2P+E-13 A-250V ac - 15 A/127V ac ○●○
Chinese							
	GW 10 391 2P+E-10 A-250 V ac ○●○	GW 10 392 2P+E-16 A-250 V ac ○●○	GW 10 301 2P+E-10A-250V ac ○●○	GW 10 306 2P+E-10A-250V ac ○●○	GW 10 307 2P+E-15A-250V ac ○●○	GW 10 298 2P+E-16A-250V ac ○●○	GW 10 299 2P+E-16A-250V ac ○●○
Interlocked switched socket-outlets							
	GW 10 311 2P+E-16A-230V ac ○●○	GW 10 312 2P+E-16A-230V ac ○●○	GW 10 321 Ipn 10mA TEST 2P+E-16A-230V ac ○●○	GW 10 322 Ipn 10mA TEST 2P+E-16A-230V ac ○●○	GW 10 331 230V ac-50/60 Hz ○●○○		

○ White (GW 10 XXX)

● Black (GW 12 XXX)

○● Titanium (GW 14 XXX)

○●● Ivory (GW 11 XXX)

(*) supplied without LED signalling unit

DATA

TV male IEC	GW 10 361 0 dB ○●○	GW 10 362 5 dB ○●○	GW 10 363 10 dB ○●○	GW 10 364 14 dB ○●○	TV-SAT female F	GW 10 371 0 dB ○●○	GW 10 372 5 dB ○●○	GW 10 373 10 dB ○●○	GW 10 374 14 dB ○●○	TV and TV-SAT accessory	GW 20 277 Terminal resistance 75 ohm
TV-FM-SAT	GW 10 381 TV-FM 0 dB ○●○	GW 10 382 TV-FM-SAT 0 dB ○●○	GW 10 383 SAT TV FM 0 dB ○●○	TV-SAT	GW 10 367 IEC male 0dB ○●○	GW 10 377 F female 0dB ○●○	Covers for antenna sockets	GW 10 386 For combined TV-R sockets ○●○	GW 10 387 For combined TV-R-SAT sockets ○●○		
Telephone socket-outlets	GW 10 401 RJ11 ○●○	GW 10 402 RJ11 IN/OUT ○●○	GW 10 403 RJ11 double ○●○	GW 10 405 French - 8 contacts British - 6 contacts ○●○	GW 10 406 RJ11 double with ADSL filter ○●○	GW 10 410 TEL MOODI RJ11 double with ADSL filter ○●○	GW 10 409 RJ11 ○●○	Adapters for optical fibres	GW 10 425 ST ○●○	GW 10 426 SC ○●○	
Data sockets	GW 10 421 RJ45 cat. 5e UTP ○●○	GW 10 422 RJ45 cat. 5e FTP ○●○	GW 10 423 RJ45 cat. 6 UTP ○●○	GW 10 424 RJ45 cat. 6 FTP ○●○	GW 10 431 AMP/Keystone Jack ○●○	Connectors for conventional networks	GW 10 438 SYSTIMAX Commscope ○●○	GW 10 441 SUB-D 9 contacts ○●○	GW 10 442 SUB-D 15 contacts ○●○	GW 10 443 SUB-D 25 contacts ○●○	
Data sockets	GW 10 434 RJ45 cat. 5e UTP ○●○	GW 10 436 RJ45 cat. 5e FTP ○●○	GW 10 435 RJ45 cat. 6 UTP ○●○	GW 10 437 RJ45 cat. 6 FTP ○●○	GW 10 433 AMP/Keystone Jack adapter ○●○	SELV sockets	GW 10 451 2P-6A-24V ○●○	GW 10 452 2P-6A-24V Polarised ○●○			
Audio and video sockets	GW 10 453 Double RCA ○●○	GW 10 454 Phonic circuits ○●○	GW 10 446 Female F coupling ○●○	GW 10 458 Speaker connector ○●○	USB and HDMI couplers and sockets	GW 10 459 USB socket ○●○	GW 38 056 HDMI coupler ○●○	GW 38 057 USB coupler ○●○	USB power supply	GW 10 450 Double USB power supply ○●○	

PROTECTION

Miniature circuit breakers	GW 10 461 1P-6A-3 kA C-characteristic ○●○	GW 10 462 1P-10A-3 kA C-characteristic ○●○	GW 10 463 1P-16A-3 kA C-characteristic ○●○	GW 10 466 1P+N-6A-3 kA C-characteristic ○●○	GW 10 467 1P+N-10A-3 kA C-characteristic ○●○	GW 10 468 1P+N-16A-3 kA C-characteristic ○●○	Protection devices	GW 10 491 Fuse-holder In MAX=16A ○●○	GW 10 492 Surge protection device ○●○		
Residual miniature circuit breakers	GW 10 482 1P+N-6A-3 kA-10 mA C-characteristic-A type ○●○	GW 10 485 1P+N-10A-3 kA-10 mA C-characteristic-A type ○●○	GW 10 488 1P+N-16A-3 kA-10 mA C-characteristic-A type ○●○	GW 10 483 1P+N-6A-3 kA-30 mA C-characteristic-A type ○●○	GW 10 486 1P+N-10A-3 kA-30 mA C-characteristic-A type ○●○	GW 10 489 1P+N-16A-3 kA-30 mA C-characteristic-A type ○●○					

○ White (GW 10 XXX)
 ● Black (GW 12 XXX)
 ○ Titanium (GW 14 XXX)
 ○ Ivory (GW 11 XXX)

Chorus PLATES AND MODULAR DEVICES




INDICATOR

Anti black-out lamps			Emergency lamps							
	GW 10 661 230V ac-50/60 Hz Extractable <input type="radio"/> ● <input type="radio"/> ○ <input type="radio"/> ○	GW 10 662 230V ac-50/60 Hz <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○		GW 10 663 230V ac-50/60 Hz <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 666 230V ac-50/60 Hz <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○					
Ringers					Buzzers					
	GW 10 601 12V ac-50 Hz <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 602 230V ac-50 Hz <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 611 12V ac/dc Three independent inputs <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 612 230V ac-50 Hz Three independent inputs <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 606 12V ac-50 Hz <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○					
Single indicator lamps									Double indicator lamps	
	GW 10 641 1/2M - Opal Illuminable (*) <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 642 1/2M - Green Illuminable (*) <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 643 1/2M - Red Illuminable (*) <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 644 1/2M - Amber Illuminable (*) <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 621 1M - Opal Illuminable (*) <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 622 1M - Green Illuminable (*) <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 623 1M - Red Illuminable (*) <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 624 1M - Amber Illuminable (*) <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 628 1M - Opal Illuminable (*) <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 629 1M - Red/Green Illuminable (*) <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○
Protuding indicator lamps					Stair riser lamps					
	GW 10 631 2M-12V ac/dc-230V ac-50/60 Hz - Opal <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 632 2M-12V ac/dc-230V ac-50/60 Hz - Green <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 633 2M-12V ac/dc-230V ac-50/60 Hz - Red <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 634 2M-12V ac/dc-230V ac-50/60 Hz - Amber <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○		GW 10 651 2M Opal <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 656 4M Opal <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○			

ENERGY MANAGEMENT, CLIMATE, COMFORT AND TECHNICAL ALARMS

Timed thermostats				Thermostats					
	GW 10 703 230V ac-50/60 Hz <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 701 White Wall-mounting	GW 14 701 Titanium Wall-mounting		GW 16 972 CB <input type="radio"/> ○	GW 16 972 CN <input type="radio"/> ●	GW 16 972 CT <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	Thermo ICE WiFi thermostat 12-24 V ac/dc 100/240 V ac-50/60 Hz-12 V dc	GW 10 705 230V ac-50/60 Hz <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○
Clock/Alarm/Thermometer		Electronic timer		Timers					
	GW 10 708 230V ac-50/60 Hz <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○		GW 10 581 230V ac-50/60 Hz Daily/Weekly <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○		GW 10 583 1M <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 582 2M <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○			
Detectors					Accessories				
	GW 10 711 LPG 12V ac/dc <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 712 Methane gas 12V ac/dc <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW A1 514 Flood alarm ZigBee	GW A1 521 1-channel actuator ZigBee 230 V ac-50 Hz		GW 10 720 Power supply 100/240 V ac-50/60 Hz-12 V dc	GW 30 522 GAS solenoid valve 3/4"-230 V ac-12 VA		
	<input type="radio"/> ○ White (GW 10 XXX)	<input type="radio"/> ● Black (GW 12 XXX)		<input type="radio"/> ○ Titanium (GW 14 XXX)	<input type="radio"/> ○ Ivory (GW 11 XXX)				

(*) supplied without LED signalling unit

REGULATION**COMMAND****HOTEL COMPONENTS****ACCESSORIES****SUPPORTS**

▲ =Articles designed exclusively for export to a limited number of countries not belonging to the EU (or candidates for membership) or the European Free Trade Association. Check with GEWISS Customer Service to make sure the product meets the regulations of the country in question before importing it.

○ White (GW 10 XXX)

● Black (GW 12 XXX)


● Titanium (GW 14 XXX)

● Ivory (GW 11 XXX)


(*) supplied without LED signalling unit

① Available from September 2018




Chorus PLATES AND MODULAR DEVICES

	FLUSH-MOUNTING BOXES	SUPPORTS	DEVICES
2M	 GW 24 231  GW 24 234 PM  GW 24 232  GW 24 208  GW 24 209	 GW 16 822  GW 16 821 - GW 16 823	
2+2M HORIZONTAL	 2 x GW 24 231  2 x GW 24 234 PM  2 x GW 24 232	 2 x GW 16 822  2 x GW 16 821 - GW 16 822 - GW 16 823	 + 
2+2+2M HORIZONTAL	 3 x GW 24 231  3 x GW 24 234 PM  3 x GW 24 232	 3 x GW 16 822  3 x GW 16 821 - GW 16 822 - GW 16 823	 +  + 
2+2+2+2M HORIZONTAL	 4 x GW 24 231  4 x GW 24 234 PM  4 x GW 24 232	 4 x GW 16 822  4 x GW 16 821 - GW 16 822 - GW 16 823	 +  + 

PLATES



Chorus PLATES AND MODULAR DEVICES

	FLUSH-MOUNTING BOXES	SUPPORTS	DEVICES
2+2M VERTICAL 57MM	 GW 24 282 PM	 2 x GW 16 822 (*)	 +
2+2M VERTICAL	 2 x GW 24 231	 2 x GW 16 822	 +
2+2+2M VERTICAL	 3 x GW 24 231	 3 x GW 16 822	 +
2+2+2+2M VERTICAL	 4 x GW 24 231	 4 x GW 16 822	 +
	 2 x GW 24 234 PM	<p>(*) Couple two supports GW 16 822 vertically by breaking off the removable wings on each one.</p>	
	 2 x GW 24 232	 2 x GW 16 821 - GW 16 822 - GW 16 823	
	 3 x GW 24 234 PM		
	 3 x GW 24 232	 3 x GW 16 821 - GW 16 822 - GW 16 823	
	 4 x GW 24 234 PM		
	 4 x GW 24 232	 4 x GW 16 821 - GW 16 822 - GW 16 823	

PLATES

ONE
INTERNATIONAL

GW 16 125 xx

LUX
INTERNATIONAL

GW 16 225 xx

ONE
INTERNATIONAL

GW 16 124 xx

GEO
INTERNATIONAL

GW 16 424 xx

LUX
INTERNATIONAL

GW 16 224 xx

ONE
INTERNATIONAL

GW 16 127 xx

GEO
INTERNATIONAL

GW 16 427 xx

LUX
INTERNATIONAL

GW 16 227 xx






ONE
INTERNATIONAL

GW 16 129 xx

LUX
INTERNATIONAL

GW 16 229 xx

Chorus PLATES AND MODULAR DEVICES

	FLUSH-MOUNTING BOXES	SUPPORTS	DEVICES
3M	GW 24 403 	GW 16 802 	GW 10 907 - GW 10 908 - CW 10 909  GW 10 741 - GW 10 746  GW A9 421 - GW A9 471 
4M	GW 24 404 	GW 16 803 	
6M	GW 24 406 	GW 16 804 	
4+4M	GW 24 237  GW 24 237 PM 	GW 16 806 	
6+6M	GW 24 238 	GW 16 812 	
2M	GW 24 231  GW 24 232  GW 24 234 PM 	GW 16 802 	

PLATES

GW 16 101 xx



GW 16 102 xx



GW 16 103 xx



GW 16 951 xx



GW 16 962 xx



GW 16 946 xx



GW 16 401 xx



GW 16 402 xx



GW 16 403 xx



GW 16 202 xx



GW 16 203 xx



GW 16 953 xx



GW 16 302 xx



GW 16 303 xx



GW 16 903 xx



GW 16 104 xx



GW 16 404 xx



GW 16 204 xx



GW 16 304 xx



GW 16 904 xx



GW 16 106 xx



GW 16 406 xx



GW 16 206 xx



GW 16 108 TB - GW 16 108 VT



GW 16 112 TB - GW 16 112 VT



GW 16 101 xx



GW 16 401 xx



GW 16 102 xx



GW 16 402 xx



GW 16 202 xx



GW 16 302 xx

The devices

The new Chorus domestic range, aimed at markets that rely on the British Standard (BS), develops around a core of monobloc devices that perform all basic functions, which can be extended as required thanks to the wide offering of Chorus modular devices. The range is available in the three colours: glossy white, satin black and painted titanium.



British Standard

Monobloc devices are developed for British Standard flush-mounting boxes, 3x3-inches (1-gang box) and 3x6-inches (2-gang box), with screw fixing. The compact size of monobloc devices also enables them to be easily installed starting from boxes with a depth of 25mm.



Slim shapes, Italian design

The range of monobloc devices is characterised by round lines and unmistakable shapes, inspired by Italian design. GEO plates, with their essential, minimalistic outline and the LUX plates, with their modern, elegant geometries, can meet any installation and aesthetic needs.




Wiring terminals

Reduced depth to provide greater room for cabling, large terminals with captive screws for easy cable fitting, extension of earth connection (in socket-outlets and double pole switches) also in the flush-mounting box thanks to metal threaded inserts on the support frame.



Enhanced functions


Basic functions provided with monobloc devices can be extended thanks to the Chorus devices' modular offering: from modular components with reduced footprint (from 20mm) available in 1/2-, 1-, 2- and 3- module formats to electronic devices such as dimmers, thermostats, chrono-thermostats, etc., up to domotic equipment. The Chorus BS offering, therefore, supports the creation of limitless functions that can meet any application needs.



Chorus integration with BS boxes

The integration of Chorus modular devices in BS boxes is possible thanks to the specific support frames that can house up to 2 Chorus modules (in 3x3-inches boxes) or up to 5 Chorus modules (in 3x6-inches boxes). The support frames have to be completed with GEO or LUX plates.

NOTE: the Chorus modular devices are characterized by depths that can vary according on their functions, so please check they properly fit in the boxes.



Chorus British Standard PLATES AND DEVICES

GEO PLATES

Technopolymer	MILK WHITE	IVORY	TITANIUM	SLATE
Modularity	GW 16 436 TB GW 16 437 TB	GW 16 436 TI GW 16 437 TI	GW 16 436 VT GW 16 437 VT	GW 16 436 VA GW 16 437 VA
	1 gang 2 gang	1 gang 2 gang	1 gang 2 gang	1 gang 2 gang

LUX PLATES



Technopolymer	MILK WHITE	MONOCHROME MILK WHITE	TONER BLACK	CHROME	GOLD
	GW 16 236 TB GW 16 237 TB	GW 16 236 YB GW 16 237 YB	GW 16 236 TN GW 16 237 TN	GW 16 236 MC GW 16 237 MC	GW 16 236 MO GW 16 237 MO
	1 gang 2 gang				

Technopolymer - Wood finish	MAPLE	WENGE	CHERRY	SAND
	GW 16 236 LA GW 16 237 LA	GW 16 236 LW GW 16 237 LW	GW 16 236 LC GW 16 237 LC	GW 16 236 RS GW 16 237 RS
	1 gang 2 gang	1 gang 2 gang	1 gang 2 gang	1 gang 2 gang



Metal	BLACK ALUMINIUM	BRUSHED STAINLESS STEEL	Glass	AQUAMARINE
	GW 16 236 MA GW 16 237 MA	GW 16 236 MI GW 16 237 MI		GW 16 236 CA GW 16 237 CA
	1 gang 2 gang	1 gang 2 gang		1 gang 2 gang

Modularity	1 gang	2 gang

GEO PLATES


Technopolymer	MILK WHITE 	IVORY 	TITANIUM 	SLATE 
	GW 16 422 TB 1 gang GW 16 406 TB 2 gang	GW 16 422 TI 1 gang GW 16 406 TI 2 gang	GW 16 422 VT 1 gang GW 16 406 VT 2 gang	GW 16 422 VA 1 gang GW 16 406 VA 2 gang
Modularity	 1 gang  2 gang - 5 module			

LUX PLATES


Technopolymer	MILK WHITE 	MONOCHROME MILK WHITE 	TONER BLACK 	CHROME 	GOLD 
	GW 16 222 TB 1 gang GW 16 206 TB 2 gang	GW 16 222 YB 1 gang GW 16 238 YB 2 gang	GW 16 222 TN 1 gang GW 16 206 TN 2 gang	GW 16 222 MC 1 gang GW 16 206 MC 2 gang	GW 16 222 MO 1 gang GW 16 206 MO 2 gang
Technopolymer - Wood finish	MAPLE 	WENGE 	CHERRY 	SAND 	
	GW 16 222 LA 1 gang GW 16 238 LA 2 gang	GW 16 222 LW 1 gang GW 16 238 LW 2 gang	GW 16 222 LC 1 gang GW 16 238 LC 2 gang	GW 16 222 RS 1 gang GW 16 238 RS 2 gang	
Metal	BLACK ALUMINIUM 	BRUSHED STAINLESS STEEL 		ICE 	AQUAMARINE 
	GW 16 222 MA 1 gang GW 16 238 MA 2 gang	GW 16 222 MI 1 gang GW 16 206 MI 2 gang		GW 16 222 CG 1 gang GW 16 206 CG 2 gang	GW 16 222 CA 1 gang GW 16 206 CA 2 gang
Modularity	 1 gang  2 gang - 5 module				

Chorus British Standard PLATES AND DEVICES


COMMAND




POWER



FUSED CONNECTION UNITS







SUPPORTS FOR CHORUS MODULAR DEVICES



○ White (**GW 10 XXX**)

● Black (**GW 12 XXX**)

● Titanium (**GW 14 XXX**)

BOXES	SUPPORTS	DEVICES	PLATES
 1 gang BS backbox (Centre distance 60.3 mm)	 With screw	 GW 1x 008 M GW 1x 009 M GW 1x 011 M  GW 1x 336 M GW 1x 337 M GW 10 356 M  GW 10 493 M GW 10 494 M GW 10 495 M GW 10 496 M GW 10 497 M GW 10 498 M  GW 1x 038 GW 1x 075  GW 1x 012 GW 1x 056  GW 1x 045 M GW 1x 085 M  2 x 1 module (*)  1 x 2 module (*)	 GW 16 436 xx  GW 16 236 xx
 2 gang BS backbox (Centre distance 120.6 mm)	 GW 16 837 - White  GW 16 838 - Black  GW 16 839 - Titanium  With screw	 GW 1x 338 M - GW 1x 339 M GW 10 358 M - GW 10 360 M  5 x 1 module (*)  3 x 1 module + 1 x 2 module (*)  1 x 1 module + 2 x 2 module (*)	 GW 16 437 xx  GW 16 237 xx
			 GW 16 406 xx  GW 16 206 xx GW 16 238 xx

(*) From Chorus modular devices range

Installation flexibility

A universal system offering the maximum application flexibility. A range that can be used with both flush-mounting and surface-mounting solutions, in all indoor and outdoor environments.



Integration

Total integration with the 27 COMBI range, which proposes a wide variety of containers for protected watertight systems in full view, for garden systems and for combined applications for protection and distribution.



Complete range

The SYSTEM range includes commands, energy socket-outlets (Italian and international standard), TV-SAT socket-outlets, USB power supplies, protections, indicators, connectors, devices for comfort and special components with high qualitative characteristics.



Command devices

The command devices are available in the 16AX version with a nominal current of 16A, also for fluorescent loads. Also for the safe control of inductive/capacitive load management over time.

16AX



System solutions

The SYSTEM devices use a wide range of accessories and can be installed and assembled in any electrical system:

- in flush-mounting and surface-mounting rectangular boxes
- in boxes for interface with mini trunking
- on profiles and system device trunking
- on DIN rail and mobile adapters



Colour range

SYSTEM WHITE is elegant, safe and cost-effective, offering a complete practical system of plates that are ideal for both indoors and outdoors. SYSTEM BLACK is designed for the most modern environments of the residential and commercial sectors, offering a refined contrast between the satin black button key and the wide range of colours for the glossy plates.



System PLATES AND MODULAR DEVICES

TOP SYSTEM PLATES



CLOUD WHITE



TITANIUM



SOFT CHROME



TONER BLACK




SLATE



ANTIQUE GOLD



ENGLISH WALNUT



GW 22 501	1 gang
GW 22 502	2 gang
GW 22 503	3 gang
GW 22 504	4 gang
GW 22 506	6 gang
GW 22 507	4+4 gang
GW 22 508	6+6 gang

GW 22 601	1 gang
GW 22 602	2 gang
GW 22 603	3 gang
GW 22 604	4 gang
GW 22 606	6 gang
GW 22 607	4+4 gang
GW 22 608	6+6 gang

GW 22 651	1 gang
GW 22 652	2 gang
GW 22 653	3 gang
GW 22 654	4 gang
GW 22 656	6 gang
GW 22 657	4+4 gang

GW 22 511	1 gang
GW 22 512	2 gang
GW 22 513	3 gang
GW 22 514	4 gang
GW 22 516	6 gang
GW 22 517	4+4 gang

GW 22 611	1 gang
GW 22 612	2 gang
GW 22 613	3 gang
GW 22 614	4 gang
GW 22 616	6 gang
GW 22 617	4+4 gang
GW 22 618	6+6 gang

GW 22 661	1 gang
GW 22 662	2 gang
GW 22 663	3 gang
GW 22 664	4 gang
GW 22 666	6 gang
GW 22 667	4+4 gang

GW 22 671	1 gang
GW 22 672	2 gang
GW 22 673	3 gang
GW 22 674	4 gang
GW 22 676	6 gang
GW 22 677	4+4 gang

Technopolymer

Technopolymer-classic colour

TOP SYSTEM PLATES

GERANIUM RED



GW 22 521	1 gang
GW 22 522	2 gang
GW 22 523	3 gang
GW 22 524	4 gang
GW 22 526	6 gang
GW 22 527	4+4 gang

VENETIAN GREEN



GW 22 541	1 gang
GW 22 542	2 gang
GW 22 543	3 gang
GW 22 544	4 gang
GW 22 546	6 gang
GW 22 547	4+4 gang

SKY BLUE



GW 22 561	1 gang
GW 22 562	2 gang
GW 22 563	3 gang
GW 22 564	4 gang
GW 22 566	6 gang
GW 22 567	4+4 gang

CLASSIC BURGUNDY



GW 22 531	1 gang
GW 22 532	2 gang
GW 22 533	3 gang
GW 22 534	4 gang
GW 22 536	6 gang
GW 22 537	4+4 gang

RACING GREEN



GW 22 551	1 gang
GW 22 552	2 gang
GW 22 553	3 gang
GW 22 554	4 gang
GW 22 556	6 gang
GW 22 557	4+4 gang

JAZZ BLUE



GW 22 571	1 gang
GW 22 572	2 gang
GW 22 573	3 gang
GW 22 574	4 gang
GW 22 576	6 gang
GW 22 577	4+4 gang


CORN YELLOW



GW 22 581	1 gang
GW 22 582	2 gang
GW 22 583	3 gang
GW 22 584	4 gang
GW 22 586	6 gang
GW 22 587	4+4 gang

Technopolymer - pastel colours

Modularity



1 gang

2 gang

3 gang

4 gang

6 gang


4 + 4 gang

6 + 6 gang (*)

(*) Cloud White, Slate and Titanium

System PLATES AND MODULAR DEVICES

VIRNA PLATES



CLOUD WHITE	TITANIUM	SOFT CHROME
Technopolymer	Painted technopolymer	Metallised technopolymer
GW 22 101 1 gang GW 22 102 2 gang GW 22 103 3 gang GW 22 104 4 gang GW 22 106 6 gang GW 22 107 4+4 gang GW 22 108 6+6 gang	GW 22 281 1 gang GW 22 282 2 gang GW 22 283 3 gang GW 22 284 4 gang GW 22 286 6 gang GW 22 287 4+4 gang GW 22 288 6+6 gang	GW 22 251 1 gang GW 22 252 2 gang GW 22 253 3 gang GW 22 254 4 gang GW 22 256 6 gang GW 22 257 4+4 gang
TONER BLACK	SLATE	ANTIQUE GOLD
Technopolymer	Painted technopolymer	Metallised technopolymer
GW 22 111 1 gang GW 22 112 2 gang GW 22 113 3 gang GW 22 114 4 gang GW 22 116 6 gang GW 22 117 4+4 gang	GW 22 291 1 gang GW 22 292 2 gang GW 22 293 3 gang GW 22 294 4 gang GW 22 296 6 gang GW 22 297 4+4 gang GW 22 298 6+6 gang	GW 22 261 1 gang GW 22 262 2 gang GW 22 263 3 gang GW 22 264 4 gang GW 22 266 6 gang GW 22 267 4+4 gang
ENGLISH WALNUT		
Technopolymer-classic colour		
GW 22 271 1 gang GW 22 272 2 gang GW 22 273 3 gang GW 22 274 4 gang GW 22 276 6 gang GW 22 277 4+4 gang		

VIRNA PLATES



Technopolymer-pastel colours

GERANIUM RED



GW 22 121	1 gang
GW 22 122	2 gang
GW 22 123	3 gang
GW 22 124	4 gang
GW 22 126	6 gang
GW 22 127	4+4 gang

VENETIAN GREEN



GW 22 141	1 gang
GW 22 142	2 gang
GW 22 143	3 gang
GW 22 144	4 gang
GW 22 146	6 gang
GW 22 147	4+4 gang

SKY BLUE



GW 22 161	1 gang
GW 22 162	2 gang
GW 22 163	3 gang
GW 22 164	4 gang
GW 22 166	6 gang
GW 22 167	4+4 gang

CLASSIC BURGUNDY



GW 22 131	1 gang
GW 22 132	2 gang
GW 22 133	3 gang
GW 22 134	4 gang
GW 22 136	6 gang
GW 22 137	4+4 gang

RACING GREEN



GW 22 151	1 gang
GW 22 152	2 gang
GW 22 153	3 gang
GW 22 154	4 gang
GW 22 156	6 gang
GW 22 157	4+4 gang

JAZZ BLUE




GW 22 171	1 gang
GW 22 172	2 gang
GW 22 173	3 gang
GW 22 174	4 gang
GW 22 176	6 gang
GW 22 177	4+4 gang

CORN YELLOW



GW 22 181	1 gang
GW 22 182	2 gang
GW 22 183	3 gang
GW 22 184	4 gang
GW 22 186	6 gang
GW 22 187	4+4 gang



(*) Cloud White, Slate and Titanium

System PLATES AND MODULAR DEVICES

COMMAND

One-way switches										
	GW 20 571 1M-1P-16 AX ○ ●	GW 20 572 1M-1P-16 AX Backlit 230V ac ○ ●	GW 20 583 1M-1P-16 AX Illuminable (*) ○ ●	GW 20 503 1M-2P-16 AX ○ ●	GW 20 504 1M-2P-16 AX Backlit 230V ac ○ ●	GW 20 584 1M-2P-16 AX Illuminable (*) ○ ●	GW 20 005 1M-2P-10 AX With key ○ ●	GW 20 585 1M-2P-25 AX Heavy-duty loads ○ ●		
Two-way switches							Intermediate switches			
	GW 20 576 1M-1P-16 AX ○ ●	GW 20 577 1M-1P-16 AX Backlit 230V ac ○ ●	GW 20 588 1M-1P-16 AX Illuminable (*) ○ ●	GW 20 008 1M-1P-10 AX With key ○ ●	GW 20 589 2M-1P-16 AX Illuminable (*) ○ ●			GW 20 579 1M-1P-16 AX ○ ●		
Push-buttons										
	GW 20 510 1M-1P-NO-10 A ○ ●	GW 20 515 Backlit 230V ac GW 20 516 Backlit 12/24V ○ ●	GW 20 529 1M-1P-NO-10 A Illuminable (*) ○ ●	GW 20 531 1M-1P-NC-10 A Illuminable (*) ○ ●	GW 20 511 1M-1P-NO-10 A Key ○ ●	GW 20 512 1M-1P-NO-10 A Bell ○ ●	GW 20 513 1M-1P-NO-10 A Light ○ ●	GW 20 514 1M-1P-NO-10 A Stair light ○ ●		
	GW 20 520 1M-1P-NO+NO-10 A With interlock ○ ●	GW 20 521 1M-1P-NO+NO-10 A With interlock ○ ●	GW 20 519 1M-1P-NC-10 A ○ ●	GW 20 517 1M-2P-NO-10 A ○ ●	GW 20 591 2M-1P-NO-10 A With Illuminable name plate ○ ●	GW 20 024 3M-1P-NO-10 A With Illuminable name plate ○ ●	GW 20 527 2M-1P-NO-10 A Illuminable (*) ○ ●	GW 20 518 1M-2P-NO-10 A With pull-cord ○ ●		
Three-way switches					Miniature lamps		Cartridge lamps			
	GW 20 559 1M-1P-10 AX Positions 1-0-2 ○ ●	GW 20 528 1M-1P-10 AX Positions 1-0-2 ○ ●	GW 20 560 1M-2P-10 AX Positions 1-0-2 ○			GW 10 893 12/24V ac/dc 230V ac GW 30 943 230V ac GW 30 944 110/230V ac GW 30 946 110/230V ac GW 30 947 110/230V ac	White Red Green Light blue White		GW 20 902 56x36 12V ac/dc 24V ac/dc GW 20 903 56x36 24V ac/dc GW 20 904 56x31 12V ac/dc GW 20 905 56x31 24V ac/dc GW 20 906 56x3x28 110/230V ac GW 20 908 56x3x28 110/230V ac	White White White White Red Green
Lens with illuminated symbol										
	GW 20 533 Neutral	GW 20 537	GW 20 538	GW 20 539	GW 20 549	GW 20 550	GW 20 551	GW 20 595		
	General services			Technical services				OFF		
	GW 20 566	GW 20 567	GW 20 568	GW 20 569	GW 20 560	GW 20 563	GW 20 564	GW 20 565		
	Numerical services									
Infrared		Relay					Blinking modules and cable output			
	GW 20 821 Movement detector 1M-1NO-3A ○ ●		GW 20 071 Latching 1M-1P-10A-250V ac ○ ●	GW 20 072 Latching 1M-2P-10A-250V ac ○ ●	GW 20 074 Monostable 1M-1P-10A 250V ac-1NO/NC ○ ●	GW 20 076 Call 1M-1P-NO/NC-12V ac/dc ○ ●				
							GW 20 056 1M ○ ●	GW 20 073 2M ○ ●		
								GW 20 058 1M ○ ●		
								Cable output ○ ●		

(*) Supplied without miniature lamp unit.

○ White (GW 20 XXX)

● Black (GW 21 XXX)

POWER

Italian										
	GW 20 201 2P+E-10A-250V ac <input type="radio"/> ●	GW 20 203 2P+E-16A-250V ac Dual amperage <input type="radio"/> ●	GW 20 295 2P+E-16A-250V ac Dual amperage	GW 20 281 2P+E-16A-250V ac Dual amperage	GW 20 286 2P+E-16A-250V ac Dual amperage	GW 20 291 2x2P+E-16A-250V ac Dual amperage <input type="radio"/> ●				
Italian/German						Swiss				
	GW 20 205 2P+E-16A-250V ac <input type="radio"/> ●	GW 20 246 2P+E-16A-250V ac Dual amperage <input type="radio"/> ●	GW 20 296 2P+E-16A-250V ac Dual amperage	GW 20 282 2P+E-16A-250V ac Dual amperage	GW 20 287 2P+E-16A-250V ac Dual amperage	GW 20 351 2P+E-10A-250V ac Type 12 <input type="radio"/> ○				
German					French					
	GW 20 265 2P+E-16A-250V ac <input type="radio"/> ●	GW 20 297 2P+E-16A-250V ac	GW 20 283 2P+E-16A-250V ac	GW 20 288 2P+E-16A-250V ac	GW 20 206 2P-16A-250V ac <input type="radio"/> ●	GW 20 207 2P+E-16A-250V ac <input type="radio"/> ●	GW 20 312 2P+E-16A-250V ac			
British			Australian			Euro-American/USA				
	GW 20 208 2P+E-13A-250V ac <input type="radio"/> ●	GW 20 209 2P+E-16A-250V ac <input type="radio"/> ●		GW 20 357 2P+E-10A-250V ac <input type="radio"/> ●	GW 20 356 2P+E-15A-250V ac <input type="radio"/> ●	GW 20 212 2P+E-10/15A 250/125V ac <input type="radio"/> ○	GW 20 214 2P+E-15A-125V ac <input type="radio"/> ●	GW 20 216 2P+E-15A-250V ac <input type="radio"/> ●		
Argentinian		Israeli				Special socket-outlets				
	GW 20 248 2P+E-10A-250V ac <input type="radio"/> ●			GW 20 220 2P+E-16A-250V ac Illuminable (*) <input type="radio"/> ○	GW 20 298 2P+E-16A-250V ac Illuminable (*) <input type="radio"/> ○	GW 20 299 2P+E-16A-250V ac Illuminable (*) <input type="radio"/> ○	GW 20 320 2P-10A-250V ac <input type="radio"/> ○	GW 20 239 SELV 2P-6A-24V <input type="radio"/> ●	GW 20 234 SELV 2P-6A-24V Polarised <input type="radio"/> ○	GW 20 241 For loudspeaker <input type="radio"/> ○

○ White (GW 20 XXX)

● Black (GW 21 XXX)

(*) Supplied without miniature lamp unit.

System PLATES AND MODULAR DEVICES

DATA

TV-SAT		F female GW 20 391 - 0 dB GW 20 395 - 5 dB GW 20 392 - 10 dB GW 20 393 - 14 dB	IEC male GW 20 381 - 0 dB GW 20 386 - 5 dB GW 20 382 - 10 dB GW 20 383 - 14 dB	IEC female GW 20 228 - 0 dB GW 20 229 - 20 dB GW 20 230 - Term. 20 dB	GW 20 277 Terminal resistance 75 ohm	Telephone socket-outlets		GW 20 251 RJ11 ○●	GW 20 235 French - 8 contacts ○●	GW 20 272 British - 6 contacts ○●
Data sockets		RJ45 - UTP ○●	GW 20 685 Cat. 6 GW 20 684 Cat. 6 GW 20 271 Cat. 5e	GW 20 686 Cat. 6 GW 20 243 Cat. 5e	RJ45 - FTP ○●	Adapters ○●	GW 20 266 IBM GW 20 267 SYSTIMAX Commscope GW 20 270 AMP/Keystone Jack	GW 20 237 BNC 50/75/93 ohm ○●	GW 20 238 Unwired enclosure for SUB-D 9/15/25 PIN ○●	
USB and HDMI couplers		GW 38 056 HDMI coupler	GW 38 057 USB coupler	USB power supply	GW 20 361 Double USB power supply ○					

POWER, COMFORT AND CLIMATE MANAGEMENT

Dimmer		GW 20 802 Resistive 100-500W 230V ac-50/60 Hz ○●	GW 20 811 Resistive 100-500W Inductive 100-500 VA With two-way switch 230V ac-50/60 Hz ○●	GW 20 803 Resistive 100-900W Inductive 40-300 VA 230V ac-50/60 Hz ○●	GW 20 828 Resistive 60-500W Inductive 60-500 VA 230V ac-50/60 Hz ○●	GW 20 829 For electronic transformers 230V ac-50/60 Hz ○●	GW 20 818 For air agitators Inductive 55-80 VA 230V ac-50/60 Hz ○●	Electronic timer	GW 20 825 230V ac-50/60 Hz Daily/Weekly ○●	Timer	GW 20 810 2M ○●
Climate control		GW 20 852 Thermostat 230V ac-50/60 Hz ○●	GW 20 827 Timed thermostat 230V ac-50/60 Hz ○●	GW 20 701 Timed thermostat white Wall-mounting	GW 20 701 Timed thermostat white Wall-mounting	GW 14 701 Timed thermostat titanium Wall-mounting					
Automatic circuit breakers		GW 20 431 - 6A GW 20 432 - 10A GW 20 433 - 16A 1P	GW 20 434 - 6A GW 20 435 - 10A GW 20 436 - 16A 1P+N	GW 20 454 - 6A GW 20 455 - 10A GW 20 456 - 16A 1P+N Colour: red	GW 20 437 - 6A GW 20 438 - 10A GW 20 439 - 16A 1P+N-10 mA	GW 20 448 - 6A GW 20 449 - 10A GW 20 450 - 16A 1P+N-30 mA	Protection devices	GW 20 423 Surge protection device ○●	GW 20 401 Fuse-holder In MAX=16A ○●		

HOTEL COMPONENTS


Badge switch		GW 20 820 1P-NO-10A Backlit 230 V ac ○●	Shaver socket-outlet		GW 20 841 Shaver socket-outlet 230V ac-50/60 Hz ○●	Climate control		GW 20 853 Thermostat for fan-coil 230V ac-50/60 Hz ○●	Three-way switch		GW 20 651 1M-1P-10 AX DND + MUR ○
										Double indicator lamp	GW 20 656 1M - Opal DND + MUR - 230V ac ○

▲ =Articles designed exclusively for export to a limited number of countries not belonging to the EU (or candidates for membership) or the European Free Trade Association. Check with GEWISS Customer Service to make sure the product meets the regulations of the country in question before importing it.

○ White (GW 20 XXX)

● Black (GW 21 XXX)

INDICATOR AND TECHNICAL ALARMS

Anti-blackout lamps	 GW 20 833 230V ac-50/60 Hz Removable <input type="radio"/> ●	 GW 20 835 230V ac-50/60 Hz <input type="radio"/> ●	Ringers and buzzers	 GW 20 613 - 12V ac GW 20 616 - 230V ac Ringers <input type="radio"/> ●	 GW 20 617 - 12V ac GW 20 620 - 230V ac Buzzers <input type="radio"/> ●	 GW 20 643 - 230V ac GW 20 641 - 12V ac/dc Three independent inputs <input type="radio"/> ●
Indicator lamps	 Flat diffuser Illuminable (*) <input type="radio"/> ●	 Flat diffuser complete with lamp <input type="radio"/> ●	 GW 20 607 - 230V ac GW 20 608 - 12/24V ac/dc	 GW 20 634 Stair riser lamp 2M <input type="radio"/> ●	 GW 20 601 GW 20 623 GW 20 624 GW 20 625 GW 20 626 Flat diffuser 12/24V ac/dc	 GW 20 622 Lamp-holder E27 <input type="radio"/> ●
Detectors	 GW 20 867 Methane gas 12V ac/dc <input type="radio"/> ●	 GW 20 868 LPG 12V ac/dc <input type="radio"/> ●	 GW A1 514 Flood alarm ZigBee	 GW A1 521 1-channel actuator ZigBee 230 V ac-50 Hz	 GW 10 720 Power supply 100/240 V ac-50/60 Hz-12 V dc	 GW 30 522 GAS solenoid valve 3/4"-230 V ac-12 VA
Accessories						

SUPPORTS


Support for square and rectangular boxes	 GW 24 262 With screw - 2 gang	Supports for rectangular boxes	 GW 24 201 With screw - 3 gang	 GW 24 202 With screw - 4 gang	 GW 24 230 With screw - 6 gang
			 GW 24 240 Wity screw - 4+4 gang	 GW 24 241 With screw - 6+6 gang	

White (GW 20 XXX)

Black (GW 21 XXX)

(*) Supplied without miniature lamp unit.

System PLATES AND MODULAR DEVICES

FLUSH-MOUNTING BOXES	SUPPORTS	DEVICES	PLATES
GW 24 403 	GW 24 201 	GW 22 xx1 	TOP SYSTEM GW 22 xx1  VIRNA GW 22 xx1 
GW 24 403 PM 	GW 24 262 	GW 22 xx2 	TOP SYSTEM GW 22 xx2  VIRNA GW 22 xx2 
GW 24 401 	GW 24 201 	GW 22 xx3 	TOP SYSTEM GW 22 xx3  VIRNA GW 22 xx3 
GW 24 404 	GW 24 202 	GW 22 xx4 	TOP SYSTEM GW 22 xx4  VIRNA GW 22 xx4 
GW 24 404 PM 			
GW 24 406 	GW 24 230 	GW 22 xx6 	TOP SYSTEM GW 22 xx6  VIRNA GW 22 xx6 
GW 24 406 PM 			
GW 24 237 	GW 24 237 PM 	GW 24 240 	TOP SYSTEM GW 22 xx7  VIRNA GW 22 xx7 
GW 24 238 	GW 24 241 	GW 22 xx8 	TOP SYSTEM GW 22 xx8  VIRNA GW 22 xx8 
GW 24 231 	GW 24 262 	GW 22 xx2 	TOP SYSTEM GW 22 xx2  VIRNA GW 22 xx2 

Wall-mounting enclosures and modular components

Great versatility

The modular containers are extremely easy to install, thanks to the considerable space left inside them for wiring.

In addition, a number of containers can be installed side by side, so it's possible to create configurations tailor-made for every type of need.

For greater safety, the compartments can even be internally divided with the aid of suitable functional elements.

IP40



High protection degree

The perfect watertight seal is guaranteed by the door closure system and the gasket couplings. The special transparent membrane with notches makes it easier to feel and identify the button keys. The door clicks open, simply by pressing it upwards. The range also includes complete devices and containers for the garden (pole head and pole bracket versions).

IP55 / IP65



Special versions


The COMBI DIN version consists of protected multipurpose containers with compartment and transparent door for DIN rail modular devices, and compartments for installing SYSTEM devices.

The COMBI 22 models have reinforced fronts for fixing indicator lights, containers for push-buttons, 22-mm commands and indicators.



27 Combi WALL-MOUNTING ENCLOSURES AND MODULAR COMPONENTS

COMBI SYSTEM 40 ENCLOSURES



COMBI-DIN ENCLOSURES




ENCLOSURES FOR MINI TRUNKING USED AS SKIRTING AND FRAMING




ENCLOSURES COMPLETE WITH SYSTEM DEVICES



COMPLETE DEVICES




COMBI 22 ENCLOSURES FOR Ø 22MM OPERATORS



COMBI SYSTEM 55/65 ENCLOSURES



WATERTIGHT COVERS (FOR Q-DIN, Q-BOX)



WATERTIGHT PLATES (FOR FLUSH-MOUNTING RECTANGULAR BOXES)



ENCLOSURES COMPLETE WITH SYSTEM DEVICES



COMPLETE DEVICES



COMPLEMENTARY ITEMS



SHAVER SOCKET-OUTLETS




Dahlia range

The Dahlia monobloc devices have been developed for those countries where round boxes are typically used. A wide range of devices available in white and ivory colors, with glossy finish, expandable for enhanced functions thanks to the Chorus modular devices.



Dahlia plates

A wide choice of plates, realized in technopolymer in seven colors with glossy finish and in many modularities, installable indifferently in horizontal or in vertical position. A special plate has been designed for the double german and French socket-outlets.



Expandable with Chorus

The special frame support allows the integration of the Dahlia range with the Chorus modular devices, picking up whatever Chorus device you should need. The support has to be completed with Dahlia plates.




DAHLIA PLATES

WHITE



GW 35 901 AW	1 gang
GW 35 902 AW	2 gang
GW 35 903 AW	3 gang
GW 35 904 AW	4 gang
GW 35 905 AW	5 gang
GW 35 909 AW	double

IVORY




GW 35 901 AY	1 gang
GW 35 902 AY	2 gang
GW 35 903 AY	3 gang
GW 35 904 AY	4 gang
GW 35 905 AY	5 gang
GW 35 909 AY	double

HEMP




GW 35 901 AH	1 gang
GW 35 902 AH	2 gang
GW 35 903 AH	3 gang
GW 35 904 AH	4 gang
GW 35 905 AH	5 gang
GW 35 909 AH	double

CREAM



GW 35 901 AM	1 gang
GW 35 902 AM	2 gang
GW 35 903 AM	3 gang
GW 35 904 AM	4 gang
GW 35 905 AM	5 gang
GW 35 909 AM	double

LIGHT GREY



GW 35 901 AG	1 gang
GW 35 902 AG	2 gang
GW 35 903 AG	3 gang
GW 35 904 AG	4 gang
GW 35 905 AG	5 gang
GW 35 909 AG	double

DARK GREY




GW 35 901 AD	1 gang
GW 35 902 AD	2 gang
GW 35 903 AD	3 gang
GW 35 904 AD	4 gang
GW 35 905 AD	5 gang
GW 35 909 AD	double

ANTHRACITE GREY



GW 35 901 AN	1 gang
GW 35 902 AN	2 gang
GW 35 903 AN	3 gang
GW 35 904 AN	4 gang
GW 35 905 AN	5 gang
GW 35 909 AN	double



Dahlia PLATES AND DEVICES

SWITCHES

One-way switches quick wiring						
GW 35 031 W ○ GW 35 001 Y ○ 1P-10 AX Illuminable (*)						
Two-way switches quick wiring						
GW 35 071 W ○ GW 35 011 Y ○ 1P-10 AX Illuminable (*)						
Push-buttons quick wiring				Double two-way switch		
GW 35 021 W ○ GW 35 021 Y ○ 1P-10 A Illuminable (*)				GW 35 015 W ○ GW 35 015 Y ○ 1P-10 AX		

ENERGY SOCKETS

German socket-outlet quick wiring		German socket-outlets screw wiring			
GW 35 206 W ○ GW 35 201 Y ○ 2P+E-16 A-250 V ac Illuminable (*)		GW 35 207 W ○ GW 35 202 Y ○ 2P+E-16 A-250 V ac Illuminable (*)			
French socket-outlet quick wiring		French socket-outlets screw wiring			
GW 35 216 W ○ GW 35 211 Y ○ 2P+E-16 A-250 V ac Illuminable (*)		GW 35 212 W ○ GW 35 212 Y ○ 2P+E-16 A-250 V ac Illuminable (*)			


DIMMERS

Universal dimmer	
GW 35 301 W ○ ① GW 35 301 Y ○ ① 4-160 W With two-way switch 230 V ac-50 Hz	

(*) supplied without LED signalling unit

① Available from September 2018

DATA SOCKETS




TV socket

GW 35 261 W ○
GW 35 261 Y ○
Direct - 0 dB



Telephone socket

GW 35 251 W ○
GW 35 251 Y ○
RJ11



Data sockets

GW 35 271 W ○
GW 35 271 Y ○
RJ45 cat.5e
UTP




GW 35 272 W ○
GW 35 272 Y ○
RJ45 cat.5e
FTP



GW 35 273 W ○
GW 35 273 Y ○
RJ45 cat.6
UTP



GW 35 274 W ○
GW 35 274 Y ○
RJ45 cat.6
FTP



GW 35 280 W ○
GW 35 280 Y ○
Empty enclosure

USB and HDMI couplers



GW 38 056
HDMI coupler



GW 38 057
USB coupler

ACCESSORIES



LED signalling unit

GW 35 981
230 V ac-50/60 Hz



Lens with illuminated symbol



GW 35 986
Lens kit



Protective cover



GW 35 996
For painting


Wall-mounting boxes
- IP40

GW 35 911
1 gang



GW 35 912
2 gang


SUPPORTS FOR MODULAR DEVICES



Support





GW 35 991

All Chorus modular devices (max. 2 modules) can be fitted with GW35991 supports and completed with DAHLIA plates.



Dahlia devices are suitable for Ø 60 mm round boxes. They can be used with all the Gewiss round boxes. They can be mounted on the Gewiss GW 24 231 square boxes only with screws (not with clutches).

Dahlia PLATES AND DEVICES

BOXES (*)	DEVICES	PLATES
 GW 24 234 PM  GW 24 232  GW 24 208  GW 24 209	 	 1 gang  double
 GW 24 234 PM  GW 24 232		 2 gang
 GW 24 234 PM GW 24 232		 3 gang
		 4 gang
		 5 gang

BOXES (*)	DEVICES	PLATES
Integration with Chorus modular devices		
 GW 24 234 PM  GW 24 232  GW 24 208  GW 24 209	 GW 35 991 (**)  1x2 module (***)  2x1 module (***)	 1 gang

(*) GW 24 231 Flush-mounting square boxes can be used only with screws (not with clutches)

(**) The support GW 35 991 can be used individually or in array configuration, also in combination with the monobloc devices

(***) From Chorus modular devices range

Domotic solutions

Wireless Devices

ZIGBEE®



Home Automation

KNX EASY BUS



page 66

Building Automation

KNX BUS



page 70

Wireless Devices ZIGBEE®

The new range of wireless Zigbee devices for command and control offers innovative solutions for the renovation of buildings, minimising the structural interventions.


Easy renovations

Elimination of device cabling allows you to save money and introduce Home&Building Automation functions also where masonry works are not possible, in particular during renovations.



Safe and reliable technology

Zigbee® is a secure system, because the data exchanged between devices are encrypted and reliable because every node in the network retransmits the information to always guarantee the reachability of all the devices (mesh network).



Integration with Home & Building automation

The Zigbee® devices can be controlled by the App, locally or in remote by means smartphone and tablet, and integrated in the Gewiss Home&Building Automation thanks to the Smart Gateway that makes it possible to realize also advanced functions.



SYSTEM COMPONENTS

Complementary items



GW A1 706
USB/Zigbee Interface

COMMAND DEVICES

Contacts interfaces



GW A1 501
2-channel potential-free
Battery powered



GW A1 502
2-channel
230Vac - 50Hz

ACTUATORS

General loads actuators



GW A1 521
1-channel 10A potential-free



GW A1 522
2-channel 6A
230Vac - 50Hz

Roller shutter actuator



GW A1 531
1-channel 6A
230Vac - 50Hz

LOAD MANAGEMENT

Load management relay



GW A1 916
P-Comfort
230Vac - 50Hz

General loads actuator with power meter



GW A1 523
1-channel 10A with power meter
230Vac - 50Hz

Smart plug



GW A1 526
10A Schuko adapter with power meter
230Vac

Load management kit



GW A1 911
P-Comfort + 1 Smart plug



GW A1 912
P-Comfort + 2 Smart plugs

SENSORS AND ALARMS

Sensors



GW A1 511
Motion sensor
Battery powered



GW A1 513
Door/window sensor
Battery powered

Alarms



GW A1 514
Flood alarm
Battery powered



GW A1 512
Smoke alarm
Battery powered

SYSTEM SUPERVISION

Gateway



GW A9 000
Smart gateway
12Vdc - 1A

ACCESSORIES

Chorus blanking modules



GW 10 750 White
GW 12 750 Black
GW 14 750 Titanium

For housing contact
interfaces and actuators

Home Automation KNX EASY BUS

The CHORUS HOME AUTOMATION range offers the KNX Easy BUS system - an advanced control system which, in accordance with European Standard EN50090 for Home Automation, enables each system component to converse with the others.

The system that interacts with the home


Gewiss' Home Automation range is a complete, versatile selection of products that allows you to create a complete and advanced system for apartments or villas which is able to satisfy each application need. The functions of the home can be managed and supervised locally or remotely via an internet connection (cloud-platform based) thanks to the Smart Gateway and the relative app for smartphone and tablet.



The KNX Easy system

Security, safety, comfort, energy savings, scenes, integration with other technologies and remote control: the Easy devices make the home smart, and every choice becomes simple and more environmentally friendly.

Technology meets Italian style.



Easy controller

The KNX Easy devices can be configured and programmed with ETS sw (S-mode) or alternatively in a simplified way, through the Easy controller sw (E-mode) by means of a PC and a KNX BUS access interface (generally a KNX/USB interface). The software automatically detects all the Easy devices located on the BUS and helps you create functions between commands/sensors and actuators, even in Off-Line mode.



SYSTEM COMPONENTS

Self-protected electronic power supplies



GW 90 709
320 mA
220-240 V ac - 50/60 Hz



GW 90 710
640 mA
220-240 V ac - 50/60 Hz

Complementary items



GW 90 708 A
Line/Field coupling



GW 90 706 B
KNX/USB interface



GW 90 706 S
KNX/USB stick interface



GW A9 705
KNX/IP interface

SYSTEM SUPERVISION

Gateway



GW A9 000
Smart gateway
12Vdc - 1A

COMMAND DEVICES

TOUCH push-button panel module with interchangeable symbols




GW A9 471
EASY 6-channels
with interchangeable symbols

ICE TOUCH KNX glass plates



GW 16 946 CB
White
GW 16 946 CN
Black
GW 16 946 CT
Titanium

TOUCH push-button panel module




GW 10 741
EASY 6-channels

ICE TOUCH KNX glass plates




2 symbols

GW 16 962 CB
White
GW 16 962 CN
Black
GW 16 962 CT
Titanium



4 symbols

GW 16 964 CB
White
GW 16 964 CN
Black
GW 16 964 CT
Titanium



6 symbols

GW 16 966 CB
White
GW 16 966 CN
Black
GW 16 966 CT
Titanium

Contacts interfaces



GW 90 833
EASY 2-channel



GW 90 834 A
EASY 4-channel

LED signalling unit



GW 10 886 Blue 3.3 V dc
GW 10 887 White 3.3 V dc
GW 10 888 Red 3.3 V dc
GW 10 889 Green 3.3 V dc
GW 10 890 Amber 3.3 V dc

Blanking modules



GW 10 751
White
GW 12 751
Black
GW 14 751
Titanium

For housing contacts
interfaces

Electronic push-buttons



Universal
1M-IP-NO



For BUS inputs
1M-IP-NO Backlit



For BUS inputs
1M-IP-NO Backlit



For BUS inputs
2M-IP-NO Backlit



For BUS inputs
2M-IP-NO Backlit



With interlock
1M-IP-NO+NO

GW 10 915
White
GW 12 915
Black
GW 14 915
Titanium

GW 10 913
White
GW 12 913
Black
GW 14 913
Titanium

GW 10 916
White
GW 12 916
Black
GW 14 916
Titanium

GW 10 917
White
GW 12 917
Black
GW 14 917
Titanium

GW 10 918
White
GW 12 918
Black
GW 14 918
Titanium

GW 10 914
White
GW 12 914
Black
GW 14 914
Titanium

Home Automation KNX EASY BUS

COMMAND DEVICES

<p>Push-button panels</p>  <p>EASY 6-channel with interchangeable symbols</p> <p>GW 10 753 A White GW 12 753 A Black GW 14 753 A Titanium</p>  <p>EASY 6-channel + actuator with interchangeable symbols</p> <p>GW 10 754 A White GW 12 754 A Black GW 14 754 A Titanium</p>  <p>EASY 6-channel + roller shutter actuator with interchangeable symbols</p> <p>GW 10 755 A White GW 12 755 A Black GW 14 755 A Titanium</p>
 <p>EASY 4-channel with interchangeable symbols</p> <p>GW 10 757 White GW 12 757 Black GW 14 757 Titanium</p>  <p>EASY 4-channel</p> <p>GW 10 752 White GW 12 752 Black GW 14 752 Titanium</p>

<p>Interchangeable button keys for push-button panels</p>  <p>1M button key To be completed with lens</p> <p>GW 10 551 White GW 12 551 Black GW 14 551 Titanium</p>  <p>2M button key To be completed with lens</p> <p>GW 10 552 White GW 12 552 Black GW 14 552 Titanium</p>  <p>1M button key To be completed with 2 lenses</p> <p>GW 10 553 White GW 12 553 Black GW 14 553 Titanium</p>  <p>2M button key To be completed with 2 lenses</p> <p>GW 10 554 White GW 12 554 Black GW 14 554 Titanium</p>  <p>1M button key With 2 diffusers</p> <p>GW 10 557 White GW 12 557 Black GW 14 557 Titanium</p>  <p>1M button key Complete with 2 lenses DND+MUR</p> <p>GW 10 559 White GW 12 559 Black GW 14 559 Titanium</p>

<p>Lens with illuminated symbols</p> <table border="1"> <tbody> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>																																												

SENSORS

<p>Movement</p>  <p>EASY IR movement detectors with twilight sensor</p> <p>GW 10 756 White GW 12 756 Black GW 14 756 Titanium</p>	<p>Weather</p>  <p>GW 90 769 Wind sensor</p>	 <p>GW 90 770 Wind sensor interface 230 V ac - 50/60 Hz</p>
---	--	---

ACTUATORS



TEMPERATURE ADJUSTMENT



ENERGY CONTROL



COMPLEMENTARY ITEMS



(*) Not provided with built-in humidity sensor

Building Automation KNX BUS

The CHORUS BUILDING AUTOMATION range offers the ideal solution for both homes and large buildings, without limiting the number of devices that can be connected or the size of the system.

Standard communication protocol

KNX is the European Standard for transmitting and managing data in building automation. The KNX BUS is an open solution, and as such offers a significant guarantee of interoperability (i.e. compatibility between KNX products made by different manufacturers). The KNX Standard complies with the European Standard EN50090 and the world Standard ISO/IEC14543.



Modification adaptability and flexibility

The KNX BUS devices are programmed with ETS (EIB Tool Software), a special software that allows you to create the logic connections necessary in order to produce the required functions. With simple software modification, it's possible at any time to assign different functions to the various devices installed without having to modify the product wiring.




System supervision

The new Smart Gateway, with its control and supervision App, represents the ideal solution in the Home&Building Automation to manage the functions of the system based on the cloud platform thus making it possible the integration with the IoT (Internet of Things) applications.




SYSTEM COMPONENTS



SYSTEM SUPERVISION



COMMAND DEVICES



Building Automation KNX BUS

COMMAND DEVICES

Push-button panels						
	GW 10 783 A White GW 12 783 A Black GW 14 783 A Titanium	GW 10 784 A White GW 12 784 A Black GW 14 784 A Titanium	GW 10 785 A White GW 12 785 A Black GW 14 785 A Titanium			
KNX with interchangeable symbols						
	GW 10 787 White GW 12 787 Black GW 14 787 Titanium	GW 10 782 White GW 12 782 Black GW 14 782 Titanium				
KNX with interchangeable symbols						
Interchangeable button keys for push-button panels						
	GW 10 551 White GW 12 551 Black GW 14 551 Titanium	GW 10 552 White GW 12 552 Black GW 14 552 Titanium	GW 10 553 White GW 12 553 Black GW 14 553 Titanium	GW 10 554 White GW 12 554 Black GW 14 554 Titanium	GW 10 557 White GW 12 557 Black GW 14 557 Titanium	GW 10 559 White GW 12 559 Black GW 14 559 Titanium


SENSORS

GW 10 786 White GW 12 786 Black GW 14 786 Titanium	GW 90 787	GW 90 782	GW 49 531	GW A9 532	GW A9 540	GW A9 541	GW A9 542
KNX IR movement detector with twilight sensor	KNX outdoor movement detector with twilight sensor	Mounting bracket for KNX outdoor movement detector	KNX presence sensor ceiling mounting	KNX movement sensor with constant brightness control ceiling mounting for great heights	IR remote control	Assembly accessory IP54	IP65 Kit

WEATHER SENSORS




ACTUATORS




Building Automation KNX BUS

TEMPERATURE ADJUSTMENT



ENERGY CONTROL



(*) Not provided with built-in humidity sensor

FUNCTION DEVICE



ACCESS CONTROL AND HOTEL MANAGEMENT

Transponder units



KNX transponder card reader unit
12/24 V ac/dc

GW 10 681
White
GW 12 681
Black
GW 14 681
Titanium



KNX transponder card holder unit
12/24 V ac/dc

GW 10 682
White
GW 12 682
Black
GW 14 682
Titanium



Transponder card programming unit.
Powered via USB.

GW 10 683
White
GW 12 683
Black
GW 14 683
Titanium



GW 10 684
Transponder card

Software



Hotel management software
GW/Host

GW A9 781 Up to 10 rooms
GW A9 782 Up to 25 rooms
GW A9 783 Up to 100 rooms
GW A9 784 Over 100 rooms

COMPLEMENTARY ITEMS

Interfaces



GW 90 871
Gateway KNX/DMX



GW 90 872 A
Gateway KNX/DALI 64/16

Accessories



GW 90 807
Connection terminal to BUS



GW 90 808
Connection terminal to SELV line



GW 90 583
BUS KNX cable
2 conductors 1x2x0,8
GW 90 582
BUS KNX cable
4 conductors 2x2x0,8

Flush-mounting boards

Domo Center

FLUSH-MOUNTING SYSTEM COLUMNS FOR DISTRIBUTION, H&B AUTOMATION AND DATA





Domo Center FLUSH-MOUNTING SYSTEM COLUMNS FOR DISTRIBUTION, DOMOTICS AND DATA

A solution in harmony with the surroundings

DOMO CENTER is the system column designed by Gewiss for residential and commercial use.

This solution transforms the domestic system into a furnishing accessory, with its modern design that adapts to suit the context. It centralises and rationalises the existing services, from the most traditional to the most advanced, in one single device.

The Domo Center range is divided into 2 parts:

- **Front configuration kit** • already configured with all the necessary items for setting up the system column (with the exception of the back-mounting box)
- **Components** • the single elements needed to create any type of KIT




- **Flush-mounting back-mounting box, 2700 or 2400mm high**
- **External dimensions 2400 and 2100mm**
- **Protrusion of only 25mm from the wall, with suspended effect**
- **Modular capacity of up to 320 modules**
- **Versions already configured (kits) in different types**



reddot design award
winner 2016

Applications



Domo Center with exposed functional panels



Domo Center integrated with the furniture style



Domo Center with integral transparent door

HOW TO REQUEST THE MOST SUITABLE CONFIGURATION (KIT)

Contact Customer Service (sat@gewiss.com) or the sales organisation for cost estimates and support for configuring your system. The request procedure is facilitated by the Gweb DOMO CENTER software, available free of charge at gewiss.com.



Available finishes

DOMO CENTER can be configured in numerous solutions, with or without doors.


In fact, personalised configurations can be created by simply combining the system column with the Domo Center components. The version with door is available in three different materials: smoked transparent glass, full mirror or metal.




e.g. version 2700 with door



e.g. version 2400 without door



Mirror



White RAL 9003



Maple



Cherry



Moon



Lava



Sand



Brushed White



Brushed Grey



Visit www.gewiss.com and follow us on:



GEWISS S.p.A.

GEWISS S.p.A. Registered office
Via A. Volta, 1 - 24069 CENATE SOTTO (Bergamo) - Italy
Tel. +39 035 946 111 - Fax +39 035 945 222
gewiss@gewiss.com - www.gewiss.com

Sole Shareholder company - Bergamo Register of Companies/ VAT / Tax code (IT) 00385040167
REA 107496 - Share Capital 60,000,000.00 EUR fully paid up

PB 33280 EN - 03.18

