




## DOMOTICS

PRODUCT CATALOGUE

**GEWISS**



2020

# GEWISS Group

GEWISS is an international leader in the production of systems and components for low voltage electrical installations. The fact that development is seen as a constant management feature has permitted GEWISS to assert itself as a reference interlocutor for the electrotechnical market in the creation of solutions for domotics, energy and the lighting industry. It is now present in Italy, France, Germany, the United Kingdom, Spain, Portugal, China, Russia, Turkey, Romania, Chile, the United Arab Emirates, and in a further 80 countries around the world.



## DOMOTICS

The domotic systems offer cutting-edge solutions for smart home and building management and control, guaranteeing safety, comfort and energy savings along with Italian design.



## POWER

The technologically advanced range of modular and moulded-case devices joins the vast range of distribution boards and cabinets, enclosures and combined boards to create the GEWISS Protection System.



## BUILDING

Junction boxes and special containers, a complete and coordinated line of distribution boards, cutting-edge industrial connections and an integrated system of boards for special systems create the GEWISS distribution systems.



## LIGHTING

Lighting systems designed for every room, area and location. Solutions that embrace LED technology to meet the requirements of industrial and commercial sector contexts, sport facilities and emergency lighting.

Discover the complete offer  
[www.gewiss.com](http://www.gewiss.com)

# Residential solutions and Home&Building Automation systems

GEWISS provides ground-breaking solutions for smart home and building management and is able to meet any need. The wide range of products includes wiring devices systems in compliance with all the major international standards and a Home&Building Automation system based on various technologies (wireless and KNX bus), which is able to improve the building/system performances in terms of energy savings, comfort and safety. The system functions, in particular, are supervised both locally and from a distance, via the internet. Each component has been developed with shapes, lines and materials offering a wealth of design solutions to suit every application context.

**Chorus***page 6***Chorus British Standard***page 38***System***page 44***27 Combi***page 56***Dahlia***page 60***Wireless Devices***page 68***Home Automation***page 70***Building Automation***page 74***Data Center***page 82***Domo Center***page 84*

# Domestic ranges

## **Chorus**


PLATES AND MODULAR DEVICES



*pag. 6*

## **Chorus British Standard**

PLATES AND DEVICES



*pag. 38*

## System

PLATES AND MODULAR DEVICES



*pag. 44*

## 27 Combi

WALL-MOUNTING ENCLOSURES  
AND MODULAR COMPONENTS



*pag. 56*

## Dahlia

PLATES AND DEVICES



**60**

# Chorus PLATES AND MODULAR DEVICES


## International system

CHORUS is the innovative wiring devices system of Gewiss which is based on a wide range of modular devices, expandable and integrable thanks to the Gewiss wireless and Home&Building Automation solutions. The CHORUS range has been designed to be marketed and installed in all the most important countries of the world. This choice is the result of 30 years' experience in domestic ranges, and expresses the company's vision that resolutely opens up to the global market.



## Chorus International plates


ONE INTERNATIONAL, GEO INTERNATIONAL and LUX INTERNATIONAL plates from the Chorus wiring devices system, made in technopolymer or in precious materials and available in a wide range of colors and finishes, are suitable for round and square boxes and use the same support frame without the need for additional adapters.



## Flexibility and modularity of frame supports

The frame supports for the Chorus International plates, made in technopolymer and provided with sturdy ribs that ensure high stability during the installation steps, are available for the fixing both with clutches or screws.

The long slots positioned along the sides also allow an easy coupling with square/round boxes provided with fixing columns. The frame supports for the International plates are fitted with side couplings to ensure perfect alignment when using 2+2 gang, 2+2+2 gang and 2+2+2+2 gang plates (both horizontal and vertical configuration, and centre distances of 71 and 57mm).



The design that lights up every environment. **The CHORUS plates** embellish every environment with the elegance of their unique design and with the durability and refinement of state-of-the-art materials.

### Classic and informal

With an informal appearance and classic geometries, ONE INTERNATIONAL is the line of plates that is dedicated to everyone who wants to furnish their home with forms of simplicity.

The 100% technopolymer ONE INTERNATIONAL plates are available in classic, painted, metallised and pastel colours with fabric effect. The plates, suitable for round and square flush-mounting boxes, offer horizontal and vertical solutions with a centre distance of 57 and 71mm.



### Pure simplicity

GEO INTERNATIONAL, with essential and regular lines, can be perfectly inserted in any environment with simplicity and style. The 100% technopolymer GEO INTERNATIONAL plates are available in classic, painted, metallised and pastel colours with fabric effect. The plates, suitable for round and square flush-mounting boxes, offer horizontal and vertical solutions with a centre distance of 71mm.




### Refined design

Thanks to a highly innovative shape in terms of both materials and colours, interior design is enriched with a sophisticated look. The LUX INTERNATIONAL plates, made in technopolymer (also in wood finish and leather finish) or in precious materials (metal and glass), are suitable for round and square flush-mounting boxes and offer horizontal and vertical solutions with a centre distance of 57 and 71mm.



# Chorus PLATES AND MODULAR DEVICES

## ONE INTERNATIONAL PLATES

<b>Technopolymer</b> 	<b>MILK WHITE</b>	<b>IVORY</b>	<b>TITANIUM</b> 
	GW 16 122 TB 2 gang	GW 16 122 TI 2 gang	
	GW 16 123 TB 2+2 horiz. gang	GW 16 123 TI 2+2 horiz. gang	
	GW 16 124 TB 2+2 vert. gang	GW 16 124 TI 2+2 vert. gang	
	GW 16 125 TB 2+2 vert. gang 57mm	GW 16 125 TI 2+2+2 horiz. gang	
	GW 16 126 TB 2+2+2 horiz. gang	GW 16 126 TI 2+2+2 vert. gang	
	GW 16 127 TB 2+2+2 vert. gang	GW 16 127 TI 2+2+2+2 horiz. gang	
	GW 16 128 TB 2+2+2+2 horiz. gang	GW 16 128 TI 2+2+2+2 vert. gang	
	GW 16 129 TB 2+2+2+2 vert. gang	GW 16 129 TI 2+2+2+2 vert. gang	
<b>Toner Black</b> 	<b>TONER BLACK</b>	<b>HEMP</b>	<b>SLATE</b> 
	GW 16 122 TN 2 gang	GW 16 122 TC 2 gang	
	GW 16 123 TN 2+2 horiz. gang	GW 16 123 TC 2+2 horiz. gang	
	GW 16 124 TN 2+2 vert. gang	GW 16 124 TC 2+2 vert. gang	
	GW 16 126 TN 2+2+2 horiz. gang	GW 16 126 TC 2+2+2 horiz. gang	
	GW 16 127 TN 2+2+2 vert. gang	GW 16 127 TC 2+2+2 vert. gang	
	GW 16 128 TN 2+2+2+2 horiz. gang	GW 16 128 TC 2+2+2+2 horiz. gang	
	GW 16 129 TN 2+2+2+2 vert. gang	GW 16 129 TC 2+2+2+2 vert. gang	
<b>CHROME</b> 	<b>CHROME</b>	<b>GOLD</b>	<b>Modularity</b> 
	GW 16 122 MC 2 gang	GW 16 122 MO 2 gang	
	GW 16 123 MC 2+2 horiz. gang	GW 16 123 MO 2+2 horiz. gang	
	GW 16 124 MC 2+2 vert. gang	GW 16 124 MO 2+2 vert. gang	
	GW 16 126 MC 2+2+2 horiz. gang	GW 16 126 MO 2+2+2 horiz. gang	
	GW 16 127 MC 2+2+2 vert. gang	GW 16 127 MO 2+2+2 vert. gang	
	GW 16 128 MC 2+2+2+2 horiz. gang	GW 16 128 MO 2+2+2+2 horiz. gang	
	GW 16 129 MC 2+2+2+2 vert. gang	GW 16 129 MO 2+2+2+2 vert. gang	
<b>RUBY</b> 	<b>RUBY</b>	<b>SEA BLUE</b>	
	GW 16 122 VR 2 gang	GW 16 122 VB 2 gang	
	GW 16 123 VR 2+2 horiz. gang	GW 16 123 VB 2+2 horiz. gang	
	GW 16 124 VR 2+2 vert. gang	GW 16 124 VB 2+2 vert. gang	
	GW 16 126 VR 2+2+2 horiz. gang	GW 16 126 VB 2+2+2 horiz. gang	
	GW 16 127 VR 2+2+2 vert. gang	GW 16 127 VB 2+2+2 vert. gang	
	GW 16 128 VR 2+2+2+2 horiz. gang	GW 16 128 VB 2+2+2+2 horiz. gang	
	GW 16 129 VR 2+2+2+2 vert. gang	GW 16 129 VB 2+2+2+2 vert. gang	

(\*) Available also with centre distance 57 mm (only milk white).

## GEO INTERNATIONAL PLATES



MILK WHITE



GW 16 422 TB	2 gang
GW 16 423 TB	2+2 horiz. gang
GW 16 424 TB	2+2 vert. gang
GW 16 426 TB	2+2+2 horiz. gang
GW 16 427 TB	2+2+2 vert. gang

IVORY



GW 16 422 TI	2 gang
GW 16 423 TI	2+2 horiz. gang
GW 16 424 TI	2+2 vert. gang
GW 16 426 TI	2+2+2 horiz. gang
GW 16 427 TI	2+2+2 vert. gang

TITANIUM



GW 16 422 VT	2 gang
GW 16 423 VT	2+2 horiz. gang
GW 16 424 VT	2+2 vert. gang
GW 16 426 VT	2+2+2 horiz. gang
GW 16 427 VT	2+2+2 vert. gang

TONER BLACK



GW 16 422 TN	2 gang
GW 16 423 TN	2+2 horiz. gang
GW 16 424 TN	2+2 vert. gang
GW 16 426 TN	2+2+2 horiz. gang
GW 16 427 TN	2+2+2 vert. gang

HEMP



GW 16 422 TC	2 gang
GW 16 423 TC	2+2 horiz. gang
GW 16 424 TC	2+2 vert. gang
GW 16 426 TC	2+2+2 horiz. gang
GW 16 427 TC	2+2+2 vert. gang

SLATE



GW 16 422 VA	2 gang
GW 16 423 VA	2+2 horiz. gang
GW 16 424 VA	2+2 vert. gang
GW 16 426 VA	2+2+2 horiz. gang
GW 16 427 VA	2+2+2 vert. gang

CHROME



GW 16 422 MC	2 gang
GW 16 423 MC	2+2 horiz. gang
GW 16 424 MC	2+2 vert. gang
GW 16 426 MC	2+2+2 horiz. gang
GW 16 427 MC	2+2+2 vert. gang


GOLD




GW 16 422 MO	2 gang
GW 16 423 MO	2+2 horiz. gang
GW 16 424 MO	2+2 vert. gang
GW 16 426 MO	2+2+2 horiz. gang
GW 16 427 MO	2+2+2 vert. gang

### Modularity


Centre distance 71 mm




2 gang




2+2 gang



2+2+2 gang



2+2 gang



2+2+2 gang




RUBY



GW 16 422 VR	2 gang
GW 16 423 VR	2+2 horiz. gang
GW 16 424 VR	2+2 vert. gang
GW 16 426 VR	2+2+2 horiz. gang
GW 16 427 VR	2+2+2 vert. gang

SEA BLUE



GW 16 422 VB	2 gang
GW 16 423 VB	2+2 horiz. gang
GW 16 424 VB	2+2 vert. gang
GW 16 426 VB	2+2+2 horiz. gang
GW 16 427 VB	2+2+2 vert. gang

# Chorus PLATES AND MODULAR DEVICES

## LUX INTERNATIONAL PLATES

Technopolymer	MILK WHITE			Painted technopolymer	TITANIUM				
	MONOCHROME				GW 16 222 VT	2 gang	GW 16 222 MC	2 gang	
	GW 16 222 TB	2 gang	GW 16 222 YB		GW 16 223 VT	2+2 horiz. gang	GW 16 223 MC	2+2 horiz. gang	
	GW 16 223 TB	2+2 horiz. gang	GW 16 223 YB		GW 16 224 VT	2+2 vert. gang	GW 16 224 MC	2+2 vert. gang	
	GW 16 224 TB	2+2 vert. gang	GW 16 224 YB		GW 16 226 VT	2+2+2 horiz. gang	GW 16 226 MC	2+2+2 horiz. gang	
	GW 16 225 TB	2+2 vert. gang 57mm			GW 16 227 VT	2+2+2 vert. gang	GW 16 227 MC	2+2+2 vert. gang	
	GW 16 226 TB	2+2+2 horiz. gang	GW 16 226 YB		GW 16 228 VT	2+2+2+2 horiz. gang	GW 16 228 MC	2+2+2+2 horiz. gang	
	GW 16 227 TB	2+2+2 vert. gang	GW 16 227 YB		GW 16 229 VT	2+2+2+2 vert. gang	GW 16 229 MC	2+2+2+2 vert. gang	
	GW 16 228 TB	2+2+2+2 horiz. gang	GW 16 228 YB						
	GW 16 229 TB	2+2+2+2 vert. gang	GW 16 229 YB						
Technopolymer	TONER BLACK			Metallised technopolymer	SLATE				
					GW 16 222 VA	2 gang	GW 16 222 MO	2 gang	
	GW 16 222 TN	2 gang			GW 16 223 VA	2+2 horiz. gang	GW 16 223 MO	2+2 horiz. gang	
	GW 16 223 TN	2+2 horiz. gang			GW 16 224 VA	2+2 vert. gang	GW 16 224 MO	2+2 vert. gang	
	GW 16 224 TN	2+2 vert. gang			GW 16 226 VA	2+2+2 horiz. gang	GW 16 226 MO	2+2+2 horiz. gang	
	GW 16 226 TN	2+2+2 horiz. gang			GW 16 227 VA	2+2+2 vert. gang	GW 16 227 MO	2+2+2 vert. gang	
	GW 16 227 TN	2+2+2 vert. gang			GW 16 228 VA	2+2+2+2 horiz. gang	GW 16 228 MO	2+2+2+2 horiz. gang	
	GW 16 228 TN	2+2+2+2 horiz. gang			GW 16 229 VA	2+2+2+2 vert. gang	GW 16 229 MO	2+2+2+2 vert. gang	
	GW 16 229 TN	2+2+2+2 vert. gang							
Technopolymer - Wood finish	MAPLE			WENGE				CHERRY	
	GW 16 222 LA	2 gang			GW 16 222 LW	2 gang	GW 16 222 LC	2 gang	
	GW 16 223 LA	2+2 horiz. gang			GW 16 223 LW	2+2 horiz. gang	GW 16 223 LC	2+2 horiz. gang	
	GW 16 224 LA	2+2 vert. gang			GW 16 224 LW	2+2 vert. gang	GW 16 224 LC	2+2 vert. gang	
	GW 16 226 LA	2+2+2 horiz. gang			GW 16 226 LW	2+2+2 horiz. gang	GW 16 226 LC	2+2+2 horiz. gang	
	GW 16 227 LA	2+2+2 vert. gang			GW 16 227 LW	2+2+2 vert. gang	GW 16 227 LC	2+2+2 vert. gang	
	GW 16 228 LA	2+2+2+2 horiz. gang			GW 16 228 LW	2+2+2+2 horiz. gang	GW 16 228 LC	2+2+2+2 horiz. gang	
	GW 16 229 LA	2+2+2+2 vert. gang			GW 16 229 LW	2+2+2+2 vert. gang	GW 16 229 LC	2+2+2+2 vert. gang	
Technopolymer - Leather finish	BLACK			WHITE				RUBY	
	GW 16 222 PN	2 gang			GW 16 222 PB	2 gang	GW 16 222 PR	2 gang	
	GW 16 223 PN	2+2 horiz. gang			GW 16 223 PB	2+2 horiz. gang	GW 16 223 PR	2+2 horiz. gang	
	GW 16 224 PN	2+2 vert. gang			GW 16 224 PB	2+2 vert. gang	GW 16 224 PR	2+2 vert. gang	
	GW 16 226 PN	2+2+2 horiz. gang			GW 16 226 PB	2+2+2 horiz. gang	GW 16 226 PR	2+2+2 horiz. gang	
	GW 16 227 PN	2+2+2 vert. gang			GW 16 227 PB	2+2+2 vert. gang	GW 16 227 PR	2+2+2 vert. gang	
	GW 16 228 PN	2+2+2+2 horiz. gang			GW 16 228 PB	2+2+2+2 horiz. gang	GW 16 228 PR	2+2+2+2 horiz. gang	
	GW 16 229 PN	2+2+2+2 vert. gang			GW 16 229 PB	2+2+2+2 vert. gang	GW 16 229 PR	2+2+2+2 vert. gang	

## LUX INTERNATIONAL PLATES



BRUSHED STAINLESS STEEL



Metal

GW 16 222 MI	2 gang
GW 16 223 MI	2+2 horiz. gang
GW 16 224 MI	2+2 vert. gang
GW 16 226 MI	2+2+2 horiz. gang
GW 16 227 MI	2+2+2 vert. gang
GW 16 228 MI	2+2+2+2 horiz. gang
GW 16 229 MI	2+2+2+2 vert. gang

BLACK ALUMINIUM



OXIDISED FINISH



GW 16 222 MF	2 gang
GW 16 223 MF	2+2 horiz. gang
GW 16 224 MF	2+2 vert. gang
GW 16 226 MF	2+2+2 horiz. gang
GW 16 227 MF	2+2+2 vert. gang
GW 16 228 MF	2+2+2+2 horiz. gang
GW 16 229 MF	2+2+2+2 vert. gang



ICE



Glass

GW 16 222 CG	2 gang
GW 16 223 CG	2+2 horiz. gang
GW 16 224 CG	2+2 vert. gang
GW 16 226 CG	2+2+2 horiz. gang
GW 16 227 CG	2+2+2 vert. gang
GW 16 228 CG	2+2+2+2 horiz. gang
GW 16 229 CG	2+2+2+2 vert. gang

AQUAMARINE




OCHRE



GW 16 222 CO	2 gang
GW 16 223 CO	2+2 horiz. gang
GW 16 224 CO	2+2 vert. gang
GW 16 226 CO	2+2+2 horiz. gang
GW 16 227 CO	2+2+2 vert. gang
GW 16 228 CO	2+2+2+2 horiz. gang
GW 16 229 CO	2+2+2+2 vert. gang



Centre distance 71 mm



(\*) Available also with centre distance 57 mm (only milk white)

## Chorus Italian standard plates

ONE and GEO plates, with their classic shapes and LUX, ART, ICE and ICE touch plates, refined and exclusive, are suitable for rectangular boxes and use the same support frame without the need for additional adapters.



## Flexibility of frame supports

The frame supports for the Chorus Italian standard plates, made in technopolymer and provided with sturdy ribs that ensure high stability during the installation steps, are fixed to the boxes by means of screws. The long slots positioned along the sides also allow an easy coupling with flush- or wall-mounting rectangular boxes.



## The light and rational design

ONE plates are characterised by a classic and traditional shape, outstanding for their discretion and essentiality. They offer a highly modular range that solves the most varied installation needs. The style of the GEO plates was created to satisfy the needs of contemporary design. The rationality of the rectangular shape is enhanced by the lightness and simplicity of the surface that frames the command buttons. The 100% technopolymer plates are available in classic, painted, metallised and pastel colours with fabric effect.



## The refined and creative design


The ART plates present a futuristic design and innovative materials. An extremely original and creative line of plates, with an oval form, which in itself can furnish and decorate every room. The LUX plates, elegant and original, with their chromed or monochrome inner frame and soft curves emphasising the clean, pure shapes. Exclusive and refined, they are in harmony with their surrounds thanks to the geometry and fine materials (technopolymer, wood, leather, glass and metal).



Art and Lux

## The extraordinary design


The ICE plates combine the pure luxury of glass with the sleek sophistication of conventional controls. Available in white, black and titanium, can be used with all Chorus range modular devices, including commands, systems for power take-off, protection and signalling, comfort, climate control and technical alarms. ICE can deliver solutions for all situations.



Ice

## Touch command

With ICE Touch - the glass plates in black, white and titanium with elegant illuminable symbols - finish quality and colour uniformity become the distinctive element of each Chorus lighting device. Touch technology, in combination with the ICE plates, becomes universally available, making it possible to implement both classical and advanced touch commands.



Ice Touch

# Chorus PLATES AND MODULAR DEVICES

## ONE PLATES

MILK WHITE



IVORY



GW 16 101 TB	1 gang
GW 16 102 TB	2 gang
GW 16 103 TB	3 gang
GW 16 104 TB	4 gang
GW 16 106 TB	6 gang
GW 16 108 TB	4+4 gang
GW 16 112 TB	6+6 gang

GW 16 101 TI	1 gang
GW 16 102 TI	2 gang
GW 16 103 TI	3 gang
GW 16 104 TI	4 gang
GW 16 106 TI	6 gang

TONER BLACK



HEMP



GW 16 101 TN	1 gang
GW 16 102 TN	2 gang
GW 16 103 TN	3 gang
GW 16 104 TN	4 gang
GW 16 106 TN	6 gang

GW 16 101 TC	1 gang
GW 16 102 TC	2 gang
GW 16 103 TC	3 gang
GW 16 104 TC	4 gang
GW 16 106 TC	6 gang

OPAL ORANGE



SAPPHIRE PINK



AMETHYST PURPLE




GW 16 103 TO	3 gang
GW 16 104 TO	4 gang

GW 16 103 TZ	3 gang
GW 16 104 TZ	4 gang

GW 16 103 TA	3 gang
GW 16 104 TA	4 gang

CARIBBEAN BLUE



TOPAZ BLUE



GW 16 103 TL	3 gang
GW 16 104 TL	4 gang

GW 16 103 TT	3 gang
GW 16 104 TT	4 gang

**ONE PLATES**

SATIN BLACK



GW 16 103 VN	3 gang
GW 16 104 VN	4 gang
GW 16 106 VN	6 gang

TITANIUM



GW 16 101 VT	1 gang
GW 16 102 VT	2 gang
GW 16 103 VT	3 gang
GW 16 104 VT	4 gang
GW 16 106 VT	6 gang
GW 16 108 VT	4+4 gang
GW 16 112 VT	6+6 gang

SLATE



GW 16 101 VA	1 gang
GW 16 102 VA	2 gang
GW 16 103 VA	3 gang
GW 16 104 VA	4 gang
GW 16 106 VA	6 gang



CHROME



GW 16 101 MC	1 gang
GW 16 102 MC	2 gang
GW 16 103 MC	3 gang
GW 16 104 MC	4 gang
GW 16 106 MC	6 gang

GOLD



GW 16 101 MO	1 gang
GW 16 102 MO	2 gang
GW 16 103 MO	3 gang
GW 16 104 MO	4 gang
GW 16 106 MO	6 gang



RUBY



GW 16 101 VR	1 gang
GW 16 102 VR	2 gang
GW 16 103 VR	3 gang
GW 16 104 VR	4 gang
GW 16 106 VR	6 gang


SEA BLUE




GW 16 101 VB	1 gang
GW 16 102 VB	2 gang
GW 16 103 VB	3 gang
GW 16 104 VB	4 gang
GW 16 106 VB	6 gang




(\*) Milk White and Titanium




6 gang




1 gang




2 gang




3 gang



4 gang



4 + 4 gang (\*)




6 + 6 gang (\*)

# Chorus PLATES AND MODULAR DEVICES

## GEO PLATES

MILK WHITE



IVORY




GW 16 401 TB	1 gang
GW 16 402 TB	2 gang
GW 16 403 TB	3 gang
GW 16 404 TB	4 gang
GW 16 406 TB	6 gang

GW 16 401 TI	1 gang
GW 16 402 TI	2 gang
GW 16 403 TI	3 gang
GW 16 404 TI	4 gang
GW 16 406 TI	6 gang

TONER BLACK



HEMP



GW 16 401 TN	1 gang
GW 16 402 TN	2 gang
GW 16 403 TN	3 gang
GW 16 404 TN	4 gang
GW 16 406 TN	6 gang

GW 16 401 TC	1 gang
GW 16 402 TC	2 gang
GW 16 403 TC	3 gang
GW 16 404 TC	4 gang
GW 16 406 TC	6 gang

OPAL ORANGE



SAPPHIRE PINK



AMETHYST PURPLE




GW 16 403 TO	3 gang
GW 16 404 TO	4 gang

GW 16 403 TZ	3 gang
GW 16 404 TZ	4 gang

GW 16 403 TA	3 gang
GW 16 404 TA	4 gang

CARIBBEAN BLUE



TOPAZ BLUE



GW 16 403 TL	3 gang
GW 16 404 TL	4 gang

GW 16 403 TT	3 gang
GW 16 404 TT	4 gang

**GEO PLATES**

SATIN BLACK



GW 16 403 VN	3 gang
GW 16 404 VN	4 gang
GW 16 406 VN	6 gang

TITANIUM



GW 16 401 VT	1 gang
GW 16 402 VT	2 gang
GW 16 403 VT	3 gang
GW 16 404 VT	4 gang
GW 16 406 VT	6 gang

SLATE



GW 16 401 VA	1 gang
GW 16 402 VA	2 gang
GW 16 403 VA	3 gang
GW 16 404 VA	4 gang
GW 16 406 VA	6 gang




CHROME



GW 16 401 MC	1 gang
GW 16 402 MC	2 gang
GW 16 403 MC	3 gang
GW 16 404 MC	4 gang
GW 16 406 MC	6 gang


GOLD



GW 16 401 MO	1 gang
GW 16 402 MO	2 gang
GW 16 403 MO	3 gang
GW 16 404 MO	4 gang
GW 16 406 MO	6 gang



RUBY



GW 16 401 VR	1 gang
GW 16 402 VR	2 gang
GW 16 403 VR	3 gang
GW 16 404 VR	4 gang
GW 16 406 VR	6 gang


SEA BLUE




GW 16 401 VB	1 gang
GW 16 402 VB	2 gang
GW 16 403 VB	3 gang
GW 16 404 VB	4 gang
GW 16 406 VB	6 gang




Modularity




1 gang




2 gang



3 gang



4 gang



6 gang

# Chorus PLATES AND MODULAR DEVICES

## LUX PLATES

Technopolymer	MILK WHITE		TITANIUM		CHROME
					
	GW 16 202 TB GW 16 203 TB GW 16 204 TB GW 16 206 TB	2 gang 3 gang 4 gang 6 gang	GW 16 202 VT GW 16 203 VT GW 16 204 VT GW 16 206 VT	2 gang 3 gang 4 gang 6 gang	GW 16 202 MC GW 16 203 MC GW 16 204 MC GW 16 206 MC
	TONER BLACK		SLATE		GOLD
					
	GW 16 202 TN GW 16 203 TN GW 16 204 TN GW 16 206 TN	2 gang 3 gang 4 gang 6 gang	GW 16 202 VA GW 16 203 VA GW 16 204 VA GW 16 206 VA	2 gang 3 gang 4 gang 6 gang	GW 16 202 MO GW 16 203 MO GW 16 204 MO GW 16 206 MO
	MAPLE		WENGE		CHERRY
					
	GW 16 202 LA GW 16 203 LA GW 16 204 LA GW 16 206 LA	2 gang 3 gang 4 gang 6 gang	GW 16 202 LW GW 16 203 LW GW 16 204 LW GW 16 206 LW	2 gang 3 gang 4 gang 6 gang	GW 16 202 LC GW 16 203 LC GW 16 204 LC GW 16 206 LC
	BLACK		WHITE		RUBY
Wood					
	GW 16 202 PN GW 16 203 PN GW 16 204 PN GW 16 206 PN	2 gang 3 gang 4 gang 6 gang	GW 16 202 PB GW 16 203 PB GW 16 204 PB GW 16 206 PB	2 gang 3 gang 4 gang 6 gang	GW 16 202 PR GW 16 203 PR GW 16 204 PR GW 16 206 PR
	ICE		AQUAMARINE		OCHRE
					
	GW 16 202 CG GW 16 203 CG GW 16 204 CG GW 16 206 CG	2 gang 3 gang 4 gang 6 gang	GW 16 202 CA GW 16 203 CA GW 16 204 CA GW 16 206 CA	2 gang 3 gang 4 gang 6 gang	GW 16 202 CO GW 16 203 CO GW 16 204 CO GW 16 206 CO

**LUX PLATES**

GLAMOUR RED



GW 16 202 MR 2 gang  
 GW 16 203 MR 3 gang  
 GW 16 204 MR 4 gang  
 GW 16 206 MR 6 gang

BRUSHED ALUMINIUM



GW 16 202 MS 2 gang  
 GW 16 203 MS 3 gang  
 GW 16 204 MS 4 gang  
 GW 16 206 MS 6 gang

GUNBARREL GREY



GW 16 202 ML 2 gang  
 GW 16 203 ML 3 gang  
 GW 16 204 ML 4 gang  
 GW 16 206 ML 6 gang

CHIC BLUE



GW 16 202 MH 2 gang  
 GW 16 203 MH 3 gang  
 GW 16 204 MH 4 gang  
 GW 16 206 MH 6 gang

PEARLY BRONZE



GW 16 202 MP 2 gang  
 GW 16 203 MP 3 gang  
 GW 16 204 MP 4 gang  
 GW 16 206 MP 6 gang

OXIDISED FINISH



GW 16 202 MD 2 gang  
 GW 16 203 MD 3 gang  
 GW 16 204 MD 4 gang  
 GW 16 206 MD 6 gang

WHITE



GW 16 202 XB 2 gang  
 GW 16 203 XB 3 gang  
 GW 16 204 XB 4 gang  
 GW 16 206 XB 6 gang

BLACK



GW 16 202 XN 2 gang  
 GW 16 203 XN 3 gang  
 GW 16 204 XN 4 gang  
 GW 16 206 XN 6 gang

BRUSHED STAINLESS STEEL



GW 16 202 MI 2 gang  
 GW 16 203 MI 3 gang  
 GW 16 204 MI 4 gang  
 GW 16 206 MI 6 gang

ALUMINIUM







GW 16 202 XA 2 gang  
 GW 16 203 XA 3 gang  
 GW 16 204 XA 4 gang  
 GW 16 206 XA 6 gang

TITANIUM



GW 16 202 XT 2 gang  
 GW 16 203 XT 3 gang  
 GW 16 204 XT 4 gang  
 GW 16 206 XT 6 gang

Modularity








# Chorus PLATES AND MODULAR DEVICES

## ART PLATES

Technopolymer	MILK WHITE		TITANIUM		CHROME	
	GW 16 302 TB	2 gang	GW 16 302 VT	2 gang	GW 16 302 MC	2 gang
	GW 16 303 TB	3 gang	GW 16 303 VT	3 gang	GW 16 303 MC	3 gang
	GW 16 304 TB	4 gang	GW 16 304 VT	4 gang	GW 16 304 MC	4 gang
	TONER BLACK		SLATE		GOLD	
	GW 16 302 TN	2 gang	GW 16 302 VA	2 gang	GW 16 302 MO	2 gang
	GW 16 303 TN	3 gang	GW 16 303 VA	3 gang	GW 16 303 MO	3 gang
	GW 16 304 TN	4 gang	GW 16 304 VA	4 gang	GW 16 304 MO	4 gang


Leather	RUBY	
	GW 16 302 PR	2 gang
	GW 16 303 PR	3 gang
	GW 16 304 PR	4 gang



**ICE PLATES****ICE TOUCH PLATES****ICE TOUCH KNX PLATES**


## Quick coupling

The front coupling of the Chorus devices makes the support assembly and release operations quick and easy, facilitating the assembly and wiring phases even after the frame has been fixed onto the box. The solidity of the frame support guarantees the best performance also on not completely smooth surfaces.




## Unlimited functions in reduced space

Limited spaces no longer restrict the number of Chorus devices that can be installed. With the same available space in fact, the ½-module commands increase the number of command points that can be installed and allow even reduced spaces to be better exploited. The 2- and 3-module button keys ensure rapid localisation of the point and easy activation.




## Half-module pitch

The frame supports are characterised by a half-module pitch that allows to create a wide range of combinations of Chorus devices thanks to their different modularities.



## Reduced overall dimensions and easy wiring

All the commands are very shallow (starting from 20mm), to facilitate installation even in boxes with less spaces. Wiring is simplified thanks to the position of the terminals and the increased diameter of the holes. The double cut screws permit improved tightening of the terminals.



## Localisation and functional signalling

The button keys are available in two different designs: with an illuminated diffuser for night-time localisation or with an illuminated window for signalling. The buttons can be personalised by choosing from LEDs in many colors or by using the numerous illuminated symbols.



## Colour range


Four different colours with three different finishes. The possibility to combine each component with all the plates. Glossy White: bright, versatile, doesn't attract dust. Glossy Ivory: classic and refined. Satin Black: a marked character of class and elegance. Glossy painted Titanium: innovative and trendy.



(\*) Available for selected products only

# Chorus PLATES AND MODULAR DEVICES

## COMMAND



○ White (GW 10 XXX)

24

● Black (GW 12 XXX)

● Titanium (GW 14 XXX)

○ Ivory (GW 11 XXX)

(\*) supplied without signalling unit

**COMMAND**

<b>One-way switches (quick wiring)</b>									
	GW 10 031 F 2M-1P-16 AX ○ ● ○	GW 10 032 F 2M-1P-16 AX Illuminable (*) ○ ● ○	GW 10 033 F 2M-1P-16 AX Illuminable (*) ○ ● ○	GW 10 034 F 2M-2P-16 AX ○ ● ○	GW 10 035 F 2M-2P-16 AX Illuminable (*) ○ ● ○				
<b>Two-way switches (quick wiring)</b>									
	GW 10 071 F 2M-1P-16 AX ○ ● ○	GW 10 072 F 2M-1P-16 AX Illuminable (*) ○ ● ○	GW 10 073 F 2M-1P-16 AX Illuminable (*) ○ ● ○	GW 10 101 F 2M-1P-16 AX ○ ● ○	GW 10 102 F 2M-1P-16 AX Illuminable (*) ○ ● ○	GW 10 103 F 2M-1P-16 AX Illuminable (*) ○ ● ○			
<b>Push-buttons (quick wiring)</b>									
	GW 10 171 F 2M-1P-NO-16 A ○ ● ○	GW 10 172 F 2M-1P-NO-16 A Illuminable (*) ○ ● ○	GW 10 173 F 2M-1P-NO-16 A Illuminable (*) ○ ● ○	GW 10 078 F Two-way switch 1P-16 AX+ Two-way switch 1P-16 AX ○ ● ○	GW 10 159 F Two-way switch 1P-16 AX+ Push-button 1P-NO-16 A ○ ● ○	GW 10 160 F Push-button 1P-NO-16 A+ Push-button 1P-NO-16 A ○ ● ○			
<b>Lenses with illuminated symbol</b>									
	GW 10 501 Transparent	GW 10 502 Light	GW 10 503 Stair light	GW 10 504 Table light	GW 10 505 Bell	GW 10 506 Fan	GW 10 507 Key	GW 10 508 Alarm	GW 10 509 ON
	GW 10 510 OFF	GW 10 511 Nurse	GW 10 512 Waitress	GW 10 513 Dimmer increase	GW 10 514 Dimmer decrease	GW 10 515 UP arrow	GW 10 516 DOWN arrow	GW 10 517 UP-DOWN arrow	GW 10 518 RIGHT-LEFT arrow
	GW 10 531 One	GW 10 532 Two	GW 10 533 Three	GW 10 534 Four	GW 10 535 Five	GW 10 536 Six	GW 10 537 Seven	GW 10 538 Eight	GW 10 539 Nine
									GW 10 540 Zero
<b>Interchangeable button keys</b>									
	GW 10 541 General ○ ● ○	GW 10 542 With label ○ ● ○	GW 10 543 Key ○ ● ○	GW 10 544 Bell ○ ● ○	GW 10 545 Vertical arrow ○ ● ○	GW 10 546 Horizontal arrow ○ ● ○	GW 10 547 Red	GW 10 548 Green	GW 10 549 Opal
									GW 10 550 Amber
<b>Blanking modules</b>									
	GW 10 197 1/2M ○ ● ○	GW 10 195 1M ○ ● ○	GW 10 198 2M ○ ● ○	GW 10 199 3M ○ ● ○	GW 10 196 1M ○ ● ○	GW 10 194 2M ○ ● ○			
<b>Infrared</b>									
	GW 10 591 Movement detector 1M-1NO-3A ○ ● ○	GW 10 592 Movement detector 2M-1NO-16A ○ ● ○	GW 10 597 1-channel receiver 1M-230V ac-50/60 Hz ○ ● ○	GW 12 596 6-channel portable remote control	GW 10 721 Latching 1M-1P-10 AX-250V ac ○ ● ○	GW 10 723 Latching, 4 sequences 1M-2P-10 AX-250V ac ○ ● ○	GW 10 724 Monostable 1M-1P-10A 250V ac-1NO/NC ○ ● ○	GW 10 726 Call 1M-1P-NO/NC-12V ac/dc ○ ● ○	

○ White (GW 10 XXX)

● Black (GW 12 XXX)

● Titanium (GW 14 XXX)

● Ivory (GW 11 XXX)

(\*) supplied without signalling unit

# Chorus PLATES AND MODULAR DEVICES

## POWER

<b>Italian</b>							
	GW 10 201 2P+E-10A-250V ac ○ ● ○	GW 10 203 2P+E-16A-250V ac Dual amperage ○ ● ○ ○	GW 10 213 2P+E-16A-250V ac Dual amperage	GW 10 223 2P+E-16A-250V ac Dual amperage	GW 10 233 2P+E-16A-250V ac Dual amperage	GW 10 208 2x2P+E-16A-250V ac Dual amperage ○ ● ○	GW 10 209 3x2P+E-16A-250V ac Dual amperage ○ ● ○
<b>Italian/German</b>							
	GW 10 204 2P+E-16A-250V ac Dual amperage ○ ● ○	GW 10 205 2P+E-16A-250V ac ○ ● ○	GW 10 214 2P+E-16A-250V ac Dual amperage - Illuminable (*)	GW 10 224 2P+E-16A-250V ac Dual amperage - Illuminable (*)	GW 10 234 2P+E-16A-250V ac Dual amperage - Illuminable (*)	GW 10 296 2P+E-13A-250V ac ○ ● ○	GW 10 297 2P+E-15A-250V ac ○ ● ○
<b>German</b>							
	GW 10 241 2P+E-16A-250V ac ○ ● ○ ○	GW 10 242 2P+E-16 A-250V ac With lid ○ ● ○ ○	GW 10 251 2P+E-16A-250V ac	GW 10 341 Front-tightening terminals ○ ● ○	GW 10 351 Front-tightening terminals	GW 10 241 F 2P+E-16A-250V ac Quick wiring ○ ● ○	GW 10 346 2P+E-10 A-250 V ac Type 13 ○
<b>French</b>							
	GW 10 246 2P+16A-250V ac ○ ● ○ ○	GW 10 247 2P+E-16A-250V ac ○ ● ○ ○	GW 10 248 2P+E-16A-250V ac Front-tightening terminals ○ ● ○	GW 10 258 2P+E-16A-250V ac Front-tightening terminals	GW 10 247 F 2P+E-16A-250V ac Quick wiring ○ ● ○	GW 10 257 F 2P+E-16A-250V ac Quick wiring	GW 10 260 Accessory for dedicated lines
<b>Israeli</b>							
	GW 10 281 2P+E-16A-250V ac Illuminable (*) ○ ● ○	GW 10 291 2P+E-16A-250V ac Illuminable (*)	GW 10 282 2P+10A-250V ac ○ ● ○	GW 10 286 2P+E-15A-250V ac ○ ● ○	GW 10 287 2P+15A-250V ac ○ ● ○ ○	GW 10 288 2P+E-15A-250V ac ○ ● ○ ○	GW 10 310 2P+E- 13 A/250V ac - 15 A/127V ac ○ ● ○
<b>Chinese</b>							
	GW 10 391 2P+E-10 A-250 V ac ○ ● ○	GW 10 392 2P+E-16 A-250 V ac ○ ● ○	GW 10 301 2P+E-10A-250V ac ○ ● ○	GW 10 306 2P+E-10A-250V ac ○ ● ○	GW 10 307 2P+E-15A-250V ac ○ ● ○	GW 10 298 2P+E-16A-250V ac ○ ● ○	GW 10 299 2P+E-16A-250V ac ○ ● ○
<b>Interlocked switched socket-outlets</b>							
	GW 10 311 2P+E-16A-230V ac ○ ● ○	GW 10 312 2P+E-16A-230V ac ○ ● ○	GW 10 321 2P+E-16A-230V ac ○ ● ○	GW 10 322 2P+E-16A-230V ac ○ ● ○	GW 10 331 230V ac-50/60 Hz ○ ● ○ ○		

○ White (GW 10 XXX)

● Black (GW 12 XXX)

● Titanium (GW 14 XXX)

○ Ivory (GW 11 XXX)

(\*) supplied without signalling unit

**DATA**

<b>TV male IEC</b>										
	GW 10 361 0 dB <input type="radio"/> ● <input type="radio"/> ○ <input type="radio"/> ○	GW 10 362 5 dB <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 363 10 dB <input type="radio"/> ○ <input type="radio"/> ○ <input type="radio"/> ●	GW 10 364 14 dB <input type="radio"/> ○ <input type="radio"/> ○ <input type="radio"/> ●		GW 10 371 0 dB <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 372 5 dB <input type="radio"/> ○ <input type="radio"/> ○ <input type="radio"/> ●	GW 10 373 10 dB <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 374 14 dB <input type="radio"/> ○ <input type="radio"/> ○ <input type="radio"/> ●	GW 20 277 Terminal resistance 75 ohm
<b>TV-FM-SAT</b>										
	GW 10 381 TV-FM 0 dB <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 382 TV-FM-SAT 0 dB <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 383 TV-SAT 0 dB <input type="radio"/> ○ <input type="radio"/> ○ <input type="radio"/> ●		GW 10 367 IEC male 0dB <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 377 F female 0dB <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○			GW 10 386 For combined TV-R sockets <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	
<b>Telephone socket-outlets</b>										
	GW 10 401 RJ11 <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 402 RJ11 IN/OUT <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 403 RJ11 double <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 405 French - 8 contacts <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 406 British - 6 contacts <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 410 RJ11 double with ADSL filter <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 409 RJ11 <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○		GW 10 425 ST <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	
<b>Data sockets</b>						GW 10 431 AMP/Keystone Jack <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	<b>Connectors for conventional networks</b>			
	GW 10 421 RJ45 cat. 5e UTP <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 422 RJ45 cat. 5e FTP <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 423 RJ45 cat. 6 UTP <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 424 RJ45 cat. 6 FTP <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○		GW 10 438 SYSTIMAX Commscope <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 441 SUB-D 9 contacts <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 442 SUB-D 15 contacts <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○		
<b>Data sockets</b>										
	GW 10 434 RJ45 cat. 5e UTP <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 436 RJ45 cat. 5e FTP <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 435 RJ45 cat. 6 UTP <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 437 RJ45 cat. 6 FTP <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 433 AMP/Keystone Jack adapter <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○			GW 10 451 2P-6A-24V <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 452 2P-6A-24V Polarised <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	
<b>Audio and video sockets</b>										
	GW 10 453 Double RCA <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 454 For loudspeaker <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 446 Female F coupling <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 458 Speaker connector <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 459 USB socket <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 38 056 HDMI coupler <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 38 057 USB coupler <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○		GW 10 450 Double USB power supply <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	

**PROTECTION**

<b>Miniature circuit breakers</b>							<b>Protection devices</b>		
<b>Residual miniature circuit breakers</b>								GW 10 491 Fuse-holder In MAX=16A <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○	GW 10 492 Surge protection device <input type="radio"/> ○ <input type="radio"/> ● <input type="radio"/> ○

○ White (GW 10 XXX)  
 ● Black (GW 12 XXX)  
 ○ Titanium (GW 14 XXX)  
 ○ Ivory (GW 11 XXX)

# Chorus PLATES AND MODULAR DEVICES

## INDICATOR

<b>Anti black-out lamps</b>			<b>Emergency lamps</b>		
	GW 10 661 230V ac-50/60 Hz Extractable 	GW 10 662 230V ac-50/60 Hz 		GW 10 663 230V ac-50/60 Hz 	GW 10 666 230V ac-50/60 Hz 
<b>Ringers</b>					
	GW 10 601 12V ac-50 Hz 	GW 10 602 230V ac-50 Hz 	GW 10 611 12V ac/dc Three independent inputs 	GW 10 612 230V ac-50 Hz Three independent inputs 	GW 10 606 12V ac-50 Hz 
<b>Single indicator lamps</b>					
	GW 10 641 1/2M - Opal Illuminable (*) 	GW 10 642 1/2M - Green Illuminable (*) 	GW 10 643 1/2M - Red Illuminable (*) 	GW 10 644 1/2M - Amber Illuminable (*) 	GW 10 621 1M - Opal Illuminable (*) 
	GW 10 622 1M - Green Illuminable (*) 	GW 10 623 1M - Red Illuminable (*) 	GW 10 624 1M - Amber Illuminable (*) 		
<b>Double indicator lamps</b>					
	GW 10 628 1M - Opal Illuminable (*) 	GW 10 629 1M - Red/Green Illuminable (*) 			
<b>Protruding indicator lamps</b>					
	GW 10 631 2M-12V ac/dc-230V ac-50/60 Hz - Opal 	GW 10 632 2M-12V ac/dc-230V ac-50/60 Hz - Green 	GW 10 633 2M-12V ac/dc-230V ac-50/60 Hz - Red 	GW 10 634 2M-12V ac/dc-230V ac-50/60 Hz - Amber 	GW 10 651 2M Opal 
					GW 10 656 4M Opal 

## ENERGY MANAGEMENT, CLIMATE, COMFORT AND TECHNICAL ALARMS

<b>Timed thermostats</b>			<b>Thermostats</b>				
	GW 10 703 230V ac-50/60 Hz 	GW 10 701 GW 14 701 Wall-mounting 		GW 16 972 CB GW 16 972 CN GW 16 972 CT Thermo ICE WiFi thermostat 12-24 V ac/dc	100/240 V ac-50/60 Hz-12 V dc	GW 16 970 CB GW 16 970 CN GW 16 970 CT Thermo ICE WiFi thermostat ① 230 V ac/dc - Wall-mounting	GW 10 705 230V ac-50/60 Hz 
<b>Clock/Alarm/Thermometer</b>			<b>Electronic timer</b>				
	GW 10 708 230V ac-50/60 Hz 	GW 10 581 230V ac-50/60 Hz Daily/Weekly 		GW 10 583 1M 	GW 10 582 2M 		
<b>Detectors</b>							
	GW 10 711 LPG 12V ac/dc 	GW 10 712 Methane gas 12V ac/dc 	GW A1 514 Flood alarm ZigBee	GW A1 521 1-channel actuator ZigBee 230 V ac-50 Hz	GW A1 541 Wall-mounting support for flood alarm	GW 10 720 100/240 V ac-50/60 Hz-12 V dc	GW 30 522 GAS solenoid valve 3/4"-230 V ac-12 V
	White (GW 10 XXX)	Black (GW 12 XXX)	Titanium (GW 14 XXX)	Ivory (GW 11 XXX)			(*) supplied without signalling unit

① Available from September 2019

**REGULATION**

Dimmers								
	GW 10 561 Resistive 100-500W 230V ac-50/60 Hz <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>	GW 10 564 Resistive 100-900W Inductive 40-300 VA 230V ac-50/60 Hz <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>	GW 10 567 Resistive 100-500W Inductive 100-500 VA With two-way switch 230V ac-50/60 Hz <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>	GW 10 566 Resistive 20-160W Electr. transf. 40-160/4-110 W LED 4-160 W With two-way switch 230V ac-50/60 Hz <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>	GW 10 572 A Res./Ind. 40-300W Electr. transf. 40-300 W LED 5-150W 230V ac-50/60 Hz <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>	GW 10 573 A Res./Ind. 40-300 W Electr. transf. 40-300 W LED 5-150 W 230V ac-50/60 Hz <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>	GW 10 568 Resistive 60-500W Inductive 60-500 VA 230V ac-50/60 Hz <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>	GW 10 574 For air agitators Inductive 55-80 Hz 230V ac-50 Hz <input type="radio"/> <input checked="" type="radio"/>

**COMMAND**

TOUCH commands				TOUCH command modules			
	GW 10 904 One-way switch 1M-230V ac-50 Hz <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>	GW 10 905 Dimmer 1M-230V ac-50 Hz <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>	GW 10 906 Command duplicator 1M-230V ac-50 Hz <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>		GW 10 907 One-way switch module 1M-230V ac-50 Hz	GW 10 908 Dimmer module 1M-230V ac-50 Hz	GW 10 909 Command duplicator module 1M-230V ac-50 Hz

Electronic push-buttons							
	GW 10 915 Universal 1M-1P-NO <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>	GW 10 912 1M-NO-230V ac Backlit <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>	GW 10 913 For BUS inputs 1M-1P-NO Backlit <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>	GW 10 916 For BUS inputs 1M-1P-NO Backlit <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>	GW 10 917 For BUS inputs 2M-1P-NO Backlit <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>	GW 10 918 For BUS inputs 2M-1P-NO Backlit <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>	GW 10 914 With interlock 1M-1P-NO <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>

**HOTEL COMPONENTS**

Badge switch		Interchangeable button keys				Double indicator lamp	
	GW 10 039 2M-1P-NO-16 AX Illuminable (*) <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>		GW 10 731 DND <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>	GW 10 732 MUR <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>	GW 10 733 DND + MUR <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>		GW 10 736 1M - Opal DND + MUR Illuminable (*) <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>

**ACCESSORIES**

LED signalling units								Keys
	GW 10 881 Blue 230V ac-50/60 Hz <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>	GW 10 882 White 230V ac-50/60 Hz <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>	GW 10 883 Red 230V ac-50/60 Hz <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>	GW 10 884 Green 230V ac-50/60 Hz <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>	GW 10 885 Amber 230V ac-50/60 Hz <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>	GW 20 902 White 12/24V ac/dc <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>	GW 20 903 White 24V-56x36 <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>	GW 20 901 For one-way/ two-way switches <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/> GW 30 912 For push-buttons <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>

**SUPPORTS**

Supports for round/square boxes			Support for round/square and rectangular boxes	
	GW 16 821 With fixing clutches - 2 gang GW 16 823 With long fixing clutches - 2 gang			GW 16 802 With screw - 2 gang
Supports for rectangular boxes				
	GW 16 803 With screw - 3 gang GW 16 824 With screw (not included) - 4 gang (for French std boxes)		GW 16 806 With screw - 6 gang GW 16 825 With screw (not included) - 6 gang (for French std boxes)	GW 16 808 With screw - 4+4 gang GW 16 812 With screw - 6+6 gang

▲ =Articles designed exclusively for export to a limited number of countries not belonging to the EU (or candidates for membership) or the European Free Trade Association. Check with GEWISS Customer Service to make sure the product meets the regulations of the country in question before importing it.

○ White (GW 10 XXX)

● Black (GW 12 XXX)


● Titanium (GW 14 XXX)

○ Ivory (GW 11 XXX)

(\*) supplied without signalling unit

# Chorus PLATES AND MODULAR DEVICES

	FLUSH-MOUNTING BOXES	SUPPORTS	DEVICES
2M	 GW 24 231  GW 24 234 PM	 GW 16 822	
2+2M HORIZONTAL	 GW 24 232		
2+2M HORIZONTAL	 GW 24 208  GW 24 209	 GW 16 821 - GW 16 822 - GW 16 823	
2+2+2M HORIZONTAL	 2 x GW 24 231  2 x GW 24 234 PM  2 x GW 24 232	 2 x GW 16 822	
2+2+2+2M HORIZONTAL	 3 x GW 24 231  3 x GW 24 234 PM  3 x GW 24 232	 3 x GW 16 822	
2+2+2+2+2M HORIZONTAL	 4 x GW 24 231  4 x GW 24 234 PM  4 x GW 24 232	 4 x GW 16 822	

**PLATES**

# Chorus PLATES AND MODULAR DEVICES

	FLUSH-MOUNTING BOXES	SUPPORTS	DEVICES
2+2M VERTICAL 57MM	 GW 24 282 PM	 2 x GW 16 822 (*)	 + 
2+2M VERTICAL	 2 x GW 24 231	 2 x GW 24 234 PM	 2 x GW 16 822
2+2M VERTICAL	 2 x GW 24 231	 2 x GW 24 234 PM	 2 x GW 16 821 - GW 16 822 - GW 16 823
2+2+2M VERTICAL	 3 x GW 24 231	 3 x GW 24 234 PM	 3 x GW 16 822
2+2+2+2M VERTICAL	 4 x GW 24 231	 4 x GW 24 234 PM	 4 x GW 16 822
	 4 x GW 24 231		 +  +  + 
			 4 x GW 16 821 - GW 16 822 - GW 16 823

**PLATES**ONE  
INTERNATIONAL

GW 16 125 xx

LUX  
INTERNATIONAL

GW 16 225 xx

ONE  
INTERNATIONAL

GW 16 124 xx

GEO  
INTERNATIONAL

GW 16 424 xx

LUX  
INTERNATIONAL

GW 16 224 xx

ONE  
INTERNATIONAL

GW 16 127 xx

GEO  
INTERNATIONAL

GW 16 427 xx

LUX  
INTERNATIONAL

GW 16 227 xx


ONE  
INTERNATIONAL

GW 16 129 xx



LUX  
INTERNATIONAL

GW 16 229 xx

# Chorus PLATES AND MODULAR DEVICES

	FLUSH-MOUNTING BOXES	SUPPORTS	DEVICES
3M	 <b>GW 24 403</b>  <b>GW 24 403 PM</b>	 <b>GW 16 802</b>  <b>GW 16 803</b>	      
4M	 <b>GW 24 404</b>  <b>GW 24 404 PM</b>	 <b>GW 16 804</b>	      
6M	 <b>GW 24 406</b>  <b>GW 24 406 PM</b>	 <b>GW 16 806</b>	      
4+4M	 <b>GW 24 237</b>  <b>GW 24 237 PM</b>	 <b>GW 16 808</b>	      
6+6M	 <b>GW 24 238</b>	 <b>GW 16 812</b>	      
2M	 <b>GW 24 231</b>  <b>GW 24 232</b>  <b>GW 24 234 PM</b>	 <b>GW 16 802</b>	  

## PLATES

ONE  
GW 16 101 xxGEO  
GW 16 401 xxONE  
GW 16 102 xxGEO  
GW 16 402 xxLUX  
GW 16 202 xxART  
GW 16 302 xxICE  
GW 16 903 xxONE  
GW 16 103 xxGEO  
GW 16 403 xxLUX  
GW 16 203 xxART  
GW 16 303 xxICE TOUCH  
GW 16 951 xxICE TOUCH  
GW 16 952 xxICE TOUCH  
GW 16 953 xxICE TOUCH KNX  
GW 16 962 xxICE TOUCH KNX  
GW 16 964 xxICE TOUCH KNX  
GW 16 966 xxICE TOUCH KNX (for push-button panel modules with interchangeable icons)  
GW 16 946 xxIP55 Watertight plates (\*)  
GW 16 703 xxONE  
GW 16 104 xxGEO  
GW 16 404 xxLUX  
GW 16 204 xxART  
GW 16 304 xxICE  
GW 16 904 xxONE  
GW 16 106 xxGEO  
GW 16 406 xxLUX  
GW 16 206 xxONE  
GW 16 108 TB - GW 16 108 VTONE  
GW 16 112 TB - GW 112 VTGEO  
GW 16 401 xxLUX  
GW 16 202 xxART  
GW 16 302 xxONE  
GW 16 101 xxGEO  
GW 16 402 xxLUX  
GW 16 202 xxART  
GW 16 302 xxIP55 Watertight plates (\*)  
GW 16 702 xx

(\*) Supports already included

# Chorus PLATES AND MODULAR DEVICES

	WALL-MOUNTING AND FREE-STANDING BOXES	SUPPORTS	DEVICES
3M			
4M			
2M			
2+2M HORIZONTAL			
2+2M VERTICAL			
4M			
6M			

**PLATES**

GW 16 103 xx



GW 16 104 xx



GW 16 122 xx



GW 16 123 xx



GW 16 124 xx



GW 16 104 xx



GW 16 106 xx

## The range

Chorus British Standard wiring devices from GEWISS have been designed to offer a stylish and contemporary alternative to traditional moulded products, thanks to their design designed for functionality, ideal for both classic and contemporary settings. The range includes mechanisms in three colours: white, black and titanium, and plates available in two different shapes: GEO and LUX.



## Compact size

The compact size of the devices means they can easily be installed in 3x3 and 3x6 inch boxes with a depth starting from 25mm, thanks to the reduced back projection that provide more space for cabling.



## Slim shapes, Italian design

The cover plates for BS mechanisms are characterized by a wide range of colours, finishes and materials, which perfectly fit and enhance every space. The range is featured by simple and refined shapes inspired by Italian design and it offers the possibility to choose between GEO and LUX plates. The offer is completed with modular devices available in 3 colours (glossy white, satin black and painted titanium) that can be easily combined with the two forms of plates, to create different combinations of colors and matches.



## High performance

Switches are fully rated up to 16AX for LED, fluorescent and inductive loads. Dual pole switches are available in 20A version (also for Water Heaters) and 45A version, with neon locator lamp and double ground terminal, to facilitate the entry and exit of the earth conductor. Compliant with EN 60669-1 and GB 16915.1 standards.



## Total safety


1-gang and 2-gang 13A switched socket-outlets, provided with child-safety protection to inhibit access to the electricity supply unless the plug is inserted. Available also with neon locator lamp and with USB charger output. Compliant with BS 1363 standard.



## Chorus integration with BS boxes

The integration of Chorus modular devices in 3x3 and 3x6 inches boxes is possible thanks to the specific support frames that can house from 2 to 5 Chorus modules. The support frames must be completed with GEO or LUX square or rectangular cover plates. Wide selection of wiring devices, expandable with the Chorus euro modular devices. A complete range that satisfies all design, functional and installation requirements.


NOTE: the Chorus modular devices are characterized by depths that can vary according on their functions, so please check they properly fit in the boxes.



# Chorus British Standard PLATES AND DEVICES

## GEO PLATES

Technopolymer	MILK WHITE	IVORY	TITANIUM	SLATE
	GW 16 436 TB 1 gang GW 16 437 TB 2 gang	GW 16 436 TI 1 gang GW 16 437 TI 2 gang	GW 16 436 VT 1 gang GW 16 437 VT 2 gang	GW 16 436 VA 1 gang GW 16 437 VA 2 gang




## LUX PLATES


Technopolymer	MILK WHITE	MONOCHROME MILK WHITE	TONER BLACK	CHROME	GOLD

Technopolymer - Wood finish	MAPLE	WENGE	CHERRY

Metal	BLACK ALUMINIUM	BRUSHED STAINLESS STEEL	Glass	ICE	AQUAMARINE



## GEO PLATES

Technopolymer	MILK WHITE 	IVORY 	Painted technopolymer	TITANIUM 	SLATE 
	GW 16 422 TB 1 gang GW 16 406 TB 2 gang	GW 16 422 TI 1 gang GW 16 406 TI 2 gang		GW 16 422 VT 1 gang GW 16 406 VT 2 gang	GW 16 422 VA 1 gang GW 16 406 VA 2 gang
Modularity	 1 gang  2 gang - 5 module				

## LUX PLATES

Technopolymer	MILK WHITE 	MONOCHROME MILK WHITE 	TONER BLACK 	Metalised technopolymer	CHROME 	GOLD 
	GW 16 222 TB 1 gang GW 16 206 TB 2 gang	GW 16 222 YB 1 gang GW 16 238 YB 2 gang	GW 16 222 TN 1 gang GW 16 206 TN 2 gang		GW 16 222 MC 1 gang GW 16 206 MC 2 gang	GW 16 222 MO 1 gang GW 16 206 MO 2 gang


Technopolymer - Wood finish	MAPLE 	WENGE 	CHERRY 
	GW 16 222 LA 1 gang GW 16 238 LA 2 gang	GW 16 222 LW 1 gang GW 16 238 LW 2 gang	GW 16 222 LC 1 gang GW 16 238 LC 2 gang

Metal	BLACK ALUMINIUM 	BRUSHED STAINLESS STEEL 	Glass	ICE 	AQUAMARINE 
	GW 16 222 MA 1 gang GW 16 238 MA 2 gang	GW 16 222 MI 1 gang GW 16 206 MI 2 gang		GW 16 222 CG 1 gang GW 16 206 CG 2 gang	GW 16 222 CA 1 gang GW 16 206 CA 2 gang


Modularity	 1 gang  2 gang - 5 module				
------------	--	--	--	--	--

# Chorus British Standard PLATES AND DEVICES

## COMMAND




## POWER



## FUSED CONNECTION UNITS



## SUPPORTS FOR CHORUS MODULAR DEVICES



○ White (GW 10 XXX)

● Black (GW 12 XXX)

○ Titanium (GW 14 XXX)


BOXES	SUPPORTS	DEVICES	PLATES
 1 gang BS backbox (Centre distance 60.3 mm)	 GW 16 831	 GW 1x 008 M GW 1x 009 M GW 01 011 M   With screw GW 1x 336 M GW 1x 337 M GW 10 356 M   With screw GW 10 493 M GW 10 494 M GW 10 495 M GW 10 496 M GW 10 497 M	 GEO - 1 gang   LUX - 1 gang  GW 16 436 xx GW 16 236 xx
 2 gang BS backbox (Centre distance 120.6 mm)	 GW 16 837 - White	 With screw GW 1x 038 GW 1x 075	 GEO - 1 gang
	 GW 16 838 - Black	 With screw GW 1x 012 GW 1x 056	 GEO - 1 gang
	 GW 16 839 - Titanium	 With screw GW 1x 045 M GW 1x 085 M	 LUX - 1 gang  GW 16 422 xx GW 16 222 xx
	 GW 16 831	 With screw 2 x 1 module (*)	 GEO - 1 gang
		 1 x 2 module (*)	 LUX - 1 gang
			 GEO - 2 gang
		 With screw GW 1x 338 M - GW 1x 339 M GW 10 358 M - GW 10 360 M	 LUX - 2 gang  GW 16 437 xx GW 16 237 xx
	 GW 16 837 - White	 5 x 1 module (*)	 GEO 2 gang - 5 module  GW 16 406 xx
	 GW 16 838 - Black	 3 x 1 module + 1 x 2 module (*)	 LUX 2 gang - 5 module  GW 16 206 xx GW 16 238 xx
	 GW 16 839 - Titanium	 1 x 1 module + 2 x 2 module (*)	

(\* ) From Chorus modular devices range

# System PLATES AND MODULAR DEVICES

## Installation flexibility

A universal system offering the maximum application flexibility. A range that can be used with both flush-mounting and surface-mounting solutions, in all indoor and outdoor environments.



## Integration

Total integration with the 27 COMBI range, which proposes a wide variety of containers for protected watertight systems in full view, for garden systems and for combined applications for protection and distribution.



## Complete range

The SYSTEM range includes commands, energy socket-outlets (Italian and international standard), TV-SAT socket-outlets, USB power supplies, protections, indicators, connectors, devices for comfort and special components with high qualitative characteristics.



## Command devices

The command devices are available in the 16AX version with a nominal current of 16A, also for fluorescent loads. Also for the safe control of inductive/capacitive load management over time.

# 16AX



## System solutions

The SYSTEM devices use a wide range of accessories and can be installed and assembled in any electrical system:

- in flush-mounting and surface-mounting rectangular boxes
- in boxes for interface with mini trunking
- on profiles and system device trunking
- on DIN rail and mobile adapters



## Colour range

SYSTEM WHITE is elegant, safe and cost-effective, offering a complete practical system of plates that are ideal for both indoors and outdoors. SYSTEM BLACK is designed for the most modern environments of the residential and commercial sectors, offering a refined contrast between the satin black button key and the wide range of colours for the glossy plates.



# System PLATES AND MODULAR DEVICES

## TOP SYSTEM PLATES



CLOUD WHITE



GW 22 501	1 gang
GW 22 502	2 gang
GW 22 503	3 gang
GW 22 504	4 gang
GW 22 506	6 gang
GW 22 507	4+4 gang
GW 22 508	6+6 gang

TITANIUM



GW 22 601	1 gang
GW 22 602	2 gang
GW 22 603	3 gang
GW 22 604	4 gang
GW 22 606	6 gang
GW 22 607	4+4 gang
GW 22 608	6+6 gang

SOFT CHROME



GW 22 651	1 gang
GW 22 652	2 gang
GW 22 653	3 gang
GW 22 654	4 gang
GW 22 656	6 gang
GW 22 657	4+4 gang

TONER BLACK



GW 22 511	1 gang
GW 22 512	2 gang
GW 22 513	3 gang
GW 22 514	4 gang
GW 22 516	6 gang
GW 22 517	4+4 gang

Painted technopolymer

SLATE



GW 22 611	1 gang
GW 22 612	2 gang
GW 22 613	3 gang
GW 22 614	4 gang
GW 22 616	6 gang
GW 22 617	4+4 gang
GW 22 618	6+6 gang

Metalised technopolymer

ANTIQUE GOLD



GW 22 661	1 gang
GW 22 662	2 gang
GW 22 663	3 gang
GW 22 664	4 gang
GW 22 666	6 gang
GW 22 667	4+4 gang

ENGLISH WALNUT



GW 22 671	1 gang
GW 22 672	2 gang
GW 22 673	3 gang
GW 22 674	4 gang
GW 22 676	6 gang
GW 22 677	4+4 gang

Technopolymer

Technopolymer-classic colour

**TOP SYSTEM PLATES**

GERANIUM RED



GW 22 521	1 gang
GW 22 522	2 gang
GW 22 523	3 gang
GW 22 524	4 gang
GW 22 526	6 gang
GW 22 527	4+4 gang

VENETIAN GREEN



GW 22 541	1 gang
GW 22 542	2 gang
GW 22 543	3 gang
GW 22 544	4 gang
GW 22 546	6 gang
GW 22 547	4+4 gang

SKY BLUE



GW 22 561	1 gang
GW 22 562	2 gang
GW 22 563	3 gang
GW 22 564	4 gang
GW 22 566	6 gang
GW 22 567	4+4 gang

CLASSIC BURGUNDY



GW 22 531	1 gang
GW 22 532	2 gang
GW 22 533	3 gang
GW 22 534	4 gang
GW 22 536	6 gang
GW 22 537	4+4 gang

RACING GREEN



GW 22 551	1 gang
GW 22 552	2 gang
GW 22 553	3 gang
GW 22 554	4 gang
GW 22 556	6 gang
GW 22 557	4+4 gang

JAZZ BLUE



GW 22 571	1 gang
GW 22 572	2 gang
GW 22 573	3 gang
GW 22 574	4 gang
GW 22 576	6 gang
GW 22 577	4+4 gang


CORN YELLOW



GW 22 581	1 gang
GW 22 582	2 gang
GW 22 583	3 gang
GW 22 584	4 gang
GW 22 586	6 gang
GW 22 587	4+4 gang

Technopolymer - pastel colours

Modularity



1 gang

2 gang

3 gang

4 gang

6 gang



4 + 4 gang

6 + 6 gang (\*)

(\*) Cloud White, Slate and Titanium

# System PLATES AND MODULAR DEVICES

## VIRNA PLATES

Technopolymer	Painted technopolymer	Metallised technopolymer	CLOUD WHITE	TITANIUM	SOFT CHROME																																								
			TONER BLACK	SLATE	ANTIQUE GOLD																																								
																																													
																																													
Technopolymer-classic colour																																													
			<table><tr><td>GW 22 101</td><td>1 gang</td></tr><tr><td>GW 22 102</td><td>2 gang</td></tr><tr><td>GW 22 103</td><td>3 gang</td></tr><tr><td>GW 22 104</td><td>4 gang</td></tr><tr><td>GW 22 106</td><td>6 gang</td></tr><tr><td>GW 22 107</td><td>4+4 gang</td></tr><tr><td>GW 22 108</td><td>6+6 gang</td></tr></table>	GW 22 101	1 gang	GW 22 102	2 gang	GW 22 103	3 gang	GW 22 104	4 gang	GW 22 106	6 gang	GW 22 107	4+4 gang	GW 22 108	6+6 gang	<table><tr><td>GW 22 281</td><td>1 gang</td></tr><tr><td>GW 22 282</td><td>2 gang</td></tr><tr><td>GW 22 283</td><td>3 gang</td></tr><tr><td>GW 22 284</td><td>4 gang</td></tr><tr><td>GW 22 286</td><td>6 gang</td></tr><tr><td>GW 22 287</td><td>4+4 gang</td></tr><tr><td>GW 22 288</td><td>6+6 gang</td></tr></table>	GW 22 281	1 gang	GW 22 282	2 gang	GW 22 283	3 gang	GW 22 284	4 gang	GW 22 286	6 gang	GW 22 287	4+4 gang	GW 22 288	6+6 gang	<table><tr><td>GW 22 251</td><td>1 gang</td></tr><tr><td>GW 22 252</td><td>2 gang</td></tr><tr><td>GW 22 253</td><td>3 gang</td></tr><tr><td>GW 22 254</td><td>4 gang</td></tr><tr><td>GW 22 256</td><td>6 gang</td></tr><tr><td>GW 22 257</td><td>4+4 gang</td></tr></table>	GW 22 251	1 gang	GW 22 252	2 gang	GW 22 253	3 gang	GW 22 254	4 gang	GW 22 256	6 gang	GW 22 257	4+4 gang
GW 22 101	1 gang																																												
GW 22 102	2 gang																																												
GW 22 103	3 gang																																												
GW 22 104	4 gang																																												
GW 22 106	6 gang																																												
GW 22 107	4+4 gang																																												
GW 22 108	6+6 gang																																												
GW 22 281	1 gang																																												
GW 22 282	2 gang																																												
GW 22 283	3 gang																																												
GW 22 284	4 gang																																												
GW 22 286	6 gang																																												
GW 22 287	4+4 gang																																												
GW 22 288	6+6 gang																																												
GW 22 251	1 gang																																												
GW 22 252	2 gang																																												
GW 22 253	3 gang																																												
GW 22 254	4 gang																																												
GW 22 256	6 gang																																												
GW 22 257	4+4 gang																																												
			<table><tr><td>GW 22 111</td><td>1 gang</td></tr><tr><td>GW 22 112</td><td>2 gang</td></tr><tr><td>GW 22 113</td><td>3 gang</td></tr><tr><td>GW 22 114</td><td>4 gang</td></tr><tr><td>GW 22 116</td><td>6 gang</td></tr><tr><td>GW 22 117</td><td>4+4 gang</td></tr></table>	GW 22 111	1 gang	GW 22 112	2 gang	GW 22 113	3 gang	GW 22 114	4 gang	GW 22 116	6 gang	GW 22 117	4+4 gang	<table><tr><td>GW 22 291</td><td>1 gang</td></tr><tr><td>GW 22 292</td><td>2 gang</td></tr><tr><td>GW 22 293</td><td>3 gang</td></tr><tr><td>GW 22 294</td><td>4 gang</td></tr><tr><td>GW 22 296</td><td>6 gang</td></tr><tr><td>GW 22 297</td><td>4+4 gang</td></tr><tr><td>GW 22 298</td><td>6+6 gang</td></tr></table>	GW 22 291	1 gang	GW 22 292	2 gang	GW 22 293	3 gang	GW 22 294	4 gang	GW 22 296	6 gang	GW 22 297	4+4 gang	GW 22 298	6+6 gang	<table><tr><td>GW 22 261</td><td>1 gang</td></tr><tr><td>GW 22 262</td><td>2 gang</td></tr><tr><td>GW 22 263</td><td>3 gang</td></tr><tr><td>GW 22 264</td><td>4 gang</td></tr><tr><td>GW 22 266</td><td>6 gang</td></tr><tr><td>GW 22 267</td><td>4+4 gang</td></tr></table>	GW 22 261	1 gang	GW 22 262	2 gang	GW 22 263	3 gang	GW 22 264	4 gang	GW 22 266	6 gang	GW 22 267	4+4 gang		
GW 22 111	1 gang																																												
GW 22 112	2 gang																																												
GW 22 113	3 gang																																												
GW 22 114	4 gang																																												
GW 22 116	6 gang																																												
GW 22 117	4+4 gang																																												
GW 22 291	1 gang																																												
GW 22 292	2 gang																																												
GW 22 293	3 gang																																												
GW 22 294	4 gang																																												
GW 22 296	6 gang																																												
GW 22 297	4+4 gang																																												
GW 22 298	6+6 gang																																												
GW 22 261	1 gang																																												
GW 22 262	2 gang																																												
GW 22 263	3 gang																																												
GW 22 264	4 gang																																												
GW 22 266	6 gang																																												
GW 22 267	4+4 gang																																												
			<table><tr><td>GW 22 271</td><td>1 gang</td></tr><tr><td>GW 22 272</td><td>2 gang</td></tr><tr><td>GW 22 273</td><td>3 gang</td></tr><tr><td>GW 22 274</td><td>4 gang</td></tr><tr><td>GW 22 276</td><td>6 gang</td></tr><tr><td>GW 22 277</td><td>4+4 gang</td></tr></table>	GW 22 271	1 gang	GW 22 272	2 gang	GW 22 273	3 gang	GW 22 274	4 gang	GW 22 276	6 gang	GW 22 277	4+4 gang																														
GW 22 271	1 gang																																												
GW 22 272	2 gang																																												
GW 22 273	3 gang																																												
GW 22 274	4 gang																																												
GW 22 276	6 gang																																												
GW 22 277	4+4 gang																																												

## VIRNA PLATES

Technopolymer-pastel colours

GERANIUM RED



GW 22 121	1 gang
GW 22 122	2 gang
GW 22 123	3 gang
GW 22 124	4 gang
GW 22 126	6 gang
GW 22 127	4+4 gang

VENETIAN GREEN



GW 22 141	1 gang
GW 22 142	2 gang
GW 22 143	3 gang
GW 22 144	4 gang
GW 22 146	6 gang
GW 22 147	4+4 gang

SKY BLUE



GW 22 161	1 gang
GW 22 162	2 gang
GW 22 163	3 gang
GW 22 164	4 gang
GW 22 166	6 gang
GW 22 167	4+4 gang

CLASSIC BURGUNDY



GW 22 131	1 gang
GW 22 132	2 gang
GW 22 133	3 gang
GW 22 134	4 gang
GW 22 136	6 gang
GW 22 137	4+4 gang

RACING GREEN



GW 22 151	1 gang
GW 22 152	2 gang
GW 22 153	3 gang
GW 22 154	4 gang
GW 22 156	6 gang
GW 22 157	4+4 gang

JAZZ BLUE




GW 22 171	1 gang
GW 22 172	2 gang
GW 22 173	3 gang
GW 22 174	4 gang
GW 22 176	6 gang
GW 22 177	4+4 gang

CORN YELLOW




GW 22 181	1 gang
GW 22 182	2 gang
GW 22 183	3 gang
GW 22 184	4 gang
GW 22 186	6 gang
GW 22 187	4+4 gang


Modularity




1 gang




2 gang




3 gang




4 gang



6 gang



4 + 4 gang



6 + 6 gang (\*)

(\*) Cloud White, Slate and Titanium

# System PLATES AND MODULAR DEVICES

## COMMAND

<b>One-way switches</b>								
	GW 20 571 1M-1P-16 AX ○ ●	GW 20 572 1M-1P-16 AX Backlit 230V ac ○ ●	GW 20 583 1M-1P-16 AX Illuminable (*) ○ ●	GW 20 503 1M-2P-16 AX ○ ●	GW 20 504 1M-2P-16 AX Backlit 230V ac ○ ●	GW 20 584 1M-2P-16 AX Illuminable (*) ○ ●	GW 20 005 1M-2P-10 AX With key ○ ●	GW 20 585 1M-2P-25 AX Heavy-duty loads ○ ●
<b>Two-way switches</b>							<b>Intermediate switches</b>	
	GW 20 576 1M-1P-16 AX ○ ●	GW 20 577 1M-1P-16 AX Backlit 230V ac ○ ●	GW 20 588 1M-1P-16 AX Illuminable (*) ○ ●	GW 20 008 1M-1P-10 AX With key ○ ●	GW 20 589 2M-1P-16 AX Illuminable (*) ○ ●			GW 20 579 1M-1P-16 AX ○ ●
<b>Push-buttons</b>								
	GW 20 510 1M-1P-NO-10A ○ ●	GW 20 515 Backlit 230V ac GW 20 516 Backlit 12/24V ○ ●	GW 20 529 1M-1P-NO-10A Illuminable (*) ○ ●	GW 20 531 1M-1P-NC-10 A Illuminable (*) ○ ●	GW 20 511 1M-1P-NO-10 A Key ○ ●	GW 20 512 1M-1P-NO-10A Bell ○ ●	GW 20 513 1M-1P-NO-10 A Light ○ ●	GW 20 514 1M-1P-NO-10 A Stair light ○ ●
	GW 20 520 1M-1P-NO-NO-10 A With interlock ○ ●	GW 20 521 1M-1P-NO-NO-10 A With interlock ○ ●	GW 20 519 1M-1P-NC-10A ○ ●	GW 20 517 1M-2P-NO-10A ○ ●	GW 20 591 2M-1P-NO-10 A Illuminable name plate (*) ○ ●	GW 20 024 3M-1P-NO-10 A Illuminable name plate (*) ○ ●	GW 20 530 1M-2P-NO-10 A With key ○ ●	GW 20 522 1M-1P-NO+NC-10 A Start ○ ●
	GW 20 518 1M-2P-NO-10 A With pull-cord ○ ●						GW 20 523 1M-1P-NO+NC-10 A Stop ○ ●	
<b>Three-way switches</b>					<b>Miniature lamps</b>		<b>Cartridge lamps</b>	
	GW 20 559 1M-1P-10 AX Positions 1-0-2 ○ ●	GW 20 528 1M-1P-10 AX Positions 1-0-2 ○ ●	GW 20 560 1M-2P-10 AX Positions 1-0-2 ○			GW 10 893 12/24V ac/dc White		GW 20 902 56x36 24V ac/dc White
						GW 30 943 230V ac Red		GW 20 903 56x36 12V ac/dc White
						GW 30 944 230V ac Green		GW 20 904 56x31 12V ac/dc White
						GW 30 946 110/230V ac Light blue		GW 20 905 56x31 24V ac/dc Red
						GW 30 947 110/230V ac White		GW 20 906 56.3x28 110/230V ac Green
<b>Lenses with illuminated symbol</b>								
	GW 20 533 Neutral	GW 20 537	GW 20 538	GW 20 539	GW 20 549	GW 20 550	GW 20 551	GW 20 595
	GW 20 540 General services	GW 20 542			GW 20 592	GW 20 593	GW 20 596	GW 20 597
					Technical services		Numerical services	
<b>Infrared</b>		<b>Relay</b>					<b>Blanking modules and cable output</b>	
	GW 20 821 Movement detector 1M-NO-3A ○ ●		GW 20 071 Latching 1M-1P-10A-250V ac ○ ●	GW 20 072 Latching 1M-2P-10A-250V ac ○ ●	GW 20 074 Monostable 1M-1P-10A 250V ac-1NO/NC ○ ●	GW 20 076 Call 1M-1P-NO/NC-12V ac/dc ○ ●		GW 20 056 1M ○ ●
								GW 20 057 2M ○ ●
								GW 20 058 1M ○ ●

○ White (GW 20 XXX)

● Black (GW 21 XXX)

(\*) Supplied without signalling unit.

**POWER**

<b>Italian</b>									
	GW 20 201 2P+E-10A-250V ac <input type="radio"/> ●	GW 20 203 2P+E-16A-250V ac Dual amperage <input type="radio"/> ●	GW 20 295 2P+E-16A-250V ac Dual amperage <input type="radio"/> ●	GW 20 281 2P+E-16A-250V ac Dual amperage <input type="radio"/> ●	GW 20 286 2P+E-16A-250V ac Dual amperage <input type="radio"/> ●	GW 20 291 2x2P+E-16A-250V ac Dual amperage <input type="radio"/> ●			
<b>Italian/German</b>						<b>Swiss</b>			
	GW 20 205 2P+E-16A-250V ac <input type="radio"/> ●	GW 20 246 2P+E-16A-250V ac Dual amperage <input type="radio"/> ●	GW 20 296 2P+E-16A-250V ac Dual amperage <input type="radio"/> ●	GW 20 282 2P+E-16A-250V ac Dual amperage <input type="radio"/> ●	GW 20 287 2P+E-16A-250V ac Dual amperage <input type="radio"/> ●	GW 20 351 2P+E-10A-250V ac Type 12 <input type="radio"/> ●			
<b>German</b>					<b>French</b>				
	GW 20 265 2P+E-16A-250V ac <input type="radio"/> ●	GW 20 297 2P+E-16A-250V ac <input type="radio"/> ●	GW 20 283 2P+E-16A-250V ac <input type="radio"/> ●	GW 20 288 2P+E-16A-250V ac <input type="radio"/> ●		GW 20 206 2P-16A-250V ac <input type="radio"/> ●	GW 20 207 2P+E-16A-250V ac <input type="radio"/> ●	GW 20 312 2P+E-16A-250V ac <input type="radio"/> ●	
<b>British</b>			<b>Australian</b>			<b>Euro-American/USA</b>			
	GW 20 208 2P+E-13A-250V ac <input type="radio"/> ●	GW 20 209 2P+E-16A-250V ac <input type="radio"/> ●		GW 20 357 2P+E-10A-250V ac <input type="radio"/> ●	GW 20 356 2P+E-15A-250V ac <input type="radio"/> ●		GW 20 212 2P+E-10/15A 250/125V ac <input type="radio"/> ●	GW 20 214 2P+E-15A-125V ac <input type="radio"/> ●	GW 20 216 2P+E-15A-250V ac <input type="radio"/> ●
<b>Argentinian</b>		<b>Israeli</b>				<b>Special socket-outlets</b>			
	GW 20 248 2P+E-10A-250V ac <input type="radio"/> ●		GW 20 220 2P+E-16A-250V ac Illuminable (*) <input type="radio"/> ●	GW 20 298 2P+E-16A-250V ac Illuminable (*) <input type="radio"/> ●	GW 20 299 2P+E-16A-250V ac Illuminable (*) <input type="radio"/> ●		GW 20 239 SELV 2P-6A-24V <input type="radio"/> ●	GW 20 234 SELV 2P-6A-24V Polarisated <input type="radio"/> ●	GW 20 241 For loudspeaker <input type="radio"/> ●

 White (GW 20 XXX) Black (GW 21 XXX)

(\*) Supplied without signalling unit.

# System PLATES AND MODULAR DEVICES

## DATA

<b>TV-SAT</b>	F female GW 20 391 - 0 dB GW 20 396 - 5 dB GW 20 392 - 10 dB GW 20 393 - 14 dB	IEC male GW 20 381 - 0 dB GW 20 386 - 5 dB GW 20 382 - 10 dB GW 20 383 - 14 dB	IEC female GW 20 228 - 0 dB GW 20 229 - 20 dB GW 20 230 - Term. 20 dB	GW 20 277 Terminal resistance 75 ohm	Telephone socket-outlets GW 20 251 RJ11 GW 20 235 French - 8 contacts GW 20 272 British - 6 contacts
<b>Data sockets</b>	GW 20 685 Cat. 6 GW 20 684 Cat. 6 GW 20 271 Cat. 5e RJ45 - UTP	GW 20 686 Cat. 6 GW 20 243 Cat. 5e RJ45 - FTP	Adapters	GW 20 266 IBM GW 20 267 SYTIMAX Commscope GW 20 270 AMP/Keystone Jack	GW 20 237 BNC 50/75/93 ohm GW 20 238 Unwired enclosure for SUB-D 9/15/25 PIN

<b>USB and HDMI couplers</b>	GW 38 056 HDMI coupler	GW 38 057 USB coupler	<b>USB power supply</b>	GW 20 361 Double USB power supply
------------------------------	------------------------	-----------------------	-------------------------	-----------------------------------

## POWER, COMFORT AND CLIMATE MANAGEMENT

<b>Dimmer</b>	GW 20 802 Resistive 100-500W 230V ac-50/60 Hz GW 20 811 Resistive 100-500W Inductive 100-500 VA With two-way switch 230V ac-50/60 Hz	GW 20 803 Resistive 100-900W Inductive 40-300 VA 230V ac-50/60 Hz	GW 20 828 Resistive 60-500W Inductive 60-500 VA 230V ac-50/60 Hz GW 20 829 For electronic transformers 230V ac-50/60 Hz GW 20 818 For air agitators Inductive 55-80 VA 230V ac-50/60 Hz	<b>Electronic timer</b>	GW 20 825 230V ac-50/60 Hz Daily/Weekly	<b>Timer</b>	GW 20 810 2M
---------------	---	---	---	-------------------------	---	--------------	--------------

<b>Climate control</b>	GW 20 852 Thermostat 230V ac-50/60 Hz	GW 20 827 Timed thermostat 230V ac-50/60 Hz	GW 10 701 Timed thermostat white Wall-mounting	GW 14 701 Timed thermostat titanium Wall-mounting
------------------------	---------------------------------------	---	--	---

<b>Automatic circuit breakers</b>	GW 20 431 - 6A GW 20 432 - 10A GW 20 433 - 16A 1P GW 20 434 - 6A GW 20 435 - 10A GW 20 436 - 16A 1P+N Miniature circuit breakers 3 kA C-characteristic	GW 20 454 - 6A GW 20 455 - 10A GW 20 456 - 16A 1P+N Colour: red Residual miniature circuit breakers 3 kA C-characteristic	GW 20 437 - 6A GW 20 438 - 10A GW 20 439 - 16A 1P+N 10 mA GW 20 448 - 6A GW 20 449 - 10A GW 20 450 - 16A 1P+N 30 mA	<b>Protection devices</b>	GW 20 423 Surge protection device	GW 20 401 Fuse-holder In MAX=16A
-----------------------------------	--	---	--	---------------------------	-----------------------------------	----------------------------------

## HOTEL COMPONENTS

<b>Badge switch</b>	GW 20 820 1P-NO-10A Backlit 230 V ac	<b>Shaver socket-outlet</b>	GW 20 841 Shaver socket-outlet 230V ac-50/60 Hz	<b>Climate control</b>	GW 20 853 Thermostat for fan-coil 230V ac-50/60 Hz	<b>Three-way switch</b>	GW 20 651 1M-1P-10 AX DND + MUR	<b>Double indicator lamp</b>	GW 20 656 1M - Opal DND + MUR - 230V ac
---------------------	--------------------------------------	-----------------------------	---	------------------------	--	-------------------------	---------------------------------	------------------------------	---

▲ =Articles designed exclusively for export to a limited number of countries not belonging to the EU (or candidates for membership) or the European Free Trade Association. Check with GEWISS Customer Service to make sure the product meets the regulations of the country in question before importing it.

○ White (GW 20 XXX)

● Black (GW 21 XXX)

## INDICATOR AND TECHNICAL ALARMS

<b>Anti-blackout lamps</b>			<b>Ringers and buzzers</b>				
	GW 20 833 230V ac-50/60 Hz Removable <input type="radio"/> ●	GW 20 835 230V ac-50/60 Hz <input type="radio"/> ●		GW 20 613 - 12V ac GW 20 616 - 230V ac Ringers <input type="radio"/> ●	GW 20 617 - 12V ac GW 20 616 - 230V ac Buzzers <input type="radio"/> ●	GW 20 643 - 230V ac GW 20 641 - 12V ac/dc Three independent inputs <input type="radio"/> ●	
<b>Indicator lamps</b>	 Flat diffuser Illuminable (*) <input type="radio"/> ●	 Flat diffuser complete with lamp <input type="radio"/> ●		 GW 20 601 GW 20 623 GW 20 624 GW 20 625 GW 20 626 Flat diffuser 12/24V ac/dc <input type="radio"/> ●	 GW 20 602 GW 20 627 GW 20 628 GW 20 629 GW 20 630 Protruding diffuser 12/24V ac/dc <input type="radio"/> ●		
<b>Detectors</b>	 GW 20 867 Methane gas 12V ac/dc <input type="radio"/> ●	 GW 20 868 LPG 12V ac/dc <input type="radio"/> ●		 GW A1 521 1-channel actuator ZigBee 230 V ac-50 Hz	 GW A1 541 Wall-mounting support for flood alarm	 GW 10 720 Power supply 100/240 V ac-50/60 Hz-12 V dc	 GW 30 522 GAS solenoid valve 3/4"-230 V ac-12 VA
<b>Accessories</b>							

## SUPPORTS

<b>Support for square and rectangular boxes</b>		<b>Supports for rectangular boxes</b>			
	GW 24 262 With screw - 2 gang		GW 24 201 With screw - 3 gang	GW 24 202 With screw - 4 gang	GW 24 230 With screw - 6 gang
					GW 24 241 With screw - 6+6 gang

White (GW 20 XXX)

Black (GW 21 XXX)

(\*) Supplied without signalling unit.

# System PLATES AND MODULAR DEVICES

FLUSH-MOUNTING BOXES	SUPPORTS	DEVICES	PLATES
3M GW 24 403 GW 24 403 PM	GW 24 201 GW 24 262 GW 24 201	GW 22 xx1 GW 22 xx2 GW 22 xx3 GW 22 xx4 GW 22 xx5 GW 22 xx6	TOP SYSTEM VIRNA GW 22 xx1 VIRNA GW 22 xx2 VIRNA GW 22 xx3 IP55 Watertight self-supporting plates GW 22 451 - GW 22 452 - GW 22 453
4M GW 24 404 GW 24 404 PM	GW 24 202	GW 22 xx4 GW 22 xx5 GW 22 xx6 GW 22 xx7 GW 22 xx8	TOP SYSTEM VIRNA GW 22 xx4 IP55 Watertight self-supporting plates GW 22 461 - GW 22 462 - GW 22 463
6M GW 24 406 GW 24 406 PM	GW 24 230	GW 22 xx6 GW 22 xx7 GW 22 xx8	TOP SYSTEM VIRNA GW 22 xx6 VIRNA GW 22 xx7 VIRNA GW 22 xx8
4+6M GW 24 237 GW 24 237 PM	GW 24 240	GW 22 xx7 GW 22 xx8	TOP SYSTEM VIRNA GW 22 xx7 VIRNA GW 22 xx8
6+6M GW 24 238	GW 24 241	GW 22 xx8 GW 22 xx9	TOP SYSTEM VIRNA GW 22 xx8 VIRNA GW 22 xx9
2M GW 24 231	GW 24 262	GW 22 xx2 GW 22 xx3	TOP SYSTEM VIRNA GW 22 xx2 VIRNA GW 22 xx3

	WALL-MOUNTING AND FREE-STANDING BOXES	SUPPORTS	DEVICES	PLATES
3M	GW 22 471	GW 24 201 GW 24 262 GW 24 201	GW 22 xx1 GW 22 xx2 GW 22 xx3	TOP SYSTEM
4M	GW 22 472	GW 24 202	GW 22 xx4	TOP SYSTEM
3M	GW 32 431 - GW 32 432	GW 24 201 GW 24 262 GW 24 201	GW 22 xx1 GW 22 xx2 GW 22 xx3	VIRNA
3M	GW 24 005		GW 24 001 GW 24 002 GW 24 003	COMPACT
3+3M VERT.	GW 24 007		GW 24 005	COMPACT
4M	GW 24 018			
3+3M HORIZ.	GW 24 020		+ GW 24 005	

## High protection

The robust and reliable enclosures of the 27 COMBI range are ideal for indoor and outdoor applications: with versions with IP40 protection for indoor contexts as well as watertight versions, with a door equipped with a transparent membrane (IP55) or a rigid door (IP65), for outdoor installations.



## Great versatility

The enclosures are available in a wide range of sizes and modularities, both in the basic version as well as in multiple configurations, for vertical or horizontal assemblies. The extreme versatility of the 27 COMBI range also provides an option to select between empty enclosures (completely modular and customisable) and complete enclosures, which are already ready for installation.



## Full integration

The enclosures in the 27 COMBI range can be perfectly integrated with all the devices in the SYSTEM range, which offers a wide selection of control devices, socket-outlets for power take-off (Italian and international standards), signal take-off, protective, signalling, regulation, climate control and alarm devices.



## Ease of installation

The modular containers are extremely easy to install, thanks to the considerable space left inside them for wiring.

In addition, a number of containers can be installed side by side, so it's possible to create configurations tailor-made for every type of need.

For greater safety, the compartments can even be internally divided with the aid of suitable functional elements.

## IP40



## Perfect watertight

The perfect watertight seal is guaranteed by the door closure system and the gasket couplings. The special transparent membrane with notches makes it easier to feel and identify the button keys. The door clicks open, simply by pressing it upwards. The range also includes complete devices and containers for the garden (pole head and pole bracket versions).

## IP55 / IP65



## Special versions


The COMBI DIN version consists of protected multipurpose containers with compartment and transparent door for DIN rail modular devices, and compartments for installing SYSTEM devices.

The COMBI 22 models have reinforced fronts for fixing indicator lights, containers for push-buttons, 22-mm commands and indicators.



# 27 Combi WALL-MOUNTING ENCLOSURES AND MODULAR COMPONENTS

## COMBI SYSTEM 40 ENCLOSURES




## COMBI-DIN ENCLOSURES



## ENCLOSURES FOR MINI TRUNKING USED AS SKIRTING AND FRAMING



## ENCLOSURES COMPLETE WITH SYSTEM DEVICES




## COMPLETE DEVICES



## COMBI SYSTEM 55/65 ENCLOSURES



## WATERTIGHT COVERS (FOR Q-DIN, Q-BOX)



## WATERTIGHT PLATES (FOR RECTANGULAR FLUSH-MOUNTING BOXES)



## ENCLOSURES COMPLETE WITH SYSTEM DEVICES



## COMPLETE DEVICES



## COMPLEMENTARY ITEMS



## Dahlia range

The Dahlia monobloc devices have been developed for those countries where round boxes are typically used. A wide range of devices available in white and ivory colors, with glossy finish, expandable for enhanced functions thanks to the Chorus modular devices.




## Dahlia plates

A wide choice of plates, realized in technopolymer in seven colors with glossy finish and in many modularities, installable indifferently in horizontal or in vertical position. A special plate has been designed for the double german and French socket-outlets.



## Expandable with Chorus


The special frame support allows the integration of the Dahlia range with the Chorus modular devices, picking up whatever Chorus device you should need. The support has to be completed with Dahlia plates.



## DAHLIA PLATES

Tetrapolymer

WHITE



GW 35 901 AW	1 gang
GW 35 902 AW	2 gang
GW 35 903 AW	3 gang
GW 35 904 AW	4 gang
GW 35 905 AW	5 gang
GW 35 909 AW	double

IVORY



GW 35 901 AY	1 gang
GW 35 902 AY	2 gang
GW 35 903 AY	3 gang
GW 35 904 AY	4 gang
GW 35 905 AY	5 gang
GW 35 909 AY	double

HEMP



GW 35 901 AH	1 gang
GW 35 902 AH	2 gang
GW 35 903 AH	3 gang
GW 35 904 AH	4 gang
GW 35 905 AH	5 gang
GW 35 909 AH	double

CREAM



GW 35 901 AM	1 gang
GW 35 902 AM	2 gang
GW 35 903 AM	3 gang
GW 35 904 AM	4 gang
GW 35 905 AM	5 gang
GW 35 909 AM	double

LIGHT GREY



GW 35 901 AG	1 gang
GW 35 902 AG	2 gang
GW 35 903 AG	3 gang
GW 35 904 AG	4 gang
GW 35 905 AG	5 gang
GW 35 909 AG	double

DARK GREY



GW 35 901 AD	1 gang
GW 35 902 AD	2 gang
GW 35 903 AD	3 gang
GW 35 904 AD	4 gang
GW 35 905 AD	5 gang
GW 35 909 AD	double


ANTHRACITE GREY




GW 35 901 AN	1 gang
GW 35 902 AN	2 gang
GW 35 903 AN	3 gang
GW 35 904 AN	4 gang
GW 35 905 AN	5 gang
GW 35 909 AN	double

Modularity


Center distance 71 mm




1 gang





2 gang




3 gang



double



4 gang



5 gang

# Dahlia PLATES AND DEVICES

## SWITCHES

<b>One-way switches quick wiring</b>					
	GW 35 031 W ○ GW 35 001 Y ○ 1P-10 AX Illuminable (*)	GW 35 002 W ○ GW 35 002 Y ○ 1P-10 AX Backlit	GW 35 006 W ○ GW 35 006 Y ○ 1P-10 AX Backlit	GW 35 003 W ○ GW 35 003 Y ○ 2P-10 AX Illuminable (*)	GW 35 051 W ○ GW 35 051 Y ○ 1P-10 AX Double one-way switch
<b>Two-way switches quick wiring</b>					
	GW 35 071 W ○ GW 35 011 Y ○ 1P-10 AX Illuminable (*)	GW 35 012 W ○ GW 35 012 Y ○ 1P-10 AX Backlit	GW 35 016 W ○ GW 35 016 Y ○ 1P-10 AX Backlit	GW 35 052 W ○ GW 35 052 Y ○ 1P-10 AX Double two-way switch	GW 35 015 W ○ GW 35 015 Y ○ 1P-10 AX Intermediate switch
<b>Push-buttons quick wiring</b>					
	GW 35 021 W ○ GW 35 021 Y ○ 1P-10 A Illuminable (*)	GW 35 022 W ○ GW 35 022 Y ○ 1P-10 A Backlit	GW 35 026 W ○ GW 35 026 Y ○ 1P-10 A Backlit		

## ENERGY SOCKETS

<b>German socket-outlet quick wiring</b>		<b>German socket-outlets screw wiring</b>			
	GW 35 206 W ○ GW 35 201 Y ○ 2P+E-16 A-250 V ac Illuminable (*)		GW 35 207 W ○ GW 35 202 Y ○ 2P+E-16 A-250 V ac Illuminable (*)	GW 35 203 W ○ GW 35 203 Y ○ 2P+E-16 A-250 V ac IP40 - With lid Illuminable (*)	GW 35 204 W ○ GW 35 204 Y ○ 2P+E-16 A-250 V ac Double
<b>French socket-outlet quick wiring</b>		<b>French socket-outlets screw wiring</b>			
	GW 35 216 W ○ GW 35 211 Y ○ 2P+E-16 A-250 V ac Illuminable (*)		GW 35 212 W ○ GW 35 212 Y ○ 2P+E-16 A-250 V ac Illuminable (*)	GW 35 213 W ○ GW 35 213 Y ○ 2P+E-16 A-250 V ac IP40 - With lid Illuminable (*)	GW 35 214 W ○ GW 35 214 Y ○ 2P+E-16 A-250 V ac Double

## DIMMERS

<b>Universal dimmer</b>	
	GW 35 301 W ○ GW 35 301 Y ○ 4-160 W With two-way switch 230 V ac-50 Hz

(\*) supplied without LED signalling unit

## DATA SOCKETS



TV socket

GW 35 261 W ○  
GW 35 261 Y ○  
Direct - 0 dB



Telephone socket

GW 35 251 W ○  
GW 35 251 Y ○  
RJ11



Data sockets

GW 35 271 W ○  
GW 35 271 Y ○  
RJ45 cat.5e  
UTP



GW 35 272 W ○  
GW 35 272 Y ○  
RJ45 cat.5e  
FTP



GW 35 273 W ○  
GW 35 273 Y ○  
RJ45 cat.6  
UTP



GW 35 274 W ○  
GW 35 274 Y ○  
RJ45 cat.6  
FTP



GW 35 280 W ○  
GW 35 280 Y ○  
AMP/Keystone Jack  
adapter

USB and HDMI couplers



GW 38 056  
HDMI coupler



GW 38 057  
USB coupler

## ACCESSORIES



LED signalling unit

GW 35 981  
230 V ac-50/60 Hz



Lenses with illuminated symbol



GW 35 986  
Lens kit



Protective cover



GW 35 996  
For painting

Wall-mounting boxes  
- IP40

GW 35 911  
1 gang



GW 35 912  
2 gang


## SUPPORTS FOR MODULAR DEVICES



Support

GW 35 991

All Chorus modular devices  
(max. 2 modules) can be fitted  
with GW35991 supports  
and completed with DAHLIA  
plates.



Dahlia devices are suitable for Ø 60 mm round boxes. They can be used with all the Gewiss round boxes.  
They can be mounted on the Gewiss GW 24 231 square boxes only with screws (not with claws).

# Dahlia PLATES AND DEVICES

BOXES (*)	DEVICES	PLATES
 GW 24 234 PM		 1 gang
 GW 24 232		 double
 GW 24 208		
 GW 24 209		
   GW 24 234 PM		 2 gang
   GW 24 232		 3 gang
 GW 24 234 PM		 4 gang
 GW 24 232		 5 gang

BOXES (*)	DEVICES	PLATES
<p>Integration with Chorus modular devices</p> <p>GW 24 234 PM GW 24 232 GW 24 208 GW 24 209</p> <p>GW 35 991 (***) 1x2 module (***) 2x1 module (***)</p> <p>1 gang</p>		
<p>GW 35 911 GW 35 991</p>		<p>1 gang</p>
<p>GW 35 912 GW 35 991 GW 35 991 GW 35 991</p>	<p>GW 35 991 + GW 35 991 + GW 35 991 + GW 35 991 +</p>	<p>2 gang</p>

(\*) GW 24 231 Flush-mounting square boxes can be used only with screws (not with claws)

(\*\*) The support GW 35 991 can be used individually or in array configuration, also in combination with the monobloc devices

(\*\*\*) From Chorus modular devices range

## Wireless Devices

ZIGBEE®



## Home Automation

KNX EASY BUS



*page 70*

## Building Automation

KNX BUS



*page 74*

# Wireless Devices ZIGBEE®

The new range of wireless Zigbee devices for command and control offers innovative solutions for the renovation of buildings, minimising the structural interventions.


## Easy renovations

Elimination of device cabling allows you to save money and introduce Home&Building Automation functions also where masonry works are not possible, in particular during renovations.



## Safe and reliable technology

Zigbee® is a secure system, because the data exchanged between devices are encrypted and reliable because every node in the network retransmits the information to always guarantee the reachability of all the devices (mesh network).



## Integration with Home & Building automation

The Zigbee® devices can be controlled by the App, locally or in remote by means smartphone and tablet, and integrated in the Gewiss Home&Building Automation thanks to the Smart Gateway that makes it possible to realize also advanced functions, such as complex scenarios, time programming, analysis of consumption records, alarm and system error notifications.



**SYSTEM SUPERVISION****Gateway**GW A9 000  
Smart gateway  
12Vdc - 1A**COMMAND DEVICES****Contacts interfaces**GW A1 501  
2-channel potential-free  
Battery poweredGW A1 502  
2-channel  
230Vac - 50Hz**ACTUATORS****General loads actuators**GW A1 521  
1-channel 10A potential-free  
230Vac - 50HzGW A1 522  
2-channel 6A  
230Vac - 50HzGW A1 523  
1-channel 10A with power meter  
230Vac - 50Hz**Roller shutters actuator**GW A1 531  
1-channel 6A  
230Vac - 50Hz**Smart plug**GW A1 526  
10A Schuko adapter with power meter  
230Vac**LOAD MANAGEMENT****Load management kit**GW A1 911  
P-Comfort + 1 Smart plugGW A1 912  
P-Comfort + 2 Smart plugs**Load management relay**GW A1 916  
P-Comfort  
230Vac - 50Hz**SENSORS AND ALARMS****Sensors**GW A1 511  
Motion sensor  
Battery poweredGW A1 513  
Door/window sensor  
Battery powered**Alarms**GW A1 512  
Smoke alarm  
Battery poweredGW A1 514  
Flood alarm  
Battery poweredGW A1 541  
Wall-mounting support for  
flood alarm**SYSTEM COMPONENTS****Complementary items**GW A1706  
USB/ZigBee Interface**ACCESSORIES****Chorus blanking modules**GW 10 750 White  
GW 12 750 Black  
GW 14 750 TitaniumFor housing of ZigBee  
contacts interfaces and  
actuators

# Home Automation KNX EASY BUS

The CHORUS HOME AUTOMATION range offers the KNX Easy BUS system - an advanced control system which, in accordance with European Standard EN50090 for Home Automation, enables each system component to converse with the others.

## The system that interacts with the home

Gewiss' Home Automation range is a complete, versatile selection of products that allows you to create a complete and advanced system for apartments or villas which is able to satisfy each application need. The functions of the home can be managed and supervised locally or remotely via an internet connection thanks to the HAPPY HOME app for smartphone and tablet.



## The KNX Easy system


Security, safety, comfort, energy savings, scenes, integration with other technologies and remote control: the Easy devices make the home smart, and every choice becomes simple and more environmentally friendly.

Technology meets Italian style.



## Easy controller

The KNX Easy devices can be configured and programmed with ETS sw (S-mode) or alternatively in a simplified way, through the Easy controller sw (E-mode) by means of a PC and a KNX BUS access interface (generally a KNX/USB interface). The software automatically detects all the Easy devices located on the BUS and helps you create functions between commands/sensors and actuators, even in Off-Line mode.



## SYSTEM COMPONENTS

### Self-protected electronic power supplies



GW 90 709  
320 mA  
220-240 V ac - 50/60 Hz

GW 90 710  
640 mA  
220-240 V ac - 50/60 Hz

### Complementary items



GW 90 708 A  
Line/Field coupling


GW 90 706 B  
KNX/USB interface

GW 90 706 U  
KNX/USB stick  
interface

GW A9 705  
KNX/IP interface

## COMMAND DEVICES

### TOUCH push-button panel module with interchangeable symbols




GW A9 471  
EASY 6-channel  
with interchangeable symbols

### ICE TOUCH KNX glass plates




GW 16 946 CB  
White  
GW 16 946 CN  
Black  
GW 16 946 CT  
Titanium

### TOUCH push-button panel module




GW 10 741  
EASY 6-channel

### ICE TOUCH KNX glass plates




2 symbols

GW 16 962 CB  
White  
GW 16 962 CN  
Black  
GW 16 962 CT  
Titanium



4 symbols

GW 16 964 CB  
White  
GW 16 964 CN  
Black  
GW 16 964 CT  
Titanium



6 symbols

GW 16 966 CB  
White  
GW 16 966 CN  
Black  
GW 16 966 CT  
Titanium

### Contacts interfaces



GW 90 833  
EASY 2-channel

GW 90 834 A  
EASY 4-channel

### LED signalling unit



GW 10 886 Blue 3.3 V dc  
GW 10 887 White 3.3 V dc  
GW 10 888 Red 3.3 V dc  
GW 10 889 Green 3.3 V dc  
GW 10 890 Amber 3.3 V dc

### Blanking modules



For housing contacts  
interfaces

GW 10 751  
White  
GW 12 751  
Black  
GW 14 751  
Titanium

### Electronic push-buttons



Universal  
1M-1P-NO




For BUS inputs  
1M-1P-NO Backlit



For BUS inputs  
1M-1P-NO Backlit




GW 10 916  
White  
GW 12 916  
Black  
GW 14 916  
Titanium



GW 10 917  
White  
GW 12 917  
Black  
GW 14 917  
Titanium



GW 10 918  
White  
GW 12 918  
Black  
GW 14 918  
Titanium



GW 10 914  
White  
GW 12 914  
Black  
GW 14 914  
Titanium

# Home Automation KNX EASY BUS

## COMMAND DEVICES

Push-button panels		GW 10 753 A White GW 12 753 A Black GW 14 753 A Titanium		GW 10 754 A White GW 12 754 A Black GW 14 754 A Titanium		GW 10 755 A White GW 12 755 A Black GW 14 755 A Titanium
		GW 10 757 White GW 12 757 Black GW 14 757 Titanium		GW 10 752 White GW 12 752 Black GW 14 752 Titanium		
	EASY 4-channel with interchangeable symbols		EASY 4-channel			
		GW 10 551 White GW 12 551 Black GW 14 551 Titanium		GW 10 552 White GW 12 552 Black GW 14 552 Titanium		GW 10 553 White GW 12 553 Black GW 14 553 Titanium
	1M button key To be completed with lens		2M button key To be completed with lens		1M button key To be completed with 2 lenses	2M button key To be completed with 2 lenses
						1M button key With 2 diffusers
Interchangeable button keys for push-button panels		GW 10 554 White GW 12 554 Black GW 14 554 Titanium		GW 10 557 White GW 12 557 Black GW 14 557 Titanium	GW 10 559 White GW 12 559 Black GW 14 559 Titanium	
						1M button key Complete with 2 lenses DND+MUR
		GW 10 501 A Trasparent		GW 10 502 A Light		GW 10 503 A Stair light
		GW 10 504 A Table light		GW 10 505 A Bell		GW 10 506 A Burglar alarm
		GW 10 507 A Key		GW 10 508 A ON OFF		GW 10 509 A ON
Lenses with illuminated symbols		GW 10 510 A OFF		GW 10 511 A Socket		
		GW 10 512 A Dimmer		GW 10 513 A Dimmer increase		GW 10 514 A Dimmer decrease
		GW 10 515 A Arrow		GW 10 516 A Open		GW 10 517 A Close
		GW 10 518 A Roller shutter		GW 10 519 A Roller shutter up		GW 10 520 A Roller shutter down
		GW 10 521 A Curtain open		GW 10 522 A Curtain close		
Sensors		GW 10 523 A Floor light		GW 10 524 A Ceiling light		GW 10 525 A Wall light
		GW 10 526 A Aisle light		GW 10 527 A Scenario		GW 10 528 A Party
		GW 10 529 A In		GW 10 530 A Out		GW 10 531 A Good morning
		GW 10 532 A Good night		GW 10 533 A TV		
		GW 10 534 A Heating		GW 10 535 A Cooling		GW 10 536 A Heating/Cooling
Movement		GW 10 537 A Comfort		GW 10 538 A Precomfort		GW 10 539 A Economy
		GW 10 540 A Auto		GW 10 541 A Do not disturb		GW 10 542 A Make up the room
Weather		GW 10 756 White GW 12 756 Black GW 14 756 Titanium			GW 90 769 Wind sensor	
	EASY IR movement detectors with twilight sensor					
					GW 90 770 Wind sensor interface 230 V ac - 50/60 Hz	


## ACTUATORS

<b>General loads actuators</b>  GW 10 766 White GW 12 766 Black GW 14 766 Titanium   GW 90 835 B EASY 4-channel 10 A 4 NO 230 V ac - 50/60 Hz   GW 90 836 B EASY 4-channel 16 AX 4 NO 230 V ac - 50/60 Hz	<b>Roller shutter actuators</b>  GW 10 767 White GW 12 767 Black GW 14 767 Titanium   GW 90 851 EASY 2-channel 6 A 230 V ac - 50/60 Hz   GW 90 852 EASY 4-channel 6 A 230 V ac - 50/60 Hz
<b>Dimmer actuators</b>  GW A9 351 Universal EASY 1-channel 500 VA - 230V ac - 50/60 Hz   GW A9 352 Universal EASY 2-channel 300 VA - 230V ac - 50/60 Hz   GW A9 350 Bleeder	 GW 90 854 For CVD LED EASY 4-channel 12-24 V dc   GW 90 855 For CCD LED EASY 4-channel 12-48 V dc   GW 90 766 Booster for CVD LED dimmer 4x10A 12-24 V dc


## TEMPERATURE ADJUSTMENT

<b>Climate control</b>  GW 10 764 H White GW 12 764 H Black GW 14 764 H Titanium   GW 10 765 H White GW 12 765 H Black GW 14 765 H Titanium   GW 10 769 White GW 12 769 Black GW 14 769 Titanium   GW 10 769 H White GW 12 769 H Black GW 14 769 H Titanium   GW 10 762 H White GW 12 762 H Black GW 14 762 H Titanium   GW 10 800 External temperature probe sensor
 GW 10 900 White GW 12 900 Black GW 14 900 Titanium   GW 16 974 CB White GW 16 974 CN Black GW 16 974 CT Titanium   GW 10 720 Power supply 100/240 V ac-50/60 Hz-12 V dc   GW 16 976 CB White GW 16 976 CN Black GW 16 976 CT Titanium   GW 10 761 White GW 14 761 Titanium   GW 10 763 White GW 14 763 Titanium

## ENERGY CONTROL

<b>Traditional energy meters</b>  GW D6 801 Single-phase direct connection   GW D6 802 Single-phase direct connection MID   GW D6 806 Three-phase direct connection   GW D6 807 Three-phase direct connection MID   GW D6 808 Three-phase C.T. connection   GW D6 809 Three-phase C.T. connection MID	<b>Interface</b>  GW 90 876 KNX interface for traditional energy meters
--	--

## COMPLEMENTARY ITEMS

<b>Accessories</b>  GW 90 807 Connection terminal to BUS   GW 90 808 Connection terminal to SELV line   GW 90 583 BUS KNX cable 2 conductors 1x2x0.8   GW 90 582 BUS KNX cable 4 conductors 2x2x0.8
--

(\*) Not provided with built-in humidity sensor

① Available from September 2019

# Building Automation KNX BUS

The CHORUS BUILDING AUTOMATION range offers the ideal solution for both homes and large buildings, without limiting the number of devices that can be connected or the size of the system.

## Standard communication protocol

KNX is the European Standard for transmitting and managing data in building automation. The KNX BUS is an open solution, and as such offers a significant guarantee of interoperability (i.e. compatibility between KNX products made by different manufacturers). The KNX Standard complies with the European Standard EN50090 and the world Standard ISO/IEC14543.



## Modification adaptability and flexibility

The KNX BUS devices are programmed with ETS (EIB Tool Software), a special software that allows you to create the logic connections necessary in order to produce the required functions. With simple software modification, it's possible at any time to assign different functions to the various devices installed without having to modify the product wiring.




## System supervision

The new Smart Gateway, with its control and supervision App, represents the ideal solution in the Home&Building Automation to manage the functions of the system based on the cloud platform thus making it possible the integration with the IoT (Internet of Things) applications.




## SYSTEM COMPONENTS



## SYSTEM SUPERVISION



## COMMAND DEVICES



# Building Automation KNX BUS

## COMMAND DEVICES

<b>Push-button panels</b>	 KNX 6-channel with interchangeable symbols	GW 10 783 A White GW 12 783 A Black GW 14 783 A Titanium	 KNX 6-channel + actuator with interchangeable symbols	GW 10 784 A White GW 12 784 A Black GW 14 784 A Titanium	 KNX 6-channel + roller shutter actuator with interchangeable symbols	GW 10 785 A White GW 12 785 A Black GW 14 785 A Titanium
	 KNX 4-channel with interchangeable symbols	GW 10 787 White GW 12 787 Black GW 14 787 Titanium	 KNX 4-channel	GW 10 782 White GW 12 782 Black GW 14 782 Titanium		

<b>Interchangeable button keys for push-button panels</b>	 1M button key To be completed with lens	 2M button key To be completed with lens	 1M button key To be completed with 2 lenses	 2M button key To be completed with 2 lenses	 1M button key With 2 diffusers	 1M button key Completes with 2 lenses DND+MUR
---	--	--	--	---	---	--

<b>Lenses with illuminated symbols</b>	 GW 10 501 A Trasparent	 GW 10 502 A Light	 GW 10 503 A Stair light	 GW 10 504 A Table light	 GW 10 505 A Bell	 GW 10 506 A Burglar alarm	 GW 10 507 A Key	 GW 10 508 A ON OFF	 GW 10 509 A ON	 GW 10 510 A OFF	 GW 10 511 A Socket
	 GW 10 512 A Dimmer	 GW 10 513 A Dimmer increase	 GW 10 514 A Dimmer decrease	 GW 10 515 A Arrow	 GW 10 516 A Open	 GW 10 517 A Close	 GW 10 518 A Roller shutter	 GW 10 519 A Roller shutter up	 GW 10 520 A Roller shutter down	 GW 10 521 A Curtain open	 GW 10 522 A Curtain close
	 GW 10 523 A Floor light	 GW 10 524 A Ceiling light	 GW 10 525 A Wall light	 GW 10 526 A Aisle light	 GW 10 527 A Scenario	 GW 10 528 A Party	 GW 10 529 A In	 GW 10 530 A Out	 GW 10 531 A Good morning	 GW 10 532 A Good night	 GW 10 533 A TV
	 GW 10 534 A Heating	 GW 10 535 A Cooling	 GW 10 536 A Heating/Cooling	 GW 10 537 A Comfort	 GW 10 538 A Precomfort	 GW 10 539 A Economy	 GW 10 540 A Auto	 GW 10 541 A Do not disturb	 GW 10 542 A Make up the room		

## SENSORS

<b>Movement</b>	 GW 10 786 White GW 12 786 Black GW 14 786 Titanium	 GW 90 787 KNX outdoor movement detector with twilight sensor	 GW 90 782 Mounting bracket for KNX outdoor movement detector	 GW A9 531 KNX presence sensor ceiling mounting	 GW A9 540 IR remote control	 GW A9 541 Assembly accessory IP54
-----------------	--	--	--	--	---	---

## WEATHER SENSORS

## Devices

GW 90 800  
KNX weather stationGW 90 881  
KNX rain sensorGW 90 882  
KNX wind sensorGW 90 883  
KNX wind and rain sensorGW 90 884  
KNX light intensity sensorGW 90 885  
KNX temperature sensor

## ACTUATORS

## General loads actuators

GW 10 796  
White  
GW 12 796  
Black  
GW 14 796  
TitaniumKNX 1-channel 16 A  
1 NO/NC 230 V ac - 50/60 HzGW 90 741  
KNX 4-channel 10 A  
4 NO 230 V ac - 50/60 HzGW 90 740 A  
KNX 4-channel 16 AX  
4 NO 230 V ac - 50/60 HzGW 90 742  
KNX 4-channel 16 AX with manual command  
4 NO 230 V ac - 50/60 HzGW A9 108  
KNX 8-channel 10 AX  
8 NO 230 V ac - 50/60 HzGW A9 103  
KNX 3-channel 16 AX with energy meter ①  
3 NO 230 V ac - 50/60 Hz

## Roller shutter actuators

GW 10 797  
White  
GW 12 797  
Black  
GW 14 797  
TitaniumKNX 1-channel 6 A  
230 V ac - 50/60 HzGW 90 856  
KNX 2-channel 6 A  
230 V ac - 50/60 HzGW 90 857  
KNX 4-channel 6 A  
230 V ac - 50/60 Hz

## Combined actuators

GW 90 730  
KNX 4-channel actuator 10 A  
+ 4 universal inputsGW A9 126  
KNX 6/12-channels 8 AX  
for shutters/generic loads  
12 NO 230 V ac - 50/60 Hz

## Dimmer actuators

GW A9 313  
for electronic ballast 1-10V  
3 channels 16 AX KNX  
230 V ac - 50/60 HzGW A9 301  
Universal  
KNX 1-channel  
500 VA - 230V ac - 50/60 HzGW A9 302  
Universal  
KNX 2-channel  
300 VA - 230V ac - 50/60 HzGW A9 350  
BleederGW 90 764  
For CVD LED  
KNX 4-channel  
12-24 V dcGW 90 765  
For CVD LED  
KNX 4-channel  
12-48 V dcGW 90 766  
Booster for CVD LED  
dimmer 4x10A 12-24 V dc

① Available from September 2019

# Building Automation KNX BUS

## TEMPERATURE ADJUSTMENT



## ENERGY CONTROL



(\*) Not provided with built-in humidity sensor

① Available from September 2019

## ACCESS CONTROL AND HOTEL MANAGEMENT

### Transponder unit



KNX transponder reading unit  
12/24 V ac/dc

GW 10 681  
White  
GW 12 681  
Black  
GW 14 681  
Titanium



KNX transponder holder unit  
12/24 V ac/dc

GW 10 682  
White  
GW 12 682  
Black  
GW 14 682  
Titanium



Transponder programming unit.  
Powered via USB.

GW 10 683  
White  
GW 12 683  
Black  
GW 14 683  
Titanium



CW 10 684  
Transponder card

### Software



Hotel management software  
GWHost

GW A9 781 Up to 10 rooms

GW A9 782 Up to 25 rooms

GW A9 783 Up to 100 rooms

GW A9 784 Over 100 rooms

## FUNCTION DEVICES

### Logic module



GW 90 797 A  
KNX logic module

## COMPLEMENTARY ITEMS

### Interfaces



GW 90 871  
Gateway KNX/DMX



GW 90 872 A  
Gateway KNX/DALI 64/16

### Accessories



GW 90 807  
Connection terminal to BUS



GW 90 808  
Connection terminal to SELV line



GW 90 583  
BUS KNX cable  
2 conductors 1x2x0,8  
GW 90 582  
BUS KNX cable  
4 conductors 2x2x0,8

(\*) Not provided with built-in humidity sensor

# Data and energy distribution

## Data Center

NETWORK CABLING



# Domo Center

FLUSH-MOUNTING SYSTEM COLUMNS FOR DISTRIBUTION, H&B AUTOMATION AND DATA



## Simplify every complexity

DATA CENTER is the new complete and integrated range of products for LAN network cabling (both for copper and optical fiber). A solution that reduces installation times and allows quick configuration in any moment to meet changing usage requirements.



## 10" Wall mount rack cabinets

Extremely easy to install, thanks to its limited dimensions, and particularly suitable for Small Office or Home Office installations. Special accessories are available, to create the best configuration for every need.



## 19" Wall mount and floor rack cabinets


The wall mount rack cabinets, with their modern and innovative design, come in with a reversible door made of tempered glass. The floor rack cabinets, available in different sizes, are realized with openable side panels and a solid rear door to facilitate inspections and wiring.



## 10" WALL MOUNT RACK CABINETS



## 19" WALL MOUNT RACK CABINETS



## 19" FLOOR RACK CABINETS



## ACCESSORIES FOR 19" RACK CABINETS



## COMPONENTS AND ACCESSORIES



# Domo Center FLUSH-MOUNTING SYSTEM COLUMNS FOR DISTRIBUTION, H&B AUTOMATION AND DATA

## A solution in harmony with the surroundings

DOMO CENTER is the system column designed by Gewiss for residential and commercial use.

This solution transforms the domestic system into a furnishing accessory, with its modern design that adapts to suit the context. It centralises and rationalises the existing services, from the most traditional to the most advanced, in one single device.

The Domo Center range is divided into 2 parts:

- **Front configuration kit** • already configured with all the necessary items for setting up the system column (with the exception of the back-mounting box)
- **Components** • the single elements needed to create any type of KIT



- **Flush-mounting back-mounting box, 2700 or 2400mm high**
- **External dimensions 2400 and 2100mm**
- **Protrusion of only 25mm from the wall, with suspended effect**
- **Modular capacity of up to 320 modules**
- **Versions already configured (kits) in different types**



**reddot design award**  
winner 2016

## Applications



**Domo Center with exposed functional panels**



**Domo Center integrated with the furniture style**



**Domo Center with integral transparent door**

### HOW TO REQUEST THE MOST SUITABLE CONFIGURATION (KIT)

Contact Customer Service ([sat@gewiss.com](mailto:sat@gewiss.com)) or the sales organisation for cost estimates and support for configuring your system. The request procedure is facilitated by the Gweb DOMO CENTER software, available free of charge at [gewiss.com](http://gewiss.com).



## Available finishes

DOMO CENTER can be configured in numerous solutions, with or without doors.

In fact, personalised configurations can be created by simply combining the system column with the Domo Center components. The version with door is available in three different materials: smoked transparent glass, full mirror or metal.



e.g. version 2700 with door




e.g. version 2400 without door



reddot design award  
winner 2016



Mirror



White RAL 9003



Maple



Cherry



Moon



Lava



Sand



Brushed White



Brushed Grey

# GEWISS

Visit [www.gewiss.com](http://www.gewiss.com) and follow us on:



## GEWISS S.p.A.

GEWISS S.p.A. Registered office:

Via A. Volta, 1 - 24069 CENATE SOTTO (Bergamo) - Italy  
Tel. +39 035 946 111 - Fax +39 035 945 222  
[gewiss@gewiss.com](mailto:gewiss@gewiss.com) - [www.gewiss.com](http://www.gewiss.com)

Sole Shareholder company - Bergamo Register of Companies/ VAT / Tax code (IT) 00385040167  
REA 107496 - Share Capital 60,000,000.00 EUR fully paid up

PB 33301 EN - 03.18

